John Deere Catalog

Parts, Equipment, Supplies, and More





\$31.92 Heavy-Duty TruVee Planter Opener Blade

Heavy Duty 15" 3.5mm Diamond Series opener blade for XP, ME5, and EE row units.



Page 11

\$9.09 7" High Productivity Sweep

7" High Productivity Perma-Loc quick change sweep for the ultimate in performance and productivity.

Page 32

15% Off Ultra-low drift Max Sprayer Nozzles

Ideal for post emerge systemic herbicide applications where drift reduction is paramount.



Page 23





Multi-Use Account

PARTS ARE JUST PART OF THE **PICTURE**.

No matter what kind of operation you run, you don't have time for downtime. Whether you need to buy parts for regular service maintenance or have your equipment inspected during the off-season, you can put it all on one account. Ask your local John Deere Dealer about the exclusive money saving No-Payments/No-Interest programs available when using your **Multi-Use Account** from John Deere Financial.





ONE LOGO FITS ALL

The John Deere Collection

John Deere doesn't just stop at parts... we've got you covered!

Whether you're out in the field, hard at work in the shop, or hanging out in the house, you can count on the John Deere team to keep you stocked, locked, and ready, all year long.

From our friendly dealerships to our comprehensive catalogs, you'll find a complete lineup of quality gear. We carry everything you need from maintenance products to equipment attachments, clothing, tools, toys, and more.

So if you're preparing for next season or just looking for a unique gift idea, remember the John Deere team. We're here to help you get the job done right.



CONTENTS

Planter Parts & Attachments	6–13
Air Seeder & Drill Parts	14–18
Precision Ag	19
Sprayer Parts & Attachments	20–31
Tillage Parts	
Nutrient Application Parts	
Hay & Forage Parts & Attachments	
Rotary Cutter Parts & Attachments	
Engine & Reman Parts	
Scraper Parts	
Combine Parts & Attachments	
Forage Harvester Parts & Attachments	
Cotton Parts & Attachments	
GreenFleet	
Tractor Parts & Attachments	65–77
A&I Products	78–79
Loader Attachments	80
Bearings	81
Filters & Fleetguard	
Oil & Lubricants	
Batteries & Chargers	
Hoses & Hydraulic Parts	
Sunbelt Outdoor Products	
Turf & Utility Vehicle Parts & Attachments	
Accessories	
Chemicals & Paint	
Home & Workshop Products	
Rulk Hardware	121

To change your address, send your old address label along with your new address to:

John Deere c/o Customer Mail P.O. Box 417 Moline, IL 61266-0417

Prices are suggested retail prices only and are subject to change without notice at any time. Dealer may sell for less. Taxes, setup, delivery, freight, and preparation charges not included. See dealer for details.

**Manufacturer's limited warranty. Limitations apply and vary by model. See manufacturer for details.

t†The engine horsepower information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower will be less.

*Trademark is third party used with permission.

John Deere, the leaping deer symbol and John Deere's green and yellow trade dress are the trademarks of Deere & Company.

WHAT ARE WORN PLANTER **PARTS COSTING YOU?**

Uniform emergence can have a big impact on your bottom line, at 5% to 9% impact on yield* in corn. At 200-bushelper-acre average, you could experience yield loss of up to 18 bushels, or roughly \$72 per acre, at \$4.00 per bushel.

18 bu/a x \$4.00 = \$72 PER ACRE IN POTENTIAL REVENUE

Worn or misadjusted opener blades, an uncalibrated downforce system, row cleaners or coulters that gouge or hang up, or closing systems that are misaligned can all compromise seed placement. Every seed that doesn't emerge within 48 hours of its neighbor is at risk for producing smaller ears. And that's unclaimed potential that was in the bag.

Don't let worn parts wear on your bottom line. Schedule your John Deere Planter Inspection today!

Gray, Sue. 2018. Influence of Even Plant Spacing and Emergence on Corn Yield. John Deere Growing Green



Talc and 80/20 Talc and Graphite Blend

Talc is specially designed for today's wide range of seed treatments to enhance seed flow in all weather conditions. Talc is highly recommended for use with vacuum seed meters; however, some meters require 80/20 talc and graphite blend. This high-grade product offers the benefit of seed coating (talc) and lubrication (graphite) for vacuum seed meters. The 80/20 talc and graphite blend is 97% pure and mined in the USA.

NUMBER	DESCRIPTION	SIZE	LIST	NOW
A113710	80/20 Talc Graphite Blend	2.5 gal./8 lb.	\$23.67	\$21.19
A113711	80/20 Talc Graphite Blend	5 gal./20 lb.	\$45.00	\$40.39
A113712	Talc	2.5 gal./8 lb.	\$17.99	\$16.09
A113709	Talc	5 gal./20 lb.	\$32.48	\$29.09
TY26253	Graphite Squeeze Bottle	1 lb.	\$ 5.05	\$ 4.39
TY25255	Powdered Graphite	5 lb.	\$18.60	\$16.59



Bayer Fluency Agent Advanced

Fluency Agent is a unique polyethylene wax-based seed lubricant for corn and soybeans. It is an alternative for talc and talc/graphite-blended planter seed lubricants and can be used in all makes and types of vacuum planters that recommend the use of a seed lubricant. Testing has confirmed Fluency Agent performs equal to or better than comparable talc seed lubricants while reducing the amount of dust in vacuum system exhaust.

NUMBER	APPLICATION	PKG. QTY.	LIST	NOW
A113862	4.5 lb./2ka	4	\$102.29	\$91.99



Planter Tech Tip

Per your machine's Operator's manual, follow the recommended grease and lubrication options:

Grease: John Deere SD Polyurea Grease is preferred.

The following greases are also recommended:

John Deere HD Lithium Complex Grease

John Deere HD Water Resistant Grease

John Deere GREASE-GARD™

Gear Case Oil: The following oils are preferred:


John Deere Hy-Gard™

John Deere Low Viscosity Hy-Gard™

Roller Chain: Do not use chain lube or any other heavy petroleum base lubricant that may cause a buildup of dust or dirt in sprocket or gear teeth.

Lubricate all machine roller chains with John Deere Multipurpose Spray Lube,
TY6350 (or equivalent) at intervals sufficient to maintain free chain movement.









Brush Belt Tech Tip:

To prevent a BrushBelt™ malfunction, do not apply fertilizer directly in the seed furrow near the front of the BrushBelt™. To dry the BrushBelts™ before planting in wet conditions, perform a meter runoff. (See the SeedStar™ Application Help for the Runoff procedure.) Periodically clean the seed sensor area inside the BrushBelt™. Dusty conditions or heavily treated seeds cause an excessive buildup of dust and seed treatment inside the BrushBelt™, which blocks the seed sensor. When the seed sensor becomes blocked, false low population counts, or false low limit warnings appear.

Double Eliminator Tech Tip:

Degraded meter performance, like multiple seed placement, is an indicator of possible inner or outer double eliminator wear. Check the inner and outer double eliminators (A) for wear. Check the inner and outer tines for uniform length and diameter. If the length of the outer double eliminator measures less than 8 mm from the base Tine or Brush to the tip and the meter performance is degraded, replace it. If the diameters of inner adjustable double eliminator Tines are worn to less than 1/2 the original diameter and the meter performance is degraded, replace it.

ExactEmerge Wear Parts


NUMBER	DESCRIPTION	LIST	NOW
AA98668	Meter Housing	\$228.60	\$205.59
A107427	Ceramic Meter Wear Pads	\$ 3.06	\$ 2.69
A95817	Seed Guide	\$ 4.74	\$ 4.19
AA92875	Vibrational Strip	\$ 13.36	\$ 11.89
AA83215	Smooth Strip	\$ 14.17	\$ 12.69
A95875	Meter Housing Bearing	\$ 15.88	\$ 14.19
AA86138	5-Finger Polytine Double Eliminator	\$ 17.85	\$ 15.99
AA81457	5-Finger Brush Double Eliminator	\$ 33.94	\$ 30.39
AA85925	Knockout Wheel – Black-Corn, Soybean, Cotton, Popcorn, Sunflower, Sweet Corn	\$ 32.90	\$ 29.49
AA88629	Knockout Wheel – Yellow-Regular/Large Sugarbeets	\$ 35.79	\$ 32.09
AA89179	Knockout Wheel – Green-Mini Sugarbeets, Sorghum	\$ 36.12	\$ 32.39
AA94227	BrushBelt Gearbox	\$192.51	\$173.19
A98765	Brush Belt – Black Bristles and Textured Belt	\$192.19	\$172.89
A119678	Brush Belt – Green Bristles and Textured Belt	\$403.61	\$363.09
AA86173	Seed Sensor	\$676.87	\$609.09
A92777	Seed Bowl – Corn, Large Sweet Corn	\$ 46.18	\$ 41.49
A92778	Seed Bowl – Soybean, Edible Bean (non-scalloped)	\$ 52.90	\$ 47.49
A103836	Seed Bowl – Soybean (scalloped)	\$ 43.10	\$ 38.69
A95892	Seed Bowl – Cotton, Popcorn	\$ 52.93	\$ 47.49
A95896	Seed Bowl – Sweet Corn, Sunflowers	\$ 66.54	\$ 59.79
A43215	Seed Bowl – Small Corn	\$ 27.07	\$ 24.29
A50617	Seed Bowl – Standard Corn	\$ 27.07	\$ 24.29
A56251	Seed Bowl – Acid-Delinted Cotton	\$ 36.99	\$ 33.19
A65622	Seed Bowl – 4 Seed Hill-drop Cotton	\$ 36.99	\$ 33.19
A42586	Seed Bowl – Soybean	\$ 27.07	\$ 24.29
A52391	Seed Bowl – Corn, ProMax 40	\$ 36.99	\$ 33.19
A52390	Seed Bowl – Small Sweet Corn	\$ 36.99	\$ 33.19

Replacement Guidelines for ExactEmerge Wear Parts

Service/Inspection	As Needed	10-hrs./ Daily	50-hrs.	100-hrs.	200-hrs.	Annually
Seed Bowl				Х		
Meter Housing						Х
Meter Wear Pads			Χ			
Seed Guide						Х
Agitation/Smooth Strip				Χ		
Meter Housing Bearing	Х					
Double Eliminator						Х
Knockout Wheel				Х		
Dome Seal	Χ					Χ
BrushBelt™ Conditioner				Х		
BrushBelt™ Gearbox				Χ		Х
BrushBelt™	Х					Х
Seed Sensor	Х					Х

Gauge Wheel Assemblies, Gauge Wheel Arms and Bushings

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
AA53860	Tru-Vee opener disk blade assy – 15-in., 3.5mm		\$ 28.85	\$ 25.89
AA55927	TruVee opener disk blade assy – 15-in., 3mm		\$ 28.76	\$ 25.79
AA57466	Fertilizer opener disk blade assy, 13.5-in.		\$ 41.19	\$ 36.99
AA57467	Fertilizer opener disk blade assy, 13.5-in.		\$ 41.93	\$ 37.59
AA65248	Disk opener and bearing assembly		\$ 35.47	\$ 31.92
AA35392	Gauge wheel assembly, metal	ME, ME2	\$ 80.79	\$ 72.59
AA41359	Wheel, gauge wheel, plastic	ME, ME+, Pro-Series	\$ 99.60	\$ 89.49
A56565	Wheel, outer, nylon	ME+, Pro, XP	\$ 23.81	\$ 21.29
A25915	Bearing, assembly, sleeve	ME+, Pro-Series	\$ 2.06	\$ 1.79
A84062	Tire, gauge wheel, 4 1/2 x 16-in.	ME+, XP	\$ 39.93	\$ 35.79
A49918	Tire, gauge wheel	ME2, ME+	\$ 31.07	\$ 27.89
A22780	Gauge wheel half, metal	ME, ME2	\$ 16.61	\$ 14.79
AA67083	RIP gauge wheel assembly	MEXP, Pro XP	\$103.52	\$ 93.09
A84451	Large lip conservation tire, $4^{1}/_{2} x$ 16-in.	MEXP, Pro XP	\$ 44.93	\$ 40.29
A84450	Tire, conservation, $4^{1/2} \times 16$ -in.	ME, ME2, ME+	\$ 43.13	\$ 38.69
AA43898	Wheel assembly	ME2	\$ 39.85	\$ 35.79
AA66604	Steel gauge whl & tire assy, offset		\$100.46	\$ 90.29
AA98187	Complete Spoke Gauge Whl Assy	ME+, MEXP	\$157.54	\$141.69
AA98189	Complete Conservation Whl Assy	ME+, MEXP, Pro	\$171.03	\$153.79
AA98188	Complete Narrow Whl Assy	ME+, MEXP, Pro	\$157.54	\$141.69
AA82684	Gauge wheel arm kit (JD exclusive)	ME*, ME2	\$ 49.99	\$ 44.89
A97866	Gauge wheel arm	ME+, Pro-Series	\$ 23.94	\$ 21.39
A92817	Gauge wheel arm	XP, ME5, EE	\$ 27.37	\$ 24.49
A97867	Gauge wheel arm pivot bushing	Pro-Series	\$ 12.94	\$ 11.49
A92818	Gauge wheel arm pivot bushing	ME+, Pro-Series	\$ 12.63	\$ 11.29









Scrapers

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
AA62808	Tungsten-Carbide Scraper, Cmplt Assy.	ME2, ME+, XP, Pro	\$ 35.80	\$ 32.09
AA62559	Tungsten-Carbide, Scrapers Only	ME2, ME+, XP, Pro	\$ 26.00	\$ 23.29
AA26443	Tru-Vee Scraper, RH, Riveted	ME	\$ 4.96	\$ 4.39
AA26444	Tru-Vee Scraper, LH, Riveted	ME	\$ 5.01	\$ 4.39
AA37221	Rotary Scraper	ME2, ME+, XP, Pro	\$ 6.00	\$ 5.29
A69140	Rotary Scraper Arm (right)	ME2, ME+, XP, Pro	\$ 4.34	\$ 3.79
A69139	Rotary Scraper Arm (left)	ME2, ME+, XP, Pro	\$ 4.34	\$ 3.79
AA54726	Rotary Scraper Kit	ME2, XP	\$ 25.70	\$ 22.99
A98182	Scraper Arm (right)	ME5, ME5E	\$ 8.39	\$ 7.49
A98183	Scraper Arm (left)	ME5, ME5E	\$ 8.39	\$ 7.49
BA28012	Heavy-Duty Scraper, One Row	ME2, ME+	\$235.40	\$211.79
AA79993	Scraper / Wiper Assembly	ME5, XP, ME+	\$ 11.48	\$ 10.19
A41117	Spring, LH Torsion	ME5, ME5E	\$ 6.48	\$ 5.69
A41116	Spring, RH Torsion	ME5, ME5E	\$ 6.43	\$ 5.69
AA64034	Scraper Kit – HD Scraper Blade	ME5, ME5E	\$ 28.94	\$ 25.89



DICES BY A STATE OF THE PROPERTY OF THE PROPER

GAUGE WHEEL ARMS



Simple bolt-through design allows for quick service, greater arm strength and increased wear life.

GAUGE WHEEL ASSEMBLY



Available in steel, plastic, standard and reduced inner profile options for creating a well-defined seed furrow of consistent depth.

CLOSING WHEELS



Cast-iron, rubber or disk closing wheels firm up soil around the seed while minimizing soil compaction above it.

OPENER BLADES



Tru-Vee™ opener blades or fertilizer opener blades cut trenches for accurate seed and fertilizer placement.

SCRAPERS



Steel, heavy-duty and rotary scrapers eliminate soil buildup and keep the blade running freely in sticky conditions.

EXACTEMERGE™ BRUSH BELTS



Both round and flat ExactEmerge™ brush belts offer precise seed delivery in high-speed planting.

15% OFF* PLANTER PARTS THRU 3/15/20

Hit the ground running this season by replacing worn parts on your planter. And right now you can save a bundle, with a bundle, on Genuine John Deere Parts. Simply PICK 3 or more categories above.

PURCHASE \$150 minimum of parts in each category. SAVE 15% on all parts in your selected categories. Now that's easy pickings. And savings, too. Stop by today!

*Save 15% on Genuine John Deere planter parts when you purchase \$150 or more in at least 3 of the 6 planter parts categories (gauge wheel arms, gauge wheel assembly, closing wheel assembly, opener blades, scrapers, brush belts) from a participating U.S. John Deere dealer between December 1, 2019 and March 15, 2020. \$150 worth of parts before applicable sales tax must be purchased in at least 3 categories to receive 15% OFF. Offer not valid on previously purchased parts or attachments nor on attachment ordered as an option code. Offer has no cash value and cannot be redeemed for cash. Dealer participation may vary. Other restrictions may apply. Offer cannot be combined with any other offer and may be discontinued or modified without notice at any time. See your John Deere dealer for details.

Tru-Vee™ Opener Assemblies

Tru-Vee Openers and blades are designed to cut a trench precisely to the selected depth. These OEM Diamond Series blades' special beveled edges make penetration easy, retain their sharp edge, and offer longer life compared to aftermarket alternatives.

NUMBER	DESCRIPTION	LIST	NOW
AA53860	Tru-Vee Heavy-Duty, 3.5mm for ME+ and Pro Series	\$28.85	\$25.89
AA55927	Tru-Vee Standard-Duty, 3mm for ME+ and Pro Series	\$28.76	\$25.79
AA65248	Heavy-Duty, 3.5mm Double-Row Bearing for XP, ME5, and EE	\$35.47	\$31.92
AA65457	Heavy-Duty, 3.5mm Double-Row Bearing for ME2 and ME+	\$44.73	\$40.19



Disk Openers and Coulter Blades

Our most popular openers and coulter blades are made from the same high quality Diamond-Series material used on new John Deere seeding equipment. They're not "just like" OEM, They are OEM.

25-wave (0.63-in.): Creates extremely fine tilth area in an area about ⁷/₈-in. wide. Works well on wet, spongy soil that can be tight and difficult for proper furrow closing.

13-wave (0.7-in.): Tills an area about 1-in. wide at speeds under 6 mph. Gives more aggressive soil disruption at slower speeds. Fractures the soil more, opening a wider slot of fine tilth.

8-wave (1-in.): Offers less soil disturbance and a 1.25-in. wide trench at speeds above 5.5 mph.


Bubble: Tills more aggressively as bubbles enter the seedbed zone. Opens a 1-in. wide slot. Penetrates soil and cuts through residue well.

NUMBER	DESCRIPTION	SIZE/TYPE	LIST	NOW
AA57466	Fertilizer Opener Assembly	13 ¹ / ₂ -in.	\$41.19	\$36.99
AA57467	Fertilizer Opener Assembly	13 ¹ / ₂ -in.	\$41.93	\$37.59
A72358	Fertilizer Opener	13 ¹ / ₂ -in.	\$35.81	\$32.09
A72359	Seed Opener	13 ¹ / ₂ -in.	\$18.44	\$16.49
A33066	Coulter, rippled	20-in.	\$54.61	\$48.99
A73911	Fluted Coulter	8-wave	\$47.68	\$42.79
A73615	Fluted Coulter	8-wave	\$48.60	\$43.59
A73910	Rippled Coulter – 6-Bolt	36-ripple	\$42.59	\$38.19
A72360	Rippled Coulter – 5-Bolt	36-ripple	\$36.16	\$32.39
A72677	Fluted Coulter – 6-Bolt	13-wave	\$42.04	\$37.69
A72678	Coulter Disk, 13-Flute, 7-in. diameter	13-wave	\$38.29	\$34.39
A72679	Fluted Coulter – 6-Bolt	25-wave	\$43.41	\$38.99
A72680	Fluted Coulter – 5-Bolt	25-wave	\$42.88	\$38.49
A72361	Marker Blade, notched	17-in.	\$29.77	\$26.69
A72404	Fertilizer Blade for Single-Disk Openers		\$39.25	\$35.19





Talk to us today about how attachments can **Add More** to your planter.



Low rate financing options available for select planter attachments sold through parts, including: Easy Adjust Row Cleaner Retrofit, Pneumatic Closing Wheel Retrofit, or ME5 Retrofit kits \$4,000 and above.

Time to upgrade your planter with a retrofit kit? We have low-rate finance offers available through John Deere Financial. Please see your John Deere dealer for additional details on these offers.

- 365 days No Payments/No Interest (12 months)
- 24 month 1.9% fixed-rate with 24 equal payments
- 36 month 2.9% fixed-rate with 36 equal payments

Note: minimum purchase for each offer is \$4,000. Offer ends April 30, 2020.

All programs subject to John Deere Financial approval credit on a Multi-Use Account, a service of John Deere Financial, f.s.b. Program options are available for Agricultural and Commercial account holders only. After promotional period, interest changes will begin to accrue at the Multi-Use Account rate. Available at participating John Deere Dealers, see your local dealer for complete details.

Seed Tubes and Sensors

Seed tubes deliver the seed from the meter to the seed trench formed by the Tru-Vee™ openers. Large curved, regular curved, regular straight, and small straight seed tubes are available for all seed metering systems.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
Seed Tubes:				
AA67780	Flush Face	MaxEmerge™ 2, MaxEmerge™ Plus, and XP	\$ 14.21	\$ 12.69
AA58293	Regular Sensor	MaxEmerge 2, MaxEmerge Plus	\$ 68.01	\$ 61.09
A56786	Large Curved	MaxEmerge 2, MaxEmerge Plus, and XP	\$ 42.00	\$ 37.69
Seed Tubes v	with Red Light-emitting Diode Se	ensors:		
A74931	Regular Curved	MaxEmerge	\$ 8.30	\$ 7.39
A26184	Large Curved	MaxEmerge	\$ 10.31	\$ 9.19
Sensors and	Seed Tubes:			
AA58287	Infrared Sensor with Regular Curved Seed Tube	MaxEmerge	\$120.73	\$108.59
AA58288	Infrared Sensor with Large Curved Seed Tube	MaxEmerge	\$155.64	\$139.99
AA58285	Large Curved – infrared sensor	MaxEmerge 2, MaxEmerge Plus	\$125.97	\$113.29
AA67779	Flush Face – Accu-Count Sensor		\$167.99	\$151.09
AA67778	Flush Face – Regular Sensor		\$141.72	\$127.39
Seed Tube G	uard:			
A97107	Curved Seed Tube Guard		\$ 17.70	\$ 15.79
AA54755	Curved Seed Tube Kit	ME+ and Pro Series	\$ 17.21	\$ 15.39
AA68468	Curved Seed Tube Guard Kit	ME2, ME+, ME	\$ 21.10	\$ 18.89
A80203	Curved Seed Tube Guard	XP Row Unit	\$ 14.88	\$ 13.29
Seed Sensor	s:			
AA47936	Threaded Sensor		\$262.91	\$236.49
AA61909	Accu-Count Sensor		\$146.15	\$131.39
AA58295	Accu-Count Seed Tube Sensor	ME+, Pro-Series	\$107.03	\$ 96.19
Small Straig	ht Seed Tubes:			
A75055	Tube, Regular Curved w/o Holes		\$ 21.87	\$ 19.59
A56791	Tube, Seed Large, Curved w/o Holes		\$ 40.92	\$ 36.69
A56789	Tube, Regular Straight Seed		\$ 34.55	\$ 30.99
A56787	Tube, Sugarbeet Seed		\$ 30.64	\$ 27.49

- Large curved seed tubes are recommended for planting large edible beans, large peanuts, and other large seeds.
- Regular curved seed tubes are recommended for planting acid-delinted cotton, corn, soybeans, sorghum, small edible beans, sugar beets, and other small seeds. When using the regular curved seed tubes while planting small seeds, such as sorghum, curved seed tube inserts are recommended. Regular curved seed tube small seed inserts can be sourced through Parts, part number AA46912.
- Regular straight seed tubes will plant the same seeds as the regular curved seed tubes, except they deposit the seed closer to the opener. It is recommended in light, sandy soils which tend to close quickly behind the opener, or when planting small, light seeds. When using the regular straight seed tubes while planting small seeds, such as sorghum, straight seed tube inserts are recommended. Regular straight seed tube small seed inserts can be sourced through Parts, part number AA46911.
- Small straight seed tubes are for small seeds such as sorghum. When used with the small seed tube runner, they will provide better depth control in light, fluffy soils.





ProSeries™ Opener Retrofit Kits for 90 Series Openers

The ProSeries Opener offers agronomic advantages and extended wear life compared to the current 90 Series openers.

Features include:

Seed boot – A narrower, tighter fit to the disk results in less soil throw for better seed-to-soil contact and extended wear life.

Press wheel – Narrower and more flexible press wheel improves overall seed-to-soil contact for more even emergence, plus upgraded double-row ball bearing extends service life.

Serrated closing wheel – Improved closing system when seeding in harder, drier conditions. The notches on the wheel break up the drier soil for better germination.

Seed tab – Improved material for longer wear life, angled and more flexibility in the seed trench results in less seed bounce for more consistent seed placement.

Closing spring – Easier adjustments.

NUMBER	DESCRIPTION	ROWS	LIST	NOW
AA97392	Seed Opener Retrofit Kit	8 rows (4 right/4 left)	\$1,995.00	\$1,795.00
AA98693	Seed Opener Retrofit Kit	2 rows (1 right/1 left)	\$ 525.00	\$ 475.00


Save \$25 per row thru 4/30/20*

*Discount reflected in NOW price. See your participating John Deere dealer for details. Offer good 1 November 2019 through 30 April 2020. Offer may be discontinued or modified without notice at any time. Offer cannot be combined with other offers.

Meters, Rollers, and Tuning Rings for John Deere Air Seeders

Use the low meter roller for seeds such as flax, canola, and alfalfa. The medium roller is best when planting wheat, barley, canola, and small soybeans up to 1/4 inch in diameter and with medium rates of fertilizer. The high rate roller is for high rates of fertilizer and large soybeans bigger than 1/4 inch in diameter. The very high rate roller is best used when planting barley and oats with beards, large seeds such as qarbanzo beans, and with very high fertilizer rates. Fine tuning rings reduce the amount of product available to meter for increased accuracy.

NUMBER	METER TYPE	APPLICATION RATE	LIST	NOW
Meter Roller I	Kits:			
AA45605	Low	1–20 lb. per acre	\$67.66	\$60.79
AA45606	Regular	20–130 lb. per acre	\$93.09	\$83.69
AA45607	High Rate	30–220 lb. per acre	\$84.42	\$75.89
Meter Rollers	:			
A58874	Low	1–20 lb. per acre	\$59.27	\$53.19
A58473	Regular	20–130 lb. per acre	\$44.73	\$40.19
A58479	High Rate	30–220 lb. per acre	\$38.01	\$34.09
A69212	Very High Rate	50–265 lb. per acre	\$33.36	\$29.89
Fine-Tuning R	ings:			
A57192	Low		\$ 7.67	\$ 6.79
A57197	Regular		\$ 7.67	\$ 6.79
A57195	High Rate		\$ 7.67	\$ 6.79
A70069	Very High Rate		\$ 7.42	\$ 6.59



Air Seeder Hose—Low Pressure

John Deere offers 1-in. through 2-1/2-in.-diameter, clear with green or black helix hose for air seeder applications. This clear, smooth-core, PVC hose is recommended for heavy-duty suction and discharge of seed, as well as agricultural chemicals, marine, and liquid waste.

NUMBER	ID.	OD	LIST
Good			
PM112BK100, PM112GR100	1.00-in. (25.4 mm)	1.25-in. (31.8 mm)	\$0.83
PM112BK250, PM112GR250	2.50-in. (63.5 mm)	2.84-in. (72.1 mm)	\$2.37
Better			
PM113UVBK100	1.00-in. (25.4 mm)	1.25-in. (31.8 mm)	\$1.68
PM113UVCLBK	2.50-in. (63.5 mm)	2.84-in. (72.1 mm)	\$4.77
Best			
PM100ULBK100, PM100ULGR100	1.00-in. (25.4 mm)	1.25-in. (31.8 mm)	\$2.11
PM100UCLBK, PM100ULGR250	2.50-in. (63.5 mm)	2.87-in. (72.9 mm)	\$4.76



BK = Clear w/ Black Helix, GR = Clear w/ Green Helix.

See dealer for other sizes and color combinations.



Get the ultimate seal of performance: "Inspected by John Deere."

Whether you own a box, no-till, or air-hoe drill, it pays to keep your equipment in top shape with a post-season John Deere inspection. Our certified technicians check the most critical areas to increase your drill's efficiency and accuracy. Schedule your inspection today and be ready to roll next season.



Seed Boot

Seed Boot N284045



Opener Blades N283804



Spoke Gauge Wheel AA86055



Closing Wheel N283866

50, 60, and 90 Series Opener Parts

50, 00, 0	ind 30 series opener raits			
NUMBER	DESCRIPTION	MODEL	LIST	NOW
A84050	Tire, Semi-Pneumatic, 4 1/2 x 16-in.	50, 60, 90	\$ 35.07	\$ 31.49
A84062	Tire, Gauge Wheel, 4 1/2 x 16-in.	60, 90	\$ 39.93	\$ 35.79
N283804	Disk Colter	50, 60, 90	\$ 34.32	\$ 30.79
N284110	Tire, Press Wheel	60, 90	\$ 11.45	\$ 10.19
N284111	Press Wheel	60, 90	\$ 16.43	\$ 14.69
AA66599	Wheel, Steel Gauge	60, 90	\$ 82.30	\$ 73.99
AA66604	Wheel and Tire Assembly, Offset Gauge	60, 90	\$100.46	\$ 90.29
A85133	Tire, Gauge Wheel, 3 x 16-in.	90	\$ 41.90	\$ 37.59
AA66988	Tire and Wheel Assembly, Narrow Gage	90	\$ 88.40	\$ 79.49
AA98187	Wheel and Tire Assembly, Offset Gauge, SP	90	\$157.54	\$141.69
AA98189	Wheel and Tire Assembly, Conservation, S	90	\$171.03	\$153.79
AA92485	Arm, Gauge Wheel Arm	90	\$ 72.98	\$ 65.59
AN281856	Hub Assembly	90	\$ 77.46	\$ 69.59
AN282190	Arm Assembly, SFP Closing, RH	90	\$279.79	\$251.69
AN282191	Arm Assembly, SFP Closing, LH	90	\$295.51	\$265.89
N281706	Wheel, 10-in.	90	\$ 17.07	\$ 15.29
N281714	Tire, Semi-Pneumatic, 1 x 10-in.	90	\$ 9.27	\$ 8.19
N283866	Wheel, Closing, SFP	90	\$ 58.28	\$ 52.39
N283932	Spring, Press Wheel, RH	90	\$ 26.86	\$ 24.09
N283933	Spring, Press Wheel, LH	90	\$ 22.79	\$ 20.39
N284024	Seed Boot, Extra Wear, RH	90	\$105.00	\$ 94.39
N284025	Seed Boot, Extra Wear, LH	90	\$105.00	\$ 94.39
N284044	Seed Boot, One Piece, RH	90	\$ 41.61	\$ 37.29
N284045	Seed Boot, One Piece, LH	90	\$ 41.61	\$ 37.29
A54632	Tube, Seed	50	\$ 50.42	\$ 45.29
AN211864	Gauge Wheel Assembly	50	\$ 87.69	\$ 78.79
AN213060	Wheel Assembly, Closing	50	\$ 64.33	\$ 57.79
AN280248	Arm, Assembly Closing Wheel, RH	50	\$253.62	\$228.19
AN280249	Arm, Assembly Closing Wheel, LH	50	\$225.81	\$203.09
AN280696	Arm Assembly, RH	50	\$958.89	\$862.89
AN280697	Arm Assembly, LH	50	\$958.89	\$862.89
AN281359	Tire and Wheel Assembly	50	\$ 29.93	\$ 26.79
N219700	Hub. Coulter	50	\$ 58.84	\$ 52.89
A63630	Tube, Straight	60	\$ 73.53	\$ 66.09
A63631	Tube, Seed, LH	60	\$ 97.06	\$ 87.29
A63632	Tube, Seed, RH	60	\$ 90.74	\$ 81.59
A84451	Tire – 4.5 x 16, Conservation, Large Lip	60	\$ 44.93	\$ 40.29
AA71196	Arm, Opener, RH	60	\$661.42	\$595.19
AA71197	Arm, Assembly, LH	60	\$695.51	\$625.89
AA98188	Wheel, Narrow Gauge, Spoked	60	\$157.54	\$141.69
AA98187	Wheel and Tire Assembly, Offset Gauge, SP	60	\$157.54	\$141.69
AA98189	Wheel and Tire Assembly, Conservation, S	60	\$171.03	\$153.79
N281706	Wheel, 10-in.	60	\$ 17.07	\$ 15.29
N281714	Tire, Semi-Pneumatic, 1 x 10-in.	60	\$ 9.27	\$ 8.19
N282110	Wheel, Closing	60	\$ 38.82	\$ 34.79
N282719	Tube, Fertilizer	60	\$ 54.19	\$ 48.69
N282719	Tube, Front Seed	60	\$ 53.55	\$ 48.09
N282788	Seed Boot, RH, Upper	60	\$ 36.67	\$ 32.89
N282789	Seed Boot, RH, Lower, Chrome	60	\$ 36.67	\$ 32.89
N282817	Tube, Rear Seed	60	\$ 52.75	\$ 47.39
N283432	Seed Boot, RH, Lower, Chrome	60	\$ 30.40	\$ 27.29
N283433	Seed Boot, LH, Lower, Chrome	60	\$ 30.40	\$ 27.29
	,,,	•		,,

1870 Air Hoe Drill Fertilizer Points

Whether using dry, liquid, or anhydrous ammonia, the John Deere 1870 opener has the options that fit the application needs. Austempered 10B38 boron steel point with hardfaced areas and induction fused carbide inserts to prevent wear. Carbide plates are 4mm thick along the point edge and 6mm thick on the tip.

NUMBER	APPLICATION	DRY FERTILIZER TUBE ADD ON	HOSE GUIDE	LIST	NOW
AA74478	Aqua Anhydrous Point	AA69271	AA69272 hose guide is required if dry fertilizer tube is not installed	\$178.01	\$160.09
AA69276	NH3 Point	AA69271	AA69272 hose guide is required if dry fertilizer tube is not installed	\$178.01	\$160.09
AA74476	Liquid Fertilizer Point	AA69271	AA69272 hose guide is required if dry fertilizer tube is not installed	\$178.01	\$160.09
AA69277	Dry Fertilizer Point	AA69266	n/a	\$157.37	\$141.49
AA86117	Mud Special Point	n/a	n/a	\$141.91	\$127.59

Air Hoe Drill Parts

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
Points				
N219619	Point, Spear	1820/1830	\$ 24.03	\$ 21.49
M15012	Single-Point, Wrap-Around	1820/1830	\$ 12.24	\$ 10.89
AA71412	Point, Seed, Single Row	1870	\$122.43	\$110.09
AA74427	Point, Seed, Paired Row	1870	\$192.40	\$173.09
Shovels				
AN213462	Shovel Weldment, Spear Point	1820/1830	\$109.34	\$ 98.29
N219423	Seed Deflector	1820 (s/n: -705100)/1830	\$ 15.94	\$ 14.19
Openers				
N280371	Standard, Hoe Opener	1820/1830	\$113.43	\$101.99
A57995	Standard, Spring Cushion LH Offset	1820/1830	\$238.46	\$214.49
A57996	Standard, Spring Cushion RH Offset	1820/1830	\$238.46	\$214.49
N217347	Link Spring	1820/1830	\$ 6.19	\$ 5.49
N217747	Seed Tube	1820/1830	\$ 75.34	\$ 67.69
Press Wheel	s and Tires			
A81731	3 x 21-in., Semi-Pneumatic	1820/1830	\$ 78.97	\$ 70.99
A93809	4 x 21-in., Press Wheel Tire	1820/1830	\$100.28	\$ 90.19
AA79788	4 x 21-in., Semi-Pneumatic, Middle	1820/1830	\$444.91	\$400.29
AA48855	3-in. Steel Middle Press Wheel	1820/1830	\$279.90	\$251.79
AA49031	3-in. Steel End Press Wheel	1820/1830	\$297.42	\$267.59
AA48605	4-in. Steel Middle Press Wheel	1820/1830	\$297.42	\$267.59
AA48606	4-in. Steel End Press Wheel, Weldment	1820/1830	\$288.66	\$259.69
A61674	4 x 22-in. Steel Press Wheel	1820/1830	\$ 62.40	\$ 56.09
A64409	3 x 21-in. Steel Press Wheel	1820/1830	\$ 51.85	\$ 46.59
A88182	Scraper Blade	1870	\$ 19.55	\$ 17.49
AA73487	Tire and Wheel Assembly	1870	\$245.48	\$220.79



A61674



"You don't have spots where it's double seeded and lodging," explains John. "At harvest, crops mature more evenly in the field. SectionCommand really improved our efficiencies."

- John Proulx / Crookston, Minnesota



Fewer skips. Less overlaps. That's what you get with SectionCommand from John Deere. This innovative, field-installed attachment diminishes your seed and fertilizer costs through efficient, uniformed seeding to make you more profitable.

For use with John Deere 1910 Air Carts and all hydraulic carts, you can rely on SectionCommand to:

- Boost emergence and growth consistency
- Enhance uniformed maturity at harvest
- Reduce input costs for seed and fertilizer
- Limit filling labor

To learn more about SectionCommand, see us today.

It's the more profitable way to seed.


John Proulx sums up the performance of SectionCommand in three words, "picture-perfect fields." Owner of a soybean and wheat farm in Crookston, Minnesota, John has personally experienced the value of SectionCommand on his 8,000 acres.

According to John, SectionCommand improves efficiency by eliminating double seeding and lodging. Ultimately, that leads to greater profitability thanks to lower seed and fertilizer costs—in his case up to 10 percent on irregularly shaped fields and 4 percent everywhere else.

Invest in SectionCommand—like John—for picture-perfect fields.

On the straight and narrow.

Sure, with John Deere Precision Ag components installed on your equipment, you'll have straighter rows, lower input costs, and an easier time harvesting. But you know when our Precision Ag technology really shines? When your neighbor stops by to ask how you planted such a good-looking field. So, whatever equipment you're planting with, we have a solution to make your fields the envy of your neighbors.



Guidance & Machine Control

AutoTrac™ Intergrated Machine Kits and GreenStar™ Ready Kits make it easy for you to be Precision Ag ready when the time arrives. The AutoTrac machine kits include the appropriate machine steering controller when necessary and AutoTrac Ready accessories. Display, receiver, and software to complete the system are sold separately. These field-installed kits are an integrated guidance solution for John Deere Tractors and are compatible with the GreenStar 3 or GreenStar 2 system components. Gain the edge and get the results you want and need with genuine John Deere Precision Ag components.

	-	J .		
NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
PF90875	AutoTrac Combine Machine Kit	60 Series	\$5,566.00	\$5,009.29
PF90629	AutoTrac Combine Machine Kit	70 Series	\$5,566.00	\$5,009.29
PF90633	AutoTrac Sprayer Machine Kit	4730 and 4830	\$4,029.30	\$3,626.29
BPF10387	AutoTrac Tractor Machine Kit	6140R/6150R with MFWD	\$4,514.29	\$4,062.79
BPF10560	AutoTrac Tractor King Pin Kit	6140R/6150R with MFWD with a Non-suspended Front Axle	\$ 338.80	\$ 304.79
BPF10345	AutoTrac Tractor Machine Kit	6170R/6190R/6210R with MFWD	\$4,514.40	\$4,062.89
BPF10039	AutoTrac Tractor Machine Kit	6030/7030 Premium Series with MFWD	\$5,082.00	\$4,573.69
BPF10346	GreenStar Ready Tractor Kit	6R Series with MFWD	\$ 514.80	\$ 463.19
PF90863	AutoTrac Tractor Machine Kit	8000 Series with MFWD (All Pins)	\$5,142.50	\$4,628.19
PF90862	AutoTrac Tractor Machine Kit	8010 Series with MFWD (All Pins)	\$4,840.00	\$4,355.89
PF90497	AutoTrac Tractor Machine Kit	8020 Series with MFWD (All Pins)	\$4,840.00	\$4,355.89
BPF10139	GreenStar Ready Universal Guidance Kit, Upgradable	John Deere and Other Makes Equipment	\$ 825.00	\$ 742.39
PF90452	AutoTrac Universal Horn Kit	John Deere and Other Makes Equipment	\$ 150.31	\$ 135.19
PF90453	AutoTrac Universal Auxiliary Resume Switch	John Deere and Other Makes Equipment	\$ 119.90	\$ 107.79
PF90697	AutoTrac RowSense Mechanical Feelers	90/600 Series Cornheads (30" or 75cm spacing)	\$1,023.00	\$ 869.44





MAKE WAY FOR BETTER SPRAY



Hit the Mark with ExactApply™

Put an end to over-application, crop burn and off-target drift. Available as a performance upgrade for R4030, R4038, R4044, R4045 and R4060 models, ExactApply features individual nozzle control for precise droplet sizing and consistent application management. Providing you with three times the pulsing frequency of competitive systems – and an industry-exclusive A-B nozzle design – ExactApply maintains your target rate and pressure over a wider range of speeds along with decreasing overlap, reducing input costs and elevating productivity.

'\$5000 off the purchase and dealer installation of ExactApply performance upgrade kits from an authorized U.S. John Deere dealer between November 1, 2019 and April 30, 2020. Not valid for online purchases. Dealer participation may vary. Other restrictions may apply. Offer cannot be combined with any other offer and may be modified or discontinued at any time. See your participating John Deere dealer for details

NOTE TO DEALER: Offer valid when customer purchases an ExactApply performance upgrade kit for a R4030, R4038, R4044, R4045, or R4060 Sprayer. To receive reimbursement and for program rules, visit http://cop.deere.com/redemptions/redemptions.aspx and select "77382 — Sprayer Performance Upgrades — Multiple offers" You will need sales invoice and transaction information to complete the reimbursement claim. May 15, 2020 is the last day to claim reimbursement.

Visit us today for more information.



WITH PERFORMANCE UPGRADES

Get it Right with Direct Injection

Isolate contamination. Reduce risk. And be equipped for quicker chemical and crop changeover with Direct Injection. Available as a performance upgrade for **4940**, **R4030**, **R4038** and **R4045** sprayer models, Direct Injection makes it easier for you to manage buffer zones to **meet chemical requirements** in addition to providing capacity for carrying up to 235 gallons and three different applications at once.

252000 off the purchase and dealer installation of Direct Injection performance upgrade kits from an authorized U.S. John Deere dealer between November 1, 2019 and April 30, 2020. Not valid for online purchases. Dealer participation may vary. Other restrictions may apply. Offer cannot be combined with any other offer and may be modified or discontinued at any time. See your participating John Deere dealer for details

NOTE TO DEALER: Offer valid when customer purchases a Direct Injection performance upgrade kit for a 4940, R4030, R4038, or R4045 Sprayer. To receive reimbursement and for program rules, visit http://cop.deere.com/redemptions/redemptions.aspx and select "77382 — Sprayer Performance Upgrades — Multiple offers" You will need sales invoice and transaction information to complete the reimbursement claim. May 15, 2020 is the last day to claim reimbursement.

JohnDeere.com/SprayerParts





Ultra-low drift Max – Post-Emerge Systemic Herbicides

- 130° spray angle allows lower boom heights to reduce drift and to prevent pattern collapse when using drift reduction adjuvants
- Air-induction droplets to reduce drift
- Delivers Extremely Coarse and Ultra Coarse droplets for 90–95% drift reduction compared to standard flat fan nozzle
- ExactApply™ compatible with AutoSelect A/B, and conventional spraying

List \$11.27/ea.

Now \$9.58/ea.



Ultra	Low-drift Max (ULDM) 1	30° spray angle – ASABE d	roplet size classification	chart
Tip size	04	05	06	08
Pressure (PSI)	PSULDMQ3004	PSULDMQ3005	PSULDMQ3006	PSULDMQ3008
30	UC	UC	UC	UC
40	UC	UC	UC	UC
50	UC	UC	UC	UC
60	UC	UC	UC	UC
70	UC	UC	UC	UC
80	UC	UC	UC	UC
90	UC	UC	UC	XC
100	XC	XC	XC	XC
	Droplet data sourced at Pen	tair Hypro in a steady state condition բ	per ASABE S572.1 Standard.	

Low-drift Max – Post-Emerge Systemic Applications

- 120° wide and 60° thick pattern provides optimum coverage while maintaining overlap at low boom heights
- Dual pre-orifice nozzle reduces drift with Coarse, Very Coarse and Extremely Coarse droplets
- ExactApply[™] compatible with 15-Hz & 30-Hz PWM, AutoSelect A/B, and conventional spraying
- Industry exclusive from John Deere

List \$11.27/ea.

Now \$10.14/ea.



	Low-drift M	ax (LDM) 120° spra	ay angle – ASABE o	droplet size classif	ication chart	
Tip size	03	04	05	06	08	10
Pressure (PSI)	PSLDMQ2003	PSLDMQ2004	PSLDMQ2005	PSLDMQ2006	PSLDMQ2008	PSLDMQ2010
20	XC	XC	XC	n/a	n/a	n/a
30	VC	VC	XC	XC	XC	XC
40	VC	VC	VC	XC	XC	VC
50	VC	С	VC	VC	VC	VC
60	С	С	VC	VC	VC	VC
70	С	С	С	С	VC	С
80	С	С	С	С	С	M
	Drople	t data sourced at Pentair H	ypro in a steady state cond	lition per ASABE S572.1 Sta	andard.	

JohnDeere.com/SprayerParts 23



Low-drift Twin – Plant Health and Contact Herbicides

- Twin 30° forward and rear facing dual angles for superior coverage
- Delivers Medium and Coarse droplets across wide operating range
- ExactApply™ compatible with 15-Hz & 30-Hz PWM and conventional spraying
- Industry exclusive from John Deere

List \$10.13/ea.

Now \$9.11/ea.

	Low-drift Twin (LDT) 110° spray angle – ASABE droplet size classification chart										
Tip size	03	04	05	06	08	10	12	16			
Pressure (PSI)	PSLDTQ1003	PSLDTQ1004	PSLDTQ1005	PSLDTQ1006	PSLDTQ1008	PSLDTQ1010	PSLDTQ1012	PSLDTQ1016			
15	M	С	С	С	С	С	VC	VC			
20	M	M	M	С	С	С	VC	VC			
30	M	M	M	С	С	С	С	С			
40	M	M	M	M	M	С	С	С			
50	M	M	M	M	M	С	С	С			
60	M	M	M	M	M	M	С	С			
80	С	M	M	M	M	M	M	С			
		Droplet data so	urced at Pentair Hypi	ro in a steady state co	ondition per ASABE S	572.1 Standard.					



3D – All-Purpose Coverage Nozzle

- Delivers up to 10% increase in weed control over conventional flat fans*
- 50–75% less drift compared to flat fan nozzles
- Tight, inclined spray pattern is designed to be installed alternating forward and backward to provide 3-dimensional coverage on hard-to-hit targets
- High-velocity droplets provide excellent canopy penetrations
- ExactApply compatible with 30-Hz PWM, AutoSelect A/B and conventional spraying

List \$6.79/ea.

Now \$6.11/ea.

	3D 100° spray angle – ASABE droplet size classification chart											
Tip size	015	02	025	03	035	04	05	06	08			
Pressure (PSI)	PS3DQ00015	PS3DQ0002	PS3DQ00025	PS3DQ0003	PS3DQ00035	PS3DQ0004	PS3DQ0005	PS3DQ0006	PS3DQ0008			
10	С	M	С	VC	VC	XC	XC	XC	XC			
15	M	M	M	С	С	VC	VC	VC	VC			
20	M	M	M	M	С	С	С	С	VC			
30	F	M	M	M	M	M	С	С	С			
40	F	F	M	M	M	M	M	С	С			
50	F	F	F	M	M	M	M	M	M			
60	F	F	F	F	M	M	M	M	M			
70	F	F	F	F	M	M	M	M	М			
80	F	F	F	F	F	M	M	M	М			
85	F	F	F	F	F	F	M	M	М			

^{*}Syngenta UK trials 0.6I/ha Liberator(diffufenican + flufenacet) + 4I/ha Defy(Prosulfacarb) applied November 2015. Conventional spraying.

Ultra-low-drift – Pre- and Post-Emerge Systemic Herbicides

- Ideal for use when drift reduction is paramount (Included on Dicamba and 2,4-D chemical labels)
- Air-induced droplets provide precise droplet control to minimize drift potential without sacrificing coverage
- 60° thick spray pattern and 120° wide spray angle enables lower boom height
- ExactApply compatible with AutoSelect A/B and conventional spraying

List \$8.56/ea.

Now \$7.70/ea.



	Ultra Low-drift (ULD) 120° spray angle – ASABE droplet size classification chart										
Tip size	015	02	025	03	04	05	06	08			
Pressure (PSI)	PSULDQ20015	PSULDQ2002	PSULDQ20025	PSULDQ2003	PSULDQ2004	PSULDQ2005	PSULDQ2006	PSULDQ2008			
20	UC	UC	UC	UC	UC	UC	UC	UC			
30	XC	XC	VC	VC	UC	UC	UC	XC			
40	VC	VC	С	С	UC	XC	XC	VC			
50	VC	VC	С	С	XC	XC	XC	VC			
60	С	С	M	С	XC	XC	VC	С			
70	С	M	M	M	XC	VC	С	С			
80	С	M	M	M	VC	VC	С	С			
90	M	M	M	M	VC	VC	С	M			
100	M	M	M	M	VC	С	С	M			
115	M	M	M	M	С	С	M	M			
	Droplet data	sourced at Silsoe Sp	ray Applications Unit	Ltd. in a steady state	condition per ASAB	E S572.1 Standard. J	anuary 2016.				

GuardianAIR Twin™ – Post-Emerge Plant Health, Complex Canopies, and Contact Herbicides

- High-coverage forward- and rear-facing fans penetrate dense canopies
- Air-induced droplets for high-coverage applications where on-target delivery is important
- Perfect for low crops with complex canopies such as small grains and soybeans
- ExactApply compatible with AutoSelect A/B and conventional spraying

List \$8.99/ea.

Now \$8.09/ea.



	GuardianAir Twin (GAT) 110° spray angle – ASABE droplet size classification chart											
Tip size	02	025	03	035	04	05	06	08				
Pressure (PSI)	PSGAT1002	PSGAT10025	PSGAT1003	PSGAT10035	PSGAT1004	PSGAT1005	PSGAT1006	PSGAT1008				
20	_	_	_	_	XC	XC	XC	XC				
30	С	UC	VC	XC	VC	VC	XC	VC				
40	M	VC	С	VC	С	С	VC	С				
50	M	С	M	С	С	С	С	С				
60	M	M	M	M	M	M	С	С				
70	M	M	M	M	M	M	M	M				
80	M	M	M	M	M	M	M	M				
85	M	M	M	M	M	M	M	M				
	Droplet data	sourced at Silsoe Sp	ray Applications Unit	Ltd. in a steady state	condition per ASAB	E S572.1 Standard. J	anuary 2016.					

JohnDeere.com/SprayerParts 25



High Flow – Pre- and Post-Emerge Fertilizer

- Tapered wide-angle fan style promotes uniform nutrient application
- 140° pattern allows low boom height, minimizing corrosive effects on equipment
- Large droplets reduce drift compared to flood or deflect nozzles
- ExactApply compatible with 15-Hz & 30-Hz PWM, AutoSelect A/B and conventional spraying

List \$9.70/ea.

Now \$8.73/ea.

	High Flow (HF) 140° spray angle – ASABE droplet size classification chart											
Tip size	08	10	15	20	30	40	50	60				
Pressure (PSI)	PSHFQ4008	PSHFQ4010	PSHFQ4015	PSHFQ4020	PSHFQ4030	PSHFQ4040	PSHFQ4050	PSHFQ4060				
20	UC	UC	UC	UC	UC	UC	UC	UC				
30	UC	UC	UC	UC	UC	UC	UC	UC				
40	UC	UC	UC	UC	UC	UC	UC	UC				
50	UC	UC	UC	UC	UC	UC	UC	UC				
60	XC	XC	XC	XC	XC	XC	XC	XC				
70	XC	XC	XC	XC	XC	XC	XC	XC				
80	XC	XC	XC	XC	XC	XC	XC	XC				
85	XC	XC	XC	XC	XC	XC	XC	XC				
	Droplet	data sourced at Silso	oe Spray Applications	Unit Ltd. in a steady	state condition per A	ASABE S572.1. Janua	ry 2016.	•				



Straight Stream Ceramic – Pre- and Post-Emerge Fertilizer

- Six-stream pattern minimizes foliar contact and ensures uniform coverage
- Ceramic metering orifice provides wear resistance when spraying corrosive fertilizers
- Stable streams reduce atomization and prevents leaf burn, making it ideal for top dress use
- ExactApply compatible with 15-Hz & 30-Hz PWM, AutoSelect A/B and conventional spraying

List \$7.84/ea

Now \$7.05/ea.

	Straight Stream Ceramic (STC) 110° effective spray angle – ASABE droplet size classification chart									
Tip size	015	02	025	03	04	05	06	08	10	15
Pressure (PSI)	PSSTCQ10015	PSSTCQ1002	PSSTCQ10025	PSSTCQ1003	PSSTCQ1004	PSSTCQ1005	PSSTCQ1006	PSSTCQ1008	PSSTCQ1010	PSSTCQ1015
15	S	S	S	S	S	S	S	S	S	S
20	S	S	S	S	S	S	S	S	S	S
30	S	S	S	S	S	S	S	S	S	S
40	S	S	S	S	S	S	S	S	S	S
50	S	S	S	S	S	S	S	S	S	S
60	S	S	S	S	S	S	S	S	S	S
	Drop	let data sourced	at Silsoe Spray Ap	plications Unit L	td. in a steady sta	te condition per	ASABE S572.1 St	andard. January	2016.	

Express Nozzle Body End Caps

Improve system hygiene by removing the dead zone on the end of the boom pipes, reducing air and residue buildup.

- Allows air to escape through the nozzle body, reducing turn-off/turn-on times by up to 85%
- Removable end plug allows easy access for boom cleanout

NUMBER	DESCRIPTION	LIST	NOW
PM74333314	1-in. Express Cap Fitting w/ Nozzle Body End Cap (high flow)	\$37.43	\$33.69
PM74333316	1-in. Express Cap Fitting w/ Nozzle Body End Cap (standard)	\$37.43	\$33.69
PM34300790	Clamp and Hardware Kit with Pipe O-rings for high flow and standard	\$11.81	\$10.63



Flange Adapters for Express End Caps

These flange adapters enable the use of Express Nozzle Body End Caps on 4-Series Sprayer models R4023, R4030, R4038, and R4045.

NUMBER	DESCRIPTION	LIST	NOW
PS24000152	End Cap Flange Adapter – Standard Flow	\$9.76	\$8.78
PS24000153	End Cap Flange Adapter – High Flow	\$9.76	\$8.78



Express Flush Valves

This valve allows quick flushes of the entire boom section with a turn of a handle. Purchase the Express Flush Valve alone or installed on the Express End Cap.

- Easy to use valve does not require any tools to open flushing mode
- Reduces flush time by 5 seconds per valve compared to standard Express End Caps alone
- Compact design limits the length it extends beyond the last nozzle body to fit most booms

NUMBER	DESCRIPTION	LIST	NOW
PS74333318	Express Flush Valve – High Flow	\$39.34	\$35.41
PS74333320	Express End Cap with Express Flush Valve Installed – High Flow	\$57.93	\$52.14
PS74333319	Express Flush Valve – Standard Flow	\$39.34	\$35.41
PS74333321	Express End Cap with Express Flush Valve Installed – Standard Flow	\$57.93	\$52.14







High-Flow Nozzle Body

Our 5-way nozzle body enables quick spray nozzle changeover. Simple rotate the nozzle body until the desired nozzle is in the spraying position.

- Designed to deliver the highest flow rates across the spraying pressure range
- Provides the lowest pressure drop at any given flow in the industry
- Reduces restrictions in the flow path through a unique DCV design
- Supports faster field speeds with the same coverage

NUMBER	DESCRIPTION	LIST	NOW
AN206621	5-Position High Flow, 11/16-in. port, Viton seals	\$29.93	\$26.94
PMHF12DCVV	12-psi Check Valve with Viton diaphragm (16 Open/12 Close)	\$ 2.89	\$ 2.60
PMHF15DCVV	15-psi Check Valve with Viton diaphragm (22 Open/15 Close)	\$ 3.97	\$ 3.57



JohnDeere.com/SprayerParts 27

Ask about current financing specials when you use your John Deere Financial Multi-Use Account.

Express Boom Assembly

John Deere's Express Boom Assembly provides an economical solution to upgrade your sprayer to support today's complex applications and maximize sprayer performance.





Benefits:

- Convert 20" nozzle spacing to 15" or 15" to 20"
- Upgrade from polypropylene to stainless steel
- Eliminate warping, promoting even spray patterns
- Minimize cross-contamination
- Simplify cleanout
- Available for John Deere sprayers models 4630, 4700, 4710, 4720, 4730, 4830, 4920, 4930, and R4023

See us for all configuration options and ordering assistance.



Fence Row Nozzle Kit

Add more spray coverage along the fence row. With the XL nozzle, you can cover an additional 16.5-ft. It's as easy as flipping the switch in the cab (nozzles sold separately).

NUMBER	APPLICATION	LIST	NOW
BN202057	4700, 4710, and 4720	\$1,343.10	\$1,208.79
BN202541	4730, 4830	\$1,343.10	\$1,208.79
BN202400	4920, 4930	\$1,343.10	\$1,208.79
BN400408	4940	\$1,343.10	\$1,208.79
BN300004	4630, R4023	\$1,343.10	\$1,208.79
BKK10289	R4030, R4038, R4044, R4045, and R4060	\$1,343.10	\$1,208.79



Add more visibility with these high intensity lights, so you can stay productive longer.





New ForceField Centrifugal Pump

Superior wet-seal protection for today's most demanding spray conditions.

- Wet-seal technology protects the seals by using a barrier fluid to keep them cool and lubricated, even while the pump is running dry
- Actively maintains a positive pressure differential between the chamber barrier fluid and the pumping solution, which prevents chemical bonding of the seal faces, resulting in increased life and maintenance-free operation
- Protects seal against dry run failure
- Minimizes sprayer downtime and improves productivity

Ask us how the Forcefield pump provides worry-free sprayer operation.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
AKK30367	High-Flow Cast-Iron ForceField Pump	R4038, R4044, R4045, R4060	\$5,518.36	\$4,966.52
AKK30366	High Flow Cast Iron Forcefield Pump less Hydraulic Motor	R4038, R4044, R4045, R4060	\$4,287.44	\$3,858.70



OEM Sprayer Pumps

John Deere's broad line of centrifugal pumps allows you to match the right pump to your equipment and task. The models include cast iron, stainless steel and polypropylene that stand up to strong chemical herbicides.

- Compatible with corrosive, abrasive and general use chemicals
- Models include high volume (440 gpm) and high pressure (190 psi) capabilities
- Nylon, polypropylene impellers on most models
- Life Guard® silicon carbide mechanical seals standard on all stainless steel pumps and available on select cast iron and polypropylene models

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
AN204470	Cast-Iron Pedestal Pump — CW (clockwise) rotation	6100, 6500, 6700	\$ 921.00	\$ 828.90
AN204471	Cast-Iron Pedestal Pump – CCW (counter clockwise) rotation	6600, 6700	\$ 939.41	\$ 845.47
AN208804	Clutch Driven Cast-Iron Centrifugal Pump – CW (clockwise) rotation	6700	\$ 855.36	\$ 769.82
AN208805	Clutch Driven Cast-Iron Centrifugal Pump – CCW (counter clockwise) rotation	6700	\$ 855.36	\$ 769.82
AN206253	Cast-Iron Centrifugal Pump — NPT	4700, 4710	\$1,361.83	\$1,225.62
AN206042	Cast-Iron Centrifugal Pump – NPT	4710, 4720, 4830, 4730	\$1,234.20	\$1,110.78
AKK20040	Stainless Steel Centrifugal Pump – NPT	4730, 4830	\$1,715.87	\$1,544.28
AN206021	Cast-Iron Centrifugal Pump — Universal Flange	4920, 4930	\$1,295.03	\$1,165.53
AN209114	High-Flow Cast-Iron Centrifugal Pump – Less Motor	4920, 4930	\$3,703.46	\$3,333.11
AN400921	High-Flow Cast-Iron Centrifugal Pump w/ speed sensor	4940	\$4,696.40	\$4,226.76
AN400923	High-Flow Cast-Iron Centrifugal Pump w/ speed sensor — less motor	4940	\$3,472.81	\$3,125.53
AN401863	Cast-Iron Universal Flange Centrifugal Pump w/ speed sensor	4940	\$1,530.96	\$1,377.86
AN303707	Cast-Iron Centrifugal Pump w/ speed sensor	4630, R4023	\$1,317.50	\$1,185.75
AN402587	Cast-Iron Universal Flange Centrifugal Pump w/ speed sensor, metric motor ports	R4030, R4045	\$1,557.90	\$1,402.11





JohnDeere.com/SprayerParts 29

Protect your crops and equipment

Get superior cleaning power with leading Spray System Cleaners

A lot has changed in the past decade. Bigger sprayers, more powerful crop protection products, and increased tank mixing can lead to cross contamination and reduced yields when sprayers aren't cleaned properly.

Ordinary tank cleaners were never designed to remove oily residues that can build up throughout the entire liquid system of a sprayer. Erase™ is a powerful spray system cleaner that exceeds the capabilities of ordinary tank cleaners. Erase emulsifies oily residues in tanks, sprayer lines, and hoses while elevating rinsate pH to degrade vulnerable crop protection products. Combined with good sprayer cleaning technique, Erase virtually eliminates the risk of cross-contamination that leads to crop injury complaints, yield loss, and a damaged reputation as a professional applicator.





Erase

Powerful spray system cleaner that penetrates and removes dried-on and oily residue in tanks, sprayer lines, and hoses to help prevent cross-contamination.

NUMBER	DESCRIPTION	SIZE	LIST	NOW
PM433QT	Erase Spray System Cleaner	1 qt.	\$12.41	\$11.17
PM43301	Erase Spray System Cleaner	1 gal.	\$36.68	\$33.01

Incide-Out™

Incide-Out is a liquid spray tank cleaner that emulsifies and bonds pesticide residue to rinse water for complete purging.

- Penetrates residue buildup
- Contains corrosion inhibitors to protect equipment

NUMBER	DESCRIPTION	SIZE	LIST	NOW
PM434QT	Incide-Out Spray Tank Cleaner	1 qt.	\$12.63	\$11.37

Enduron PSI™

Formulated marking foam that generates greater volumes of foam for higher operating pressures and application speeds.

NUMBER	DESCRIPTION	SIZE	LIST	NOW
PM65201	Enduron PSI	1 gal.	\$35.66	\$32.09

Tracer™ Hot Pink

Marking foam colorant that increases foam visibility in drilled crops and heavy residue situations where optical clarity of white foam is limited.

NUMBER	DESCRIPTION	SIZE LIST	NOW
PM741QT	Tracer Hot Pink	1 qt. \$37.46	\$33.71

Gundown Elite™

Defoaming agent that works in seconds to provide faster results.

NUMBER	DESCRIPTION	SIZE	LIST	NOW
PM739QT	Gundown Elite	1 qt.	\$20.20	\$18.18
PM73901	Gundown Elite	1 gal.	\$61.52	\$55.37



Hybrid Boom Upgrades

Reduce weight and improve strength. The new Hybrid steel and aluminum construction boom allows replacement of Legacy aluminum 120 ft. booms on Hagie STS.

- 400+ lbs. lighter than legacy booms
- Compatible with aluminum 120 ft. boom center section
- Compatible on model year 2014 through 2017 STS
- Pre-plumbed wings for ease of installation

See your local John Deere dealer sales department for more information.









High Productivity Plus Sweep

The High Productivity plus sweep eliminates the need to change sweeps in season on large acre operations, allowing farmers to meet the short tillage window before seeding and allowing the planters to hit the field sooner. The High Productivity Plus sweep is coated with a strip of iron based carbide and heat treated to improve wear life.

NUMBER	SIZE	CROWN	STYLE	LIST	NOW
KK36222	7-in.	Low	Perma-Loc	\$23.72	\$21.19
KK36223	9-in.	Low	Perma-Loc	\$24.93	\$22.29
KK36224	10-in.	Low	Perma-Loc	\$25.67	\$22.99

High Productivity Sweeps

These sweeps deliver the ultimate in performance, productivity, wear life, and shape retention. Available in bolt-on and Perma-Loc versions and four wing widths.

- Designed for top performance at 7–10 mph
- Low wing profile creates less draft, leaves a level finish
- Sharp edge effortlessly cuts through residue

NUMBER	SIZE	CROWN	STYLE	LIST	NOW
N331103	7-in.	Low	Bolt-On	\$10.47	\$ 9.29
N331104	9-in.	Low	Bolt-On	\$11.03	\$ 9.79
N331105	10-in.	Low	Bolt-On	\$11.59	\$10.29
N331106	12-in.	Low	Bolt-On	\$12.52	\$11.19
N331099	7-in.	Low	Perma-Loc	\$10.69	\$ 9.09
N331100	9-in.	Low	Perma-Loc	\$11.29	\$10.09
N331101	10-in.	Low	Perma-Loc	\$11.69	\$10.39
KK26370	12-in.	Low	Perma-Loc	\$14.25	\$12.69

Tru-Width Sweeps

Available in both bolt-on and Perma-Loc™ styles, the Tru-Width sweeps help maintain cutting width throughout the life of the sweep. The wings are clipped for minimum soil side throw. With its wraparound design, Tru-Width sweeps provide even draft and maximum holding power. Compared to the conventional sweeps, Tru-Width sweeps are the choice for growers who require optimal scouring in sticky or wet soil.

NUMBER	SIZE	CROWN	STYLE	LIST	NOW
N182039	7-in.	Medium	Bolt-On	\$10.16	\$ 8.99
N182040	9-in.	Medium	Bolt-On	\$10.69	\$ 9.49
N182041	10-in.	Medium	Bolt-On	\$11.21	\$ 9.99
N182042	11-in.	Medium	Bolt-On	\$12.51	\$11.19
N182043	12-in.	Medium	Bolt-On	\$12.24	\$10.89
N238333	7-in.	Medium	Perma-Loc	\$10.59	\$ 9.39
N238334	9-in.	Medium	Perma-Loc	\$11.12	\$ 9.89
N238335	10-in.	Medium	Perma-Loc	\$11.45	\$10.19
N238336	12-in.	Medium	Perma-Loc	\$12.45	\$11.09

Conventional Wing Sweeps

These conventional wing sweeps provide excellent soil mixing and residue retention. The design provides an excellent option for the lowest cost investment.

NUMBER	SIZE	CROWN	STYLE	LIST	NOW
N130166	7-in.	Medium	Bolt-On	\$ 9.25	\$ 8.19
N130167	9-in.	Medium	Bolt-On	\$ 9.77	\$ 8.69
N130168	10-in.	Medium	Bolt-On	\$10.29	\$ 9.19
N973MN	12-in.	Medium	Bolt-On	\$11.31	\$10.09

XLT Coated Sweeps for Field Cultivators

The XLT coated sweeps have a special alloy coating applied to high-wear areas for added durability in rocks and sandy soil conditions. XLT coated sweeps are available in Bolt-on or Perma-loc style adapters.

NUMBER	SIZE	STYLE	LIST	NOW
N182039XLT	7-in.	Bolt-On	\$25.39	\$22.79
N182040XLT	9-in.	Bolt-On	\$26.75	\$23.99
N182041XLT	10-in.	Bolt-On	\$27.79	\$24.89
N182042XLT	11-in.	Bolt-On	\$31.27	\$27.99
N182043XLT	12-in.	Bolt-On	\$29.45	\$26.39
N238333XLT	7-in.	Perma-Loc	\$27.27	\$24.39
N238334XLT	9-in.	Perma-Loc	\$28.39	\$25.49
N238335XLT	10-in.	Perma-Loc	\$29.23	\$26.19
N238336XLT	12-in.	Perma-Loc	\$30.84	\$27.69



Perma-Loc Adapters and Springs

Heavy-duty cast adapter with stainless steel locking spring ensures a tight fit and easy installation. Optional removal tool available for quick change of the sweep.

NUMBER	DESCRIPTION	LIST	NOW
Adapters:			
N237614	47-Degree Curved Adapter	\$ 3.27	\$ 2.79
N237616	51-Degree Curved Adapter	\$ 4.37	\$ 3.79
N330001	47-Degree Flat for DMi	\$ 3.27	\$ 2.79
Locking Springs	s:		
N237620	For 47-Degree Adapter	\$ 2.78	\$ 2.39
N237621	For 51-Degree Adapter	\$ 3.63	\$ 3.19
Removal Tool:			
N237623	Optional Removal Tool	\$33.59	\$30.09



Poly Shank Protector

Poly shank protector is designed to improve material flow around the shank and eliminate large buildup of debris. Radius design helps shed roots and reduce horsepower needed to pull the tool through the field.

NUMBER	DESCRIPTION	LIST	NOW
TY15990	1^3 /4" x 9" Fits Field and Row Crop Cultivators with Mounting Hole Center 1^5 /8" to 2"	\$1.89	\$1.59
TY15991	$2"\ x\ 10"$ Fits Standards with Mounting Centers 1 $^3/_4"$ to 2 $^1/_2"$	\$1.89	\$1.59







Conventional Chisel Plow Sweeps

Both low- and medium-crown wing designs provide excellent soil mixing and residue retention.

NUMBER	SIZE	CROWN	WING	LIST	NOW
N130188	6 ¹ / ₂ -in.	Medium	Medium	\$14.73	\$13.19
N130188XLT	6 ¹ / ₂ -in.	Medium	Medium	\$36.84	\$33.09
47CP014	14-in.	Medium	Medium	\$22.79	\$20.39
N130182	14-in.	Medium	Medium	\$21.55	\$19.29
N130182XLT	14-in.	Medium	Medium	\$45.67	\$40.99
47CP016	16-in.	Medium	Medium	\$23.91	\$21.39
N130177	16-in.	Low	Narrow	\$20.28	\$18.19
N130183	16-in.	Medium	Medium	\$23.18	\$20.79
N130183XLT	16-in.	Medium	Medium	\$52.49	\$47.09
47CP018	18-in.	Medium	Medium	\$29.99	\$26.89
N130178XLT	18-in.	Low	Narrow	\$56.73	\$50.99
N130184	18-in.	Medium	Medium	\$27.34	\$24.49
N130184XLT	18-in.	Medium	Medium	\$69.24	\$62.19
N130185	20-in.	Medium	Medium	\$40.04	\$35.89
N188290	24-in.	Low	Medium	\$46.69	\$41.89



Tru-Width™ Chisel Plow Sweeps

The unique wing design of Tru-Width sweeps ensures that they maintain their original cutting width and a sharp point. These sweeps fit John Deere and most brands of chisel plows, mulch tillers, and air seeders.

NUMBER	SIZE	SHANK ANGLE	LIST	NOW	
Medium-Crown Sweeps:					
N182044	8-in. Regular Wing	51 Deg.	\$16.16	\$14.39	
N182045	10-in. Regular Wing	51 Deg.	\$15.48	\$13.79	
N182046	12-in. Regular Wing	51 Deg.	\$17.66	\$15.79	
N182035	12-in. Wide Wing	51 Deg.	\$16.60	\$14.79	
N182036	14-in. Wide Wing	51 Deg.	\$20.21	\$18.09	
N182037	16-in. Wide Wing	51 Deg.	\$20.63	\$18.49	
N182038	18-in. Wide Wing	51 Deg.	\$25.24	\$22.59	
Low-Crown (C	onservation) Sweeps:				
N402442	12-in.	51 Deg.	\$21.19	\$18.99	
N402449	14-in.	51 Deg.	\$24.94	\$22.29	
N402453	16-in.	51 Deg.	\$24.00	\$21.49	
N402276	18-in.	51 Deg.	\$35.18	\$31.59	



Heel Sweeps for Chisel Points

Chisel and cultivate at the same time, optimizing soil conditions.

NUMBER	SIZE	THICKNESS	LIST	NOW
N237718	16-in.	¹ / ₄ -in.	\$20.54	\$18.39
N237719	18-in.	¹ / ₄ -in.	\$22.91	\$20.49

PICK BIT SAVE

DISK BLADES



John Deere diamond series disk blades are made of micro-alloy steel and are heat treated to maximize wear resistance.

SCRAPERS



High-strength, heat-treated steel reduces wear on blades for longer life.

BEARINGS



Manufactured and tested to stand up to extreme use.

GANG BOLTS



Made of high-carbon, heat-treated steel to prevent bending and boxing.

SPOOLS



OEM design withstands gang hammering and prevents flexing when striking an obstacle.

SLEEVES



Manufactured with high-carbon seamless tubing for long wear life.

15% OFF* DISK HARROW PARTS THRU 3/15/20

Do some groundwork before you take to the field this season by replacing worn parts on your disk harrow. And right now you can save a bundle, with a bundle, on Genuine John Deere Parts. Simply PICK 3 or more categories above. PURCHASE \$150 minimum of parts in each category. SAVE 15% on all parts in your selected categories. Now that's easy pickings. And savings, too. Stop by today!

*Save 15% on Genuine John Deere disk harrow parts when you purchase a minimum of \$150 in at least 3 of the 6 disk harrow parts categories (disk blades, scrapers, bearings, spools, sleeves and gang bolts) from a participating U.S. John Deere dealer between December 1, 2019 and March 15, 2020. \$150 minimum is before applicable sales tax and must be spent in at least 3 categories to receive 15% OFF in each selected category. Offer not valid on previously purchased parts or attachments nor on attachment ordered as an option code. Offer has no cash value and cannot be redeemed for cash. Dealer participation may vary. Other restrictions may apply. Offer cannot be combined with any other offer and may be discontinued or modified without notice at any time. See your John Deere dealer for details.



John Deere Diamond Series Disk Blades

- Made of reliable, long-lasting steel for high-performance disking
- Precision-sharp edges for proper residue cutting and sizing
- Made in the U.S.A.

NUMBER	DESCRIPTION	LIST	NOW
Spherical, Plain E	Edge:		
B31315	18-in. x .138, 1 ¹ / ₈ x 1 ¹ / ₄ -in. Dual Square	\$28.73	\$25.79
A47239	18-in. x .197, 1 ½ x 1 ¼-in. Dual Square	\$30.65	\$27.49
B31318	20-in. x .177, 1 ¹ / ₈ x 1 ¹ / ₄ -in. Dual Square (2.03-in. Concavity)	\$35.92	\$32.19
N231991	20-in. x .177, 1 ¹ / ₈ x 1 ¹ / ₄ -in. Dual Square (1.63-in. Concavity)	\$35.47	\$31.79
N330738	20-in. x .197, 1 ¹ / ₈ x 1 ¹ / ₄ -in. Dual Square	\$37.63	\$33.79
A49254	22-in. x .177, 1 ¹ / ₈ x 1 ¹ / ₄ -in. Dual Square	\$43.48	\$38.99
A35487	22-in. x .256, 1 ¹ / ₈ x 1 ¹ / ₄ -in. Dual Square	\$54.13	\$48.59
P22177118S	22-in. x .177, 1 ¹/₀-in. Square	\$43.05	\$38.59
A42170	22-in. x .256, 1 ¹ / ₂ -in. Round	\$50.91	\$45.69
P22256118S	22-in. x .256, 1 ¹/₀-in. Square	\$53.61	\$48.09
A27767	22-in. x .256, 1.547 x 1.672-in. Dual Square	\$52.56	\$47.19
N242216	22-in. x .256, 1 ¹ / ₈ x 1 ¹ / ₄ -in. Dual Square	\$51.81	\$46.49
N240064	24-in. x .177, 1 1/8 x 1 1/4-in. Dual Square	\$56.40	\$50.69
N241278	24-in. x .197, 1 ¹ / ₈ x 1 ¹ / ₄ -in. Dual Square	\$57.69	\$51.79
B35606	24-in. x .256, 1 ¹ / ₈ x 1 ¹ / ₄ -in. Dual Square	\$55.13	\$49.49
N242322	24-in. x .256, 1 ¹ / ₈ x 1 ¹ / ₄ -in. Dual Square	\$60.85	\$54.69
A31998	26-in. x .256, 1 ⁵ / ₈ x 1 ¹ / ₂ -in. Dual Square	\$74.79	\$67.19
B35608	26-in. x .256, 1 ¹ / ₄ -in. Square	\$77.03	\$69.19
N242039	26-in. x .256, 1 ¹ / ₄ -in. Square	\$84.44	\$75.89
Conical, Plain Ed	ge:		
A28610	22-in. x .256, 1 ¹ / ₈ x 1 ¹ / ₄ -in. Dual Square	\$56.53	\$50.79
K33524	24-in. x .187, 1 ¹ / ₂ -in. Round	\$56.01	\$50.29
B32715	24-in. x .256, 1 ¹ / ₄ -in. Square	\$72.05	\$64.69
B28211	24-in. x .256, 1 ¹ / ₂ -in. Square	\$73.33	\$65.89
B32717	26-in. x .256, 1 ¹ / ₄ -in. Square	\$76.28	\$68.59
B29353	26-in. x .256, 1 ¹ / ₂ -in. Square	\$76.28	\$68.59



John Deere Vertical Tillage Blades

- Solid, shallow concavity spherical blade chops and sizes residue, manages weeds and root balls, and removes field ruts
- Solid, shallow concavity blade mixes soil and residue, aerates soil, and anchors residue

NUMBER	DESCRIPTION	LIST	NOW
N242994	18-in. x 0.177, 2-in. Round – Plain Edge	\$30.65	\$27.49
N402465	20-in. x 0.177, 2-in. Round – Plain Edge	\$36.97	\$33.19
N242916	22-in. x 0.197, 2-in. Round – Plain Edge	\$42.21	\$37.89
N403847	22-in. x 0.197, 2-in. Round – Wavy Edge	\$55.04	\$49.39

Extended Life Greaseable Bearing

Features & Benefits:

- Allows for limited, seasonal maintenance interval to minimize downtime
- Customized bearing maintenance for specific growing conditions and soil types
- The sealing system features improved contamination resistance

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
AKK22197	Extended Life Greaseable Bearing	Disks: 2600 and 2630 Series	\$59.96	\$55.11









Dura-Flex Bearings

John Deere Dura-Flex bearings continue to offer superior quality and consistency that is unmatched by aftermarket will-fit bearings. Introduced in 2005, they are used on disk gang assemblies and rolling baskets up to the 2600 series disks.

Dura-Flex Bearing Features:

- Includes 2-year warranty
- Built using a ball ridging, one-piece, molded nylon cage for perfect alignment
- Engineered with a thicker inner bearing race that creates a stronger cross section to withstand tough loads
- Designed with a heavy-duty bearing so the ball is harder than the rings
- Provides total clearance between rings and rolling elements for optimal load distribution and free rotation to allow for thermal expansion
- Prevents premature bearing failure with smooth rolling bearings
- Contains a chamfer in the lubrication hole to ensure proper grease flow

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
AA28184	Dura-Flex Bearing	Disks: 210, 215, 220, 230, 235, 621, 627, 630, 637 (Rigid Standards) Seedbed Finisher: 200 Mulch Finishers: 722, 724, 726, and 2310 Mulch Tillers: 710, 712, and 714 Field Cultivators: 980 and 2210 Air Disk Drill: 730 and 730LL	\$24.49	\$22.41
AA28186	Dura-Flex Bearing	Disks: 310, 315, 330, 331, 335, 340, 350, 355, 360, 370, 375, 635, 637 (C-Spring Standards), 640, and 650 Rippers: 510 and 512	\$39.46	\$36.21
AA30941	Dura-Flex Bearing Kit, includes AA28184 bearing, flanges, gasket, bolts, and nuts	Disks: 210, 215, 220, 230, 235, 621, 627, 630, and 637 (Rigid Standards) Mulch Finisher: 712	\$38.87	\$34.89
AA30942	Dura-Flex Bearing Kit, includes AA28186 bearing, flanges, gasket, bolts, and nuts	Disks: 310, 315, 330, 331, 335, 340, 350, 360, 370, 637 (C-Spring Standards), 640, and 650 Rippers: 510 and 512	\$54.99	\$50.51

Maintenance-Free Bearings

Maintenance-free bearings were introduced with the 2600 series disks. They are used on disk gangs and rolling baskets.

Maintenance-Free Bearing Features:

- Includes 2-year warranty
- Increases productivity by reducing the amount of required service time
- Packaged with rust-preventative paper for added protection

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
AKK16196	Maintenance-Free Bearing	Disks: 2620, 2623, 2623VT, and 2625	\$87.49	\$78.59

Rippers: 2720 and 2730



Maintain the life of your Disk with Genuine John Deere OEM Disk Harrow Parts.



Disk Maintenance Parts

Make sure you maintain your disk with John Deere OEM parts to be able to get the longest life out of your equipment. John Deere gang bolts, scrapers, spools, and sleeves can help keep your machine running so you can manage tough crop residue and even distribution in any field condition.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
Gang Bolts – S	ee us for Specific Lengths:			
A20616	Gang Bolt (1 1/8" x 77.7")	Disk: 110, 111, 115, 210, 215, 230, 621, 627, 630, 637	\$ 93.87	\$ 84.39
A20134	Gang Bolt (1 1/8" x 59.7")	Disk: 110, 111, 115, 210, 215, 230, 621, 627, 630, 637	\$ 81.45	\$ 73.19
A20615	Gang Bolt (1 1/8" x 68.7")	Disk: 110, 111, 115, 210, 215, 230, 621, 627, 630, 637	\$ 85.10	\$ 76.49
A40826	Gang Bolt (1 1/8" x 95.7")	Disk: 215, 235, 630, 637	\$112.69	\$101.29
A20617	Gang Bolt (1 1/8" x 86.7")	Disk: 110, 111, 115, 210, 215, 230, 621, 627, 630, 637	\$102.94	\$ 92.49
A20133	Gang Bolt (1 1/8" x 50.7")	Disk: 110, 111, 115, 210, 215, 230, 621, 627, 630, 637	\$ 72.88	\$ 65.49
B34226	Gang Bolt (1 1/8" x 78.84")	Disk: 310, 315, 330, 331, 335, 340, 355, 360, 635, 650, 670	\$161.87	\$145.59
A40827	Gang Bolt (1 1/8" x 107.7")	Disk: 215, 235, 630, 637	\$121.60	\$109.29
Scrapers:				
N242551	Scraper, 3/4" Arms	Disk: 235, 2620, 2323, 2625, 2323VT, 2630, 2633, 2635, 2633VT, 3720, 512, 630, 637	\$ 8.34	\$ 7.39
N241152	Scraper	Disk: 510, 650	\$ 13.25	\$ 11.79
A20006	Scraper	Disk: 110, 111, 115, 210, 220, 230	\$ 7.21	\$ 6.39
N242909	Scraper, 7/8" Arms	Disk: 331, 335, 510, 512, 637, 640, 650, 670,	\$ 8.22	\$ 7.29
Sleeves & Spoo	ols:			
A20648	Sleeve (9" spacing)	Disk: 210, 215, 220, 225, 230, 235, 621, 627, 630, 655, 660, 630, 637	\$ 10.24	\$ 9.09
KK14510	Sleeve (9" spacing)	Disk: 2620, 2623, 2625, 2630, 2633, 2635	\$ 13.24	\$ 11.79
A20647	Sleeve (7 1/4" spacing)	Disk: 210, 215, 235, 621, 627, 637	\$ 9.49	\$ 8.39
B34203	Sleeve (9" spacing)	Disk: 210, 215, 235, 621, 627, 630, 637	\$ 56.60	\$ 50.79
B34204	Sleeve (11" spacing)	Disk: 310, 315, 330, 331, 335, 340, 350, 355, 370, 375, 510, 512, 637, 640, 670	\$ 60.31	\$ 54.19
KK14512	Sleeve (11" spacing)	Disk: 2620, 2623, 2625, 2630, 2633, 2635, 2720, 2730	\$ 15.01	\$ 13.39
KK53324	Sleeve (7 1/4" spacing)	Disk: 2620, 2623, 2625, 2623VT, 2630, 2633, 2635, 2633VT	\$ 18.22	\$ 16.29
N241315	Spool (7 1/4" or 9" spacing)	Disk: 220, 225, 621, 627, 630, 655, 660, 637	\$ 15.58	\$ 13.89
N241314	Spool (9" spacing)	Disk: 220, 225, 621, 627, 630, 655, 660, 637	\$ 28.58	\$ 25.59
AN183629	Spool (9" spacing)	Disk: 220, 621, 627, 630, 637	\$ 33.45	\$ 29.99
N240970	Spool (9" or 11" spacing)	Disk: 355, 425, 510, 512, 635, 637, 640, 650, 670	\$ 52.91	\$ 47.49
KK14362	Spool (9" spacing)	Disk: 2620, 2630, 2625, 2630, 2633, 2635, 425, 637, 650, 670	\$ 85.00	\$ 76.39
AN183748	Spool (7 1/4" spacing)	Disk: 621, 627, 630, 637	\$ 32.82	\$ 29.39

Exclusive Nutrient Knife has replaceable points for easy customization

Cut down on the time and labor costs associated with replacing nutrient knifes. With John Deere's knife series, replacement or removal is as simple as removing a roll pin.

With superior wear protection against demanding conditions, the Nutrient Knives' soil-shattering surfaces and parting fins lift and fracture without actual soil inversion and blowout.

Heavy-Duty Nutrient Applicator Knives

- Provide consistent nutrient placement along with superior compaction shattering
- Cast-chrome, pin-on point provides excellent lifting and fracturing without soil inversion or blowout
- Exclusive 5/8-in. x 23-in. tall size for improved trash flow and greater durability

Conventional Applicator Knives

- Chrome-carbide point for excellent wear
- Available as a standard knife or with vapor tube
- Universal mounting hole for All-Makes applications
- Shank is high-strength steel



NUMBER	DESCRIPTION	LIST	NOW
2410C, 2430	C, 2510C Points and Knives:		
Conventiona	l Application Knives:		
AN401419	Conventional Knife	\$ 35.40	\$ 31.86
AN401420	Conventional Knife with Vapor	\$ 58.85	\$ 52.96
AN231685	Conventional Knife – 2510C only	\$ 35.82	\$ 32.24
Conventiona	l Mole Knives:		
AN401421	Mole Anhydrous Knife	\$ 41.47	\$ 37.32
AN401422	Mole Anhydrous Knife with Vapor	\$ 67.76	\$ 60.98
Chisel Bolt-0	On Points:		
AKK15477	Chisel Knife, Bolt-on, with 3/8-in. Drilled Tube	\$ 59.37	\$ 53.43
AKK15478	Chisel Knife, Bolt-on, with 3/8-in. Drilled Tube with Vapor	\$ 86.49	\$ 77.84
AKK22496	Chisel Knife for NH3 ³ /8-in. Drilled Tube (includes tube stabilizer bracket. For machines with shank angle between 48° and 52°)	\$144.85	\$130.36
AKK22497	Chisel Knife for NH3 ³ / ₈ -in. Drilled Tube and Vapor (includes tube stabilizer bracket. For machines with shank angle between 48° and 52°)	\$190.45	\$171.40
Chisel Pin O	Point:		
KK16974	Knife, Pin-on Point	\$ 46.61	\$ 41.95
2510S Point	s and Knives:		
Heavy-Duty:			
AN236291	Anhydrous Ammonia (NH3 only)	\$213.97	\$192.57
AN236292	Anhydrous Ammonia (NH3 and dry fertilizer: anhydrous ammonia) (NH3 dry and vapor)	\$267.48	\$240.73
AN236293	Anhydrous Ammonia (NH3 and liquid fertilizer: anhydrous ammonia) (NH3 liquid and vapor)	\$243.70	\$219.33
Heavy-Duty	Strip-Till Pin-on Points:		
AN236320	Mole-Style, Replaceable Pin-on Point Kit	\$ 70.85	\$ 63.76
AN237013	Wingless, Replaceable Pin-on Point Kit	\$ 64.01	\$ 57.61











AA73758


AA79983

AA73755

Nutrient Application – 2510H

Timely application and proper placement of nutrients help ensure plants thrive and reach their maximum yield potential while being environmentally responsible. Below are parts that you may need to replace after continuous use applying nutrients during the fall, spring, or sidedress.

NUMBER	DESCRIPTION	LIST	NOW
Blades:			
A84920	Flat Disc Opener Blade	\$ 67.42	\$ 60.68
A85568	14-in. Notched Sealer Blade	\$ 36.92	\$ 33.23
Gauge Whe	els:		
A85104	2-in. x 12-in. Gauge Wheel	\$ 15.25	\$ 13.72
A85133	3-in. x 16-in. Gauge Wheel Tire	\$ 41.90	\$ 37.59
AA66988	3-in. x 16-in. Gauge Wheel Assembly	\$ 88.40	\$ 79.49
Scrapers:			
A89381	NH3 Scraper Boot – Right Hand	\$ 77.81	\$ 69.99
A89376	NH3 Scraper Boot – Left Hand	\$ 77.81	\$ 69.99
A89437	Beaver Tail Scraper – Right Hand	\$ 16.66	\$ 14.99
A89556	Beaver Tail Scraper – Left Hand	\$ 16.66	\$ 14.99
Skid Plates:			
A89289	Skid Plate, Left	\$ 94.45	\$ 85.00
A89288	Skid Plate, Right	\$ 94.45	\$ 85.00
Tube Assem	bly:		
AA73755	Liquid LH – Stainless Steel	\$145.02	\$130.52
AA73760	Liquid RH – Stainless Steel	\$145.02	\$130.52
AA73757	NH3 – Left Hand	\$ 37.81	\$ 34.03
AA73758	NH3 – Right Hand	\$ 37.81	\$ 34.03
AA79984	NH3 with Vent – Left Hand	\$ 69.46	\$ 62.51
AA79983	NH3 with Vent – Right Hand	\$ 69.46	\$ 62.51
Pivot Bushi	ng:		
A88112	Gauge Wheel Arm, Pivot Bushing	\$ 22.99	\$ 20.69
A86886	Closing Wheel Arm, Pivot Bushing	\$ 30.12	\$ 27.11
Miscellaneo	ous:		
AN280712	Pressure Gauge	\$ 69.15	\$ 62.23
N282536	Pin, Top of Cast Opener Arm	\$ 29.75	\$ 26.77
A85630	Bushing, Opener Arm Pivot	\$ 19.28	\$ 17.35
A85569	Pivot Pin, Walking Closing Wheel Arm	\$ 19.16	\$ 17.24
A74643	Spring, Closing Wheel Arm	\$ 12.40	\$ 11.16



Tines for John Deere Rakes

NUMBER	DESCRIPTION	APPLICATION	TYPE	LIST	NOW
AE47389	Rubber Tooth	54, 64, 74, 75, 650, 652, 660, 662, 670, 671, 672, and 673	John Deere	\$ 5.34	\$4.81
A-AE47389	Rubber Mtd. Rake Tooth	54, 64, 74, 650, 652, 660, 662, 670, 671, 672, and 673	A&I Products	\$ 3.40	
AE47390	Rubber Tooth	64, 74, 75, 660, 662, 670, 671, 672, and 673	John Deere	\$ 6.64	\$6.01
E56470	Steel Tooth	54, 64, 74, 75, 660, 670, and 671	John Deere	\$10.41	\$9.51
E35277	Rake Tooth	567 Wheel Rakes	John Deere	\$ 4.45	\$4.01
AE56204	Rake Tooth	700 and 705 Twin Rakes	John Deere	\$ 4.88	\$4.41
A-96R5	Rubber Mtd. Tooth	700 and 705 Twin Rakes	A&I Products	\$ 3.39	
E95724	Rake Tooth	702 and 704 Wheel Rakes	John Deere	\$ 2.33	\$2.01
A-P25AG005	Rake Tooth	702 and 704 Wheel Rakes	A&I Products	\$ 1.98	
A-186SE	Rake Tooth	553 and 594	A&I Products	\$ 2.86	
A-237SE	Rake Tooth (Quick Detach)	596, 597, and 714	A&I Products	\$ 4.10	
A-257SE	Rake Tooth*	350, 851, 858 (SN <87200), 894 (SN <37900), 896 (SN <13430)	A&I Products	\$ 1.96	





Frontier Hay Rake Tines

NUMBER	DESCRIPTION	APPLICATION	TYPE	LIST	NOW
5HPT176	Rake Wheel Tooth	Fits WR11, WR12, WR30, and WR33 Series	Frontier	\$ 2.80	\$ 2.39
5HPT174	Rake Wheel, Left- Hand (complete)	Fits WR11, WR12, WR30, and WR33 Series	Frontier	\$116.80	\$104.99
A-P20BG004	Rake Wheel, Left- Hand (complete)	Fits WR11, WR12, WR30, and WR33 Series	A&I Products	\$119.15	
5HPBFR31	Rake Wheel, Right- Hand (complete)	Fits WR11, WR12, WR30, and WR33 Series	Frontier	\$116.80	\$104.99
5HPFR69	Rake Wheel, Right- Hand (complete)	Fits WR34 Series	Frontier	\$130.89	\$117.69
5HPFR70	Rake Wheel, Left- Hand (complete)	Fits WR34 Series	Frontier	\$130.89	\$117.69
5HPFR73	Rake Wheel Tooth	Fits WR34 Series	Frontier	\$ 3.37	\$ 2.89




Frontier Rotary Rake and Tedder Tines

NUMBER	DESCRIPTION	APPLICATION	TYPE	LIST	NOW
KN57609000	Tine	Fits TD1123	Frontier	\$18.88	\$16.89
A-57609000	Tine	Fits TD1123	A&I Products	\$ 9.94	
KN58711800	Tine Arm	Fits TD1123 and TD1316	Frontier	\$46.39	\$41.69
KN58740600	Left Rotating Tine	Fits TD1316	Frontier	\$18.88	\$16.89
KN58740700	Right Rotating Tine	Fits TD1316	Frontier	\$18.88	\$16.89
5PQ700929	Tine, Clockwise Rotation, Gray	Fits TD2418 and TD2427	Frontier	\$20.48	\$18.29
5PQ700901	Tine, Counter- Clockwise Rotation, Black	Fits TD2418 and TD2427	Frontier	\$20.48	\$18.29
5PQ500218	Rotary Rake Tine	Fits RR2109 and RR2211	Frontier	\$21.77	\$19.49



B-Wrap[®]. Indoor protection, outdoors.



Now the great outdoors is your high-quality storage facility. B-Wrap from John Deere cuts storage loss down to almost nothing and is compatible with both premium and standard balers. Talk to your John Deere dealer today.



John Deere Netwrap and Twine

John Deere Edge to Edge® with TamaTec+



With more footage per roll, now you can make 10–15% more bales with each roll of net—for more baler productivity and less downtime. The new net is lighter and easier to handle, and priced right to reduce your cost per bale. It continues to give the same great bale coverage over the entire width of the bale, protecting the crop as well as helping to maintain the bale's shape, making handling and storage much easier. Now that's delivering the trouble-free baling you have come to know and expect from John Deere Netwrap.

John Deere CoverEdge™ with TamaTec+

John Deere CoverEdge™ goes right over the edge of the bale and snaps into place for better protection. With the elimination of shoulders, bales are perfectly shaped for better handling, transport, and storage. John Deere CoverEdge covers 15% more surface area of the round bale and protects the edges of the bale to help prevent rainwater penetration and moisture collection within the bale. It also improves the weatherability of the package. No loose "fluff" to pick up the moisture from rainfall. With John Deere CoverEdge, you can produce high-quality silage bales when wrapped with stretch film because the bale surface is smooth, eliminating air pockets in the bale.

John Deere XtraTwine Plus™

Large Square Bales

Reduces your cost and increases your baler's potential! Exclusively available through John Deere dealers.

Features include:

- Uniform spool shape and consistent yarn to ensure trouble-free running in the baler
- Guaranteed length
- Unrivaled knotting performance
- Special UV light inhibitors to withstand intense exposure over long periods
- Unique color combination for bale identification
- Compatible with ALL large square balers

Extra spool length

Extra spool length for less spool changes, less waste, and higher efficiency.



Baler Net Wrap Components


NUMBER	DESCRIPTION	APPLICATION	LIST		NOW
AFH212426	Bar (No.8 Roll-Narrow Wrap Drive)	4 x 8, 4 x 9, and 7 Series Round Balers	\$ 298.77	\$	274.81
AFH212427	Bar (No.8 Roll-Wide Surf Wrap Drive)	5 x 8, 5 x 9, and 7 Series Round Balers	\$ 361.68	\$	332.61
E94247	Bar (Lower Surf Wrap)	5 x 8, 5 x 9, and 7 Series Round Balers	\$ 353.00	\$	324.71
AE57721	Arm (Lower Tension)	4 x 8, 4 x 9, and 7 Series Round Balers	\$ 330.77	\$	304.21
AFH214927	Support (4 x 5 Net Pan-Svc)	457, 458, 459, and 557 Round Balers	\$2,736.32	\$2	2,517.31
AE59648	Support w/ Label-Wide	5 x 8, 5 x 9, and 7 Series Round Balers	\$ 442.87	\$	407.31
E94283	Sheet (Front – 4-ft.)	4 x 8, 4 x 9, and 7 Series Round Balers	\$ 319.66	\$	294.01
E94255	Sheet (Front – 5-ft.)	5 x 8, 5 x 9, and 7 Series Round Balers	\$ 384.36	\$	353.51
E133004	Knife (Narrow Surface Wrap)	4 x 8 and 4 x 9 Series Round Balers	\$ 297.84	\$	273.91
E133005	Knife (Wide Surface Wrap)	5 x 8 and 5 x 9 Series Round Balers	\$ 343.99	\$	316.41
AE56834	Arm (Knife)	4 x 8, 4 x 9, and 7 Series Round Balers	\$ 290.28	\$	267.01
AE56817	Arm (Knife)	5 x 8, 5 x 9, and 7 Series Round Balers	\$ 396.94	\$	365.11
E94277	Angle (Counter Knife)	4 x 8, 4 x 9, and 7 Series Round Balers	\$ 110.25	\$	101.31
E94248	Angle (Counter Knife)	5 x 8, 5 x 9, and 7 Series Round Balers	\$ 113.94	\$	104.71
E126477	Angle, Int. Sled Runner	457, 458, 459, 557, 558, and 559 Series Round Balers	\$ 97.58	\$	89.71
FH332540	Shield (Narrow Net Pan Liner)	558 and 559 Series Round Balers	\$ 191.83	\$	176.41
FH332541	Shield (Net Pan Wide Liner)	457, 458, 459, and 557 Series Round Balers	\$ 253.06	\$	232.71
AE70676	Brush (Scraper Wide)	5 x 8, 5 x 9, and 7 Series Round Balers	\$ 131.63	\$	121.01
AE70677	Brush (Scraper Narrow)	4 x 8, 4 x 9, and 7 Series Round Balers	\$ 131.63	\$	121.01
E94524	V-Belt	7, 8, and 9 Series Round Balers	\$ 19.27	\$	17.61
AFH203937	Surface Wrap Brake	435, 535, 6,7, 8, and 9 Series Round Balers, L330 and L340 Large Square Balers	\$ 27.55	\$	25.21

DiamondTough[™] Baler Belts

Work harder, smarter, longer

John Deere DiamondTough baler belts are carefully crafted to:

- Handle heavy shock loads
- Maintain consistent belt length
- Offer improved reliability and belt life, minimizing downtime
- Be more puncture- and tear-resistant than other belts
- Warn you when it's time to replace them




Better inside

Patented triple-weave design incorporates nylon, polyester, and monofilament cords. DiamondTough belts are more puncture- and tearresistant, improving belt life and reducing downtime.

Better outside

DiamondTough baler belt's self-cleaning, three-step tread design offers benefits at every layer, including wear indicators.

- Top step: Provides excellent stem contact during initial wear stages.
- Middle step: When the top step is worn, bale starting may be adversely affected in certain crops.
- Bottom step: When the top two steps are worn, replace the belt.
 Ask us for the correct fit for your round baler today.



Longitudinal Rip Test

The belt sample is attached to the top jig of the test machine using the holes. Then a 1" steel rod is pushed through a hole in the center of the belt and is attached to the bottom jig of the test machine. Tension is applied to pull the 1" rod through the bottom portion of the belt in the longitudinal direction of belt travel.

This test is an excellent indication of rip resistance induced by foreign objects into the belt. High strength warp and fill cords in Fortress XP and Plylon Plus combine to create superior rip resistance.

Belt Laces and Pins

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
AE53297	Clipper Lace	330, 335, 375, 410, 430, 435, 500, 510, 530, and 535	\$ 5.64	\$ 5.11
E70966	Clipper Lace Pin	330, 335, 375, 430, 435, 530, and 535	\$ 1.19	\$ 1.01
AE53298	Mato-Plate Type Lace	430, 435, 530, 535, 6, 7, 8, 9, and Zero Series Balers	\$16.33	\$14.91
E86147	Mato-Plate Type Pin	430, 435, 530, 535, 6, 7, 8, 9, and Zero Series Balers	\$ 3.52	\$ 3.11



Tech Tip: Replacing belt pins before they're worn or broken saves time and reduces wear on your equipment. We recommend checking pins after every 500–1,000 bales.

Diamond Tread Baler Belts


NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
AFH215157	Diamond Tread Short	330, 335, 375, 446, 546, 447, 448, 449, 440E, and 547	\$295.88	\$272.11
AFH215159	Diamond Tread Long	330, 335, 375, 446, 546, 447, 448, 449, 440E, and 547	\$302.51	\$278.21



DiamondTough™ Baler Belts

Introduced with the John Deere 8 Series balers, DiamondTough baler belts feature:

- 1) Nylon-fill cords that provide superior puncture and tear resistance, along with excellent fastener-holding strength.
- 2) Excellent resistance to punctures and tears by inserting heavy-duty polyester straight-warp cords between the fill cords.
- 3) Polyester surface warp cords that resist abuse and increase flexibility over small baler rollers.
- 4) Nylon binder warp cords that help promote fabric integrity and abuse-resistant properties.




NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
AE74209	DiamondTough Short	385, 6, 7, 8, 9, and Zero Series 5-ft. Balers	\$406.61	\$374.01
AE74210	DiamondTough Long	385, 6, 7, 8, 9, and Zero Series 5-ft. Balers	\$418.79	\$385.21
AE74177	DiamondTough Short	435, 535, 6, 7, 8, 9, and Zero Series 6-ft. Balers	\$402.76	\$370.41
AE74178	DiamondTough Long	435, 535, 6, 7, 8, 9, and Zero Series 6-ft. Balers	\$422.24	\$388.41

DiamondTough™ Pro Baler Belts

Our DiamondTough Pro baler belts are more wear- and tear-resistant than many belts in the industry and are built with the following features:

- Built with a special rubber compound that offers excellent resistance to cutting, gouging, and abrasion—the same compound used in tough conveyor belt applications
- Provide better performance in tough baling conditions



NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
AFH212598	DiamondTough Pro Short	7, 8, 9, and Zero Series 5-ft. Balers	\$504.30	\$463.91
AFH212599	DiamondTough Pro Long	7, 8, 9, and Zero Series 5-ft. Balers	\$511.40	\$470.41
AFH210848	DiamondTough Pro Short	7, 8, 9, and Zero Series 6-ft. Balers	\$564.34	\$519.11
AFH210849	DiamondTough Pro Long	7, 8, 9, and Zero Series 6-ft. Balers	\$571.79	\$525.91







Pickup Teeth

NUMBER	DESCRIPTION	APPLICATION	TYPE	LIST	NOW
Round Baler w	rith Regular Pickup:				
E67036	6-in., 4-Coil with Bolt	410, 430, 500, and 510 Model Balers	John Deere	\$ 2.70	\$2.41
A-E67036	Baler Tooth*	410, 430 (SN <710000), 500, 510, and 530 (SN <710000)	A&I Products	\$ 2.16	
E74678	6-in., 5-Coil with Allen-Head Bolt	330, 335, 375, 430, 435, 530, and 535 Model Balers	John Deere	\$ 2.78	\$2.51
A-E74678	Baler Tooth*	330, 335 (SN <915000), 375 (SN <915000), 430 (SN 710001>), 435 (SN <921150), 530 (SN 710001>), and 535 (SN <921939)	A&I Products	\$ 2.36	
E79475	7 ¹ / ₄ -in.	330, 335, 385, 435, 6, 7, 8, and 9 Series Round Balers	John Deere	\$ 3.07	\$2.71
A-E79475	Baler Tooth*	330, 335 (SN 915001>), 375 (SN 915001>), 385, 430 (Long tooth pickup only), 435 (SN 921151>), 530 (Long tooth pickup only), 535 (SN 921940>), 6, 7, and 8 Series Round Balers	A&I Products	\$ 2.42	
Round Baler w	vith MegaWide™ Pickup:				
E90881	Left-Hand	6, 7, 8, 9, and Zero Series Round Balers	John Deere	\$10.70	\$9.71
A-E90881	Tooth, Pickup, LH Outer	6, 7, 8, 9, and Zero Series Round Balers	A&I Products	\$ 6.15	
FH304576	Middle, MegaTough™ Square Tooth (Set of 10 Teeth, no Hardware)	6, 7, 8, 9, and Zero Series Round Balers	John Deere	\$ 7.00	\$6.31
A-AFH202304	Tooth, Pickup (Square Wire); Set of 4 Teeth w/ Hardware	6, 7, 8, 9, and Zero Series Round Balers	A&I Products	\$17.00	
E90880	Right-Hand	6, 7, 8, 9, and Zero Series Round Balers	John Deere	\$10.70	\$9.71
A-E90880	Tooth, Pickup, RH Outer	6, 7, 8, 9, and Zero Series Round Balers	A&I Products	\$ 6.16	
Large Square	Baler Pickup:				
FH324064	Pickup Tooth	L330 and L340	John Deere	\$ 5.43	\$4.91
FH304576	Middle, MegaTough™ Square Tooth (Set of 10 Teeth, no Hardware)	L331 and L341	John Deere	\$ 7.00	\$6.31

^{*}Check machine serial number for correct parts.



Round Baler Wear Parts Box


In the field and need a part for your baler? With the John Deere Round Baler Wear Parts Box, you will have most of what you need to get back to baling fast. Whether you need something for your pickup, belts or bearings, it is probably in the Box. Light enough for two people to pickup and put in the truck, means you can take it to the field with you and have it when and where you need it. Ask your dealer about customizing this box for your personal needs and for older model or 5-ft. diameter balers.

BE32698 Round Baler Wear Parts Box For 8, 9, and Zero Series 6-ft. Diameter Round Balers
List Price – \$2,484.90 Sale Price – \$2,186.57

Tech Tip:

The best time to lubricate chains is right after machine use when the chains are still warm. The lubricant will cling to the chains and be drawn between the pins and rollers as they cool. Lubricating daily will help prevent crop residue and dirt buildup.

Precut Baler Chain





TY26350

Chain and Cable Lubricant

- Penetrates rapidly
- Ideal for all types of exposed chains
- Reduces friction and wear
- Resists rust and corrosion
- Product is free of ozone-depleting chlorofluorocarbons (CFCs)
- Foam action reduces chain throw-off

A-AFH20830 33, 37, 385, 435, 535, 6, 7, 8, 9, and Zero Series Balers 50–72 A&I Products \$ 2.85 Clutch to Idler WegaTooth** Pickup): AFH208428* 459, 535, 6, 7, 8, and 9 Series Balers 50–74 A&I Products \$ 2.0.82 \$ 19. MFH208828* 435, 535, 6, 7, 8, and 9 Series Balers 50–74 A&I Products \$ 2.0.82 \$ 3.4.97 \$ 3.2. A-AFH208828* 435, 535, 6, 7, 8, and 9 Series Balers 50–74 A&I Products \$ 2.0.82 \$ 3.4.97 \$ 3.2. A-AFH208828* 435, 535, 6, 7, 8, and 9 Series Balers 50–74 A&I Products \$ 2.0.90 \$ 3.4.97 \$ 3.2. A-AFH208828* 435, 535, 6, 7, 8, and 9 Series Balers 50–74 A&I Products \$ 2.0.90 \$ 3.4.97 \$ 3.2. A-AFH208428* 494, 959(S1), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450M, 460M/R, 550M, and 560M/R 50–102 A&I Products \$ 16.49 \$ 3.4. A-AFH205492* 494, 9459(S1), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450M, 460M/R, 550M, and 560M/R 50–102 A&I Products \$ 16.49 \$ 3.4. A-AFH205492* 494, 9459(S1), 469(S), 559(S), 569(SS/PR), 440E, 450M, 460M, 550M, and 560M/R 50–70 A&I Products \$ 16.49 \$ 3.4. A-AFH206473* 494, 9459(S1, 469(S), 559(S), 569, 440E, 450M, 460M, 550M, and 560M 50–79 A&I Products \$ 2.3.96 \$ 3.4. A-AFH208473* 494, 9459(S1, 469(S), 559(S), 569, 440E, 450M, 460M, 550M, and 560M 50–89 A&I Products \$ 13.82 \$ 3.4. A-AFH208473* 469R, 569PR, 460R, and 560R 50–80 A&I Products \$ 10.80 \$ 3.4. A-AFH2064112* 468, 568, 469, 569, 460M, and 560M 50M 50–80 A&I Products \$ 2.0.34 \$ 3.4. A-AFH2064112* 468, 568, 469, 569, 460M, and 560M 50M 50M 50–80 A&I Products \$ 2.0.34 \$ 3.4. A-AFH2064112* 468, 568, 469, 569, 460M, and 560M 50M 50M 50–70 A&I Products \$ 2.0.94 \$ 3.9. A-AFH2064112* 469R, 569R, 460R, and 560R 50M 50M 50–70 5	NUMBER	APPLICATION	SIZE/LINKS	ТҮРЕ	LIST	NOW
A-AFH20830 33, 37, 385, 435, 535, 6, 7, 8, 9, and Zero Series Balers 50–72 A&I Products \$ 2.85 Clutch to Idler WegaTooth** Pickup): AFH208428* 459, 535, 6, 7, 8, and 9 Series Balers 50–74 A&I Products \$ 2.0.82 \$ 19. MFH208828* 435, 535, 6, 7, 8, and 9 Series Balers 50–74 A&I Products \$ 2.0.82 \$ 3.4.97 \$ 3.2. A-AFH208828* 435, 535, 6, 7, 8, and 9 Series Balers 50–74 A&I Products \$ 2.0.82 \$ 3.4.97 \$ 3.2. A-AFH208828* 435, 535, 6, 7, 8, and 9 Series Balers 50–74 A&I Products \$ 2.0.90 \$ 3.4.97 \$ 3.2. A-AFH208828* 435, 535, 6, 7, 8, and 9 Series Balers 50–74 A&I Products \$ 2.0.90 \$ 3.4.97 \$ 3.2. A-AFH208428* 494, 959(S1), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450M, 460M/R, 550M, and 560M/R 50–102 A&I Products \$ 16.49 \$ 3.4. A-AFH205492* 494, 9459(S1), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450M, 460M/R, 550M, and 560M/R 50–102 A&I Products \$ 16.49 \$ 3.4. A-AFH205492* 494, 9459(S1), 469(S), 559(S), 569(SS/PR), 440E, 450M, 460M, 550M, and 560M/R 50–70 A&I Products \$ 16.49 \$ 3.4. A-AFH206473* 494, 9459(S1, 469(S), 559(S), 569, 440E, 450M, 460M, 550M, and 560M 50–79 A&I Products \$ 2.3.96 \$ 3.4. A-AFH208473* 494, 9459(S1, 469(S), 559(S), 569, 440E, 450M, 460M, 550M, and 560M 50–89 A&I Products \$ 13.82 \$ 3.4. A-AFH208473* 469R, 569PR, 460R, and 560R 50–80 A&I Products \$ 10.80 \$ 3.4. A-AFH2064112* 468, 568, 469, 569, 460M, and 560M 50M 50–80 A&I Products \$ 2.0.34 \$ 3.4. A-AFH2064112* 468, 568, 469, 569, 460M, and 560M 50M 50M 50–80 A&I Products \$ 2.0.34 \$ 3.4. A-AFH2064112* 468, 568, 469, 569, 460M, and 560M 50M 50M 50–70 A&I Products \$ 2.0.94 \$ 3.9. A-AFH2064112* 469R, 569R, 460R, and 560R 50M 50M 50–70 5	Idler to Pickup	(Regular Pickup):				
Clutch to Idler "HegaTooth" Pickup): AFH205493* 569	AFH208830*	335, 375, 385, 435, 535, 6, 7, 8, 9, and Zero Series Balers	50–72	John Deere	\$ 35.75	\$ 32.81
AFH205493* 569 50-111 John Deere \$ 20.82 \$ 19. Idler to Pickup (WegaTooth Pickup): AFH208828* 435, 535, 6, 7, 8, and 9 Series Balers 50-74 John Deere \$ 34.97 \$ 32. A-AF1208282 435, 535, 6, 7, 8, and 9 Series Balers 50-74 A&I Products \$ 21.96 *** Clutch to Rots** (WegaWide** Plus Pickup): AFH205492* 49.9 459(S), 469(SS/PR), 559(S), 569(SS/PR), 440E, 450M, 460M/R, 550M, and 560M/R 50-102 John Deere \$ 34.31 \$ 31. A-AFH208472* 49.9 459(S), 469(SS, PR), 559(S), 569(SS/PR), 440E, 450M, 460M/R, 550M, and 560M/R 50-79 John Deere \$ 37.36 \$ 3.4 A-AFH208473* 49.9 459(S), 469(S), 559(S), 569, 440E, 450M, 460M, 550M, and 560M 50-79 John Deere \$ 17.97 \$ 16. A-AFH208473* 49.9 459(S), 469(S), 559(S), 569, 440E, 450M, 460M, 550M, and 560M 50-89 John Deere \$ 17.97 \$ 16. A-AFH208473* 49.9 459(S), 469(S), 559(S), 569, 440E, 450M, 460M, 550M, and 560M 50-89 John Deere \$ 17.97 \$ 16. A-AFH208473* 49.9 459(S), 469(S), 460M, and 560R 80-89 John Deere \$ 17.97 \$ 16	A-AFH208830	335, 375, 385, 435, 535, 6, 7, 8, 9, and Zero Series Balers	50–72	A&I Products	\$ 21.85	
Idler to Pickup MegaTooth Pickup : AFH208828* 435, 535, 6, 7, 8, and 9 Series Balers 50–74 John Deere \$ 34.97 \$ 32. A-AFH208828* 435, 535, 6, 7, 8, and 9 Series Balers 50–74 A&I Products \$ 21.96 Clutch to Rotor: MegaWide** Plus Pickup : AFH205492* 49, 49, 49(5S), 469(5S/PR), 559(SS), 569(SS/PR), 440E, 450M, 460M/R, 550M, and 560M/R 50–102 John Deere \$ 34.31 \$ 31. A-AFH20492* 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450M, 460M, 460M/R, 550M, and 560M/R 50–102 A&I Products \$ 16.49 Rotor to Pickup* MegaWide Plus Pickup! AFH20473* 449, 459(S), 469(S), 559(S), 569, 440E, 450M, 460M, 550M, and 560M 50–79 John Deere \$ 37.36 \$ 34. A-AFH20873* 49, 459(S), 469(S), 559(S), 569, 440E, 450M, 460M, 550M, and 560M 50–79 A&I Products \$ 23.96 AFH205377* 469PR, 569PR, 460R, and 560R 50–89 John Deere \$ 37.26 \$342. A-AFH206114* 468, 568, 469, 569, 460M, and 560M 80–158 A&I Products \$ 251.94 AFH2061114* <td>Clutch to Idler</td> <td>(MegaTooth™ Pickup):</td> <td></td> <td></td> <td></td> <td></td>	Clutch to Idler	(MegaTooth™ Pickup):				
AFH208828* 435, 535, 6, 7, 8, and 9 Series Balers A-AFH208828* 435, 535, 6, 7, 8, and 9 Series Balers Clutch to Roter MegaWide™ Plus Pickup : AFH205492* 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450M, 460M/R, 550M, and 560M/R A-AFH205492* 449, 459(SS), 469(SS/PS), 559(SS), 569, 440E, 450M, 460M, 550M, and 560M/R A-AFH208473* 449, 459(S), 469(S), 559(S), 569, 440E, 450M, 460M, 550M, and 560M A-AFH208473* 449, 459(S), 469(S), 559(S), 569, 440E, 450M, 460M, 550M, and 560M A-AFH208473* 469PR, 569PR, 460R, and 560R A-AFH205377* 469PR, 569PR, 460R, and 560R A-AFH205377* 469PR, 569PR, 460R, and 560R A-AFH205377* 469PR, 569PR, 460R, and 560M A-AFH206114* 468, 568, 469, 569, 460M, and 560M A-AFH206114* 468, 568, 469, 569, 460M, and 560M A-AFH206112* 469PR, 569R, 460R, and 560R A-AFH206112* 469R, 569R, 460R, and 560R A-AFH20613* 469R, 569R, 460R, and 560R A-AFH20614* 469R, 569R, 460R, and 560R A-AFH20615* 469R, 569R, 460R, and 560R A-AFH206114* 469R, 569R, 460R, and 560R A-AFH206115* 469R, 569R, 460R, and 560R A-AFH206114* 469R, 569R, 460R, and 560R A-AFH206115* 469R, 569R, 460R, and 560R A-AFH206114* 469R, 569R, 460R, and 560R A-AFH206115* 469R, 569R, 460R, and 560R A-AFH206115* 469R, 569R, 460R, and 560R A-AFH206116* 469R, 569R, 460R, and 560R A-AFH206118* 469R, 569R, 460R, and 560R A-AFH20618* 469R, 569R, 460R, and 560R A-AFH20618* 469R	AFH205493*	569	50–111	John Deere	\$ 20.82	\$ 19.11
A-AFH208828 435, 535, 6, 7, 8, and 9 Series Balers Clutch to Rotor (MegaWide™ Plus Pickup): AFH205492* 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450M, 460M/R, 550M, and 560M/R A-AFH205492* 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450M, 460M/R, 550M, and 560M/R Rotor to Pickup (MegaWide Plus Pickup): AFH208473* 449, 459(S), 469(S), 559(S), 569, 440E, 450M, 460M, 550M, and 560M A-AFH208473* 449, 459(S), 469(S), 559(S), 569, 440E, 450M, 460M, 550M, and 560M A-AFH208473* 469PR, 569PR, 460R, and 560R A-AFH208377* 469PR, 569PR, 460R, and 560R A-AFH205377* 469PR, 569PR, 460R, and 560R A-AFH206114* 468, 568, 469, 569, 460M, and 560M A-AFH206114* 468, 568, 469, 569, 460M, and 560M A-AFH206112* 469R, 569R, 460R, and 560R A-AFH206113* 469R, 569R, 460R, and 560R A-AFH206114* 468, 568, 469, 569, 460M, and 560M A-AFH206112* 469R, 569R, 460R, and 560R A-AFH206113* 469R, 569R, 460R, and 560R A-AFH206114* 469R, 569R, 460R, and 560R A-AFH206115* 469R, 569R, 460R, and 560R A-AFH20831* 469, 569R, 460R, and 560R A-AFH20831* 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R A-AFH20831* 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R A-AFH20831* 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R A-AFH20831* 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R A-AFH20831* 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R A-AFH20831* 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R A-AFH20831* 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R A-AFH20831* 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R A-AFH20831* 449, 459(SS), 469(SS/PR), 5	Idler to Pickup	(MegaTooth Pickup):				
Clutch to Rotor MegaWide Plus Pickup : AFH205492	AFH208828*	435, 535, 6, 7, 8, and 9 Series Balers	50-74	John Deere	\$ 34.97	\$ 32.11
AFH205492* 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450M, 460M/R, 550M, and 560M/R 50—102 John Deere \$ 34.31 \$ 31. A-AFH205492 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450M, 460M/R, 550M, and 560M/R 50—102 A&I Products \$ 16.49 Rotor to Pickup (MegaWide Plus Pickup): AFH208473* 449, 459(S), 469(S), 559(S), 569, 440E, 450M, 460M, 550M, and 560M 50—79 John Deere \$ 37.36 \$ 34. A-AFH208473 449, 459(S), 469(S), 559(S), 569, 440E, 450M, 460M, 550M, and 560M 50—79 A&I Products \$ 23.96 AFH205377* 469PR, 569PR, 460R, and 560R 50—89 John Deere \$ 17.97 \$ 16. A-AFH205377* 469PR, 569PR, 460R, and 560R 50—89 A&I Products \$ 13.82 Upper Drive: AFH206114* 468, 568, 469, 569, 460M, and 560M 80—158 John Deere \$ 372.06 \$ 342. A-AFH206112* 469R, 569R, 460R, and 560M 80—158 John Deere \$ 367.13 \$ 337. A-AFH206112* 469R, 569R, 460R, and 560R 80—158 John Deere \$ 367.13 \$ 337. A-AFH206112* 469R, 569R, 460R, and 560R 80—158 John Deere \$ 367.13 \$ 337. A-AFH206112* 469R, 569R, 460R, and 560R 80—158 John Deere \$ 367.13 \$ 337. A-AFH206112* 469R, 569R, 460R, and 560R 80—158 John Deere \$ 367.13 \$ 337. A-AFH206112* 469R, 569R, 460R, and 560R 80—158 John Deere \$ 367.13 \$ 337. A-AFH20811 Drive: AF4238 6, 7, 8 Series Balers 60H-42 John Deere \$ 53.46 \$ 49. A-AE74238 6, 7, 8 Series Balers 60H-42 John Deere \$ 36.39 \$ 33. A-AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H-42 John Deere \$ 36.39 \$ 33. A-AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H-42 A&I Products \$ 21.94 Lower Drive:	A-AFH208828	435, 535, 6, 7, 8, and 9 Series Balers	50–74	A&I Products	\$ 21.96	
A-AFH205492 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450M, 460M/R, 550M, and 560M/R 50–102 A&I Products \$ 16.49 Rotor to Pickup (MegaWide Plus Pickup): AFH208473* 449, 459(S), 469(S), 559(S), 569, 440E, 450M, 460M, 550M, and 560M 50–79 John Deere \$ 37.36 \$ 34. A-AFH208473 449, 459(S), 469(S), 559(S), 569, 440E, 450M, 460M, 550M, and 560M 50–79 A&I Products \$ 23.96 AFH205377* 469PR, 569PR, 460R, and 560R 50–89 John Deere \$ 17.97 \$ 16. A-AFH205377* 469PR, 569PR, 460R, and 560R 50–89 A&I Products \$ 13.82 Upper Drive: AFH206114* 468, 568, 469, 569, 460M, and 560M 80–158 John Deere \$ 372.06 \$ 342. A-AFH206112* 469R, 569R, 460R, and 560M 80–158 John Deere \$ 367.13 \$ 337. A-AFH206112* 469R, 569R, 460R, and 560R 80H–158 John Deere \$ 367.13 \$ 337. A-AFH206112* 469R, 569R, 460R, and 560R 80H–158 John Deere \$ 367.13 \$ 337. A-AFH206112* 469R, 569R, 460R, and 560R 80H–158 John Deere \$ 367.13 \$ 337. A-AFH206112* 469R, 569R, 460R, and 560R 80H–158 John Deere \$ 367.13 \$ 337. A-AFH20813* 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H–42 John Deere \$ 36.39 \$ 33. A-AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H–42 A&I Products \$ 21.94 Lower Drive:	Clutch to Rotor	r (MegaWide™ Plus Pickup):				
Rotor to Pickup (MegaWide Plus Pickup): AFH208473* 449, 459(S), 469(S), 559(S), 569, 440E, 450M, 460M, 550M, and 560M 50–79 John Deere \$ 37.36 \$ 34. A-AFH208473 449, 459(S), 469(S), 559(S), 569, 440E, 450M, 460M, 550M, and 560M 50–89 John Deere \$ 17.97 \$ 16. A-AFH205377* 469PR, 569PR, 460R, and 560R 50–89 A&I Products \$ 13.82 Upper Drive: AFH206114* 468, 568, 469, 569, 460M, and 560M 80–158 John Deere \$ 372.06 \$342. A-AFH206114* 468, 568, 469, 569, 460M, and 560M 80–158 A&I Products \$ 203.34 A-AFH206112* 469R, 569R, 460R, and 560R 80H–158 John Deere \$ 367.13 \$337. A-AFH206112* 469R, 569R, 460R, and 560R 80H–158 A&I Products \$ 251.94 Starter Roll Drive: AF24238 6, 7, 8 Series Balers 60H-42 John Deere \$ 36.39 \$ 33. A-AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H–42 John Deere \$ 36.39 \$ 33. A-AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 44	AFH205492*	449, 459 (SS), 469 (SS/PR), 559 (SS), 569 (SS/PR), 440 E, 450 M, 460 M/R, 550 M, and 560 M/R	50–102	John Deere	\$ 34.31	\$ 31.51
AFH208473* 449, 459(S), 469(S), 559(S), 569, 440E, 450M, 460M, 550M, and 560M 50–79 John Deere \$ 37.36 \$ 34. A-AFH208473 449, 459(S), 469(S), 559(S), 569, 440E, 450M, 460M, 550M, and 560M 50–79 A&I Products \$ 23.96 AFH205377* 469PR, 569PR, 460R, and 560R 50–89 John Deere \$ 17.97 \$ 16. A-AFH205377 469PR, 569PR, 460R, and 560R 50–89 A&I Products \$ 13.82 Upper Drive: AFH206114* 468, 568, 469, 569, 460M, and 560M 80–158 John Deere \$ 372.06 \$ 342. A-AFH206114* 469R, 569R, 460R, and 560M 80–158 A&I Products \$ 203.34 AFH206112* 469R, 569R, 460R, and 560R 80H–158 John Deere \$ 367.13 \$ 337. A-AFH206112* 469R, 569R, 460R, and 560R 80H–158 A&I Products \$ 251.94 Starter Roll Drive: AF4238 6, 7, 8 Series Balers 60H-42 John Deere \$ 53.46 \$ 49. A-AE74238 6, 7, 8 Series Balers 60H-42 A&I Products \$ 33.67 AFH20831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H–42 John Deere \$ 36.39 \$ 33. A-AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H–42 A&I Products \$ 21.94 Lower Drive:	A-AFH205492	449, 459 (SS), 469 (SS/PR), 559 (SS), 569 (SS/PR), 440 E, 450 M, 460 M/R, 550 M, and 560 M/R	50–102	A&I Products	\$ 16.49	
A-AFH208473 449, 459(S), 469(S), 559(S), 569, 440E, 450M, 460M, 550M, and 560M 50–79 A&I Products \$ 23.96 AFH205377* 469PR, 569PR, 460R, and 560R 50–89 John Deere \$ 17.97 \$ 16. A-AFH205377 469PR, 569PR, 460R, and 560R 50–89 A&I Products \$ 13.82 Upper Drive: AFH206114* 468, 568, 469, 569, 460M, and 560M 80–158 John Deere \$372.06 \$342. A-AFH206112* 469R, 569R, 460R, and 560R 80H–158 John Deere \$367.13 \$337. A-AFH206112* 469R, 569R, 460R, and 560R 80H–158 John Deere \$367.13 \$337. A-AFH206112* 469R, 569R, 460R, and 560R 80H–158 John Deere \$367.13 \$337. A-AFH206112* 469R, 569R, 460R, and 560R 80H–158 A&I Products \$251.94 Starter Roll Drive: AF74238 6, 7, 8 Series Balers 60H-42 John Deere \$ 53.46 \$ 49. A-AE74238 6, 7, 8 Series Balers 60H-42 John Deere \$ 36.39 \$ 33. A-AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H–42 John Deere \$ 36.39 \$ 33. A-AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H–42 A&I Products \$ 21.94 Lower Drive:	Rotor to Pickuj	o (MegaWide Plus Pickup):				
AFH205377* 469PR, 569PR, 460R, and 560R 50–89 John Deere \$ 17.97 \$ 16. A-AFH205377 469PR, 569PR, 460R, and 560R 50–89 A&I Products \$ 13.82 Upper Drive: AFH206114* 468, 568, 469, 569, 460M, and 560M 80–158 John Deere \$372.06 \$342. A-AFH206112* 469R, 569R, 460R, and 560M 80–158 John Deere \$367.13 \$337. A-AFH206112* 469R, 569R, 460R, and 560R 80H–158 John Deere \$367.13 \$337. A-AFH206112* 469R, 569R, 460R, and 560R 80H–158 John Deere \$367.13 \$337. A-AFH206112* 67, 8 Series Balers 60, 7, 8 Series Balers	AFH208473*	449, 459(S), 469(S), 559(S), 569, 440E, 450M, 460M, 550M, and 560M	50–79	John Deere	\$ 37.36	\$ 34.31
A-AFH205377 469PR, 569PR, 460R, and 560R 50–89 A&I Products \$ 13.82 Upper Drive: AFH206114* 468, 568, 469, 569, 460M, and 560M 80–158 John Deere \$372.06 \$342. A-AFH206112* 469R, 569R, 460R, and 560M 80–158 John Deere \$367.13 \$337. A-AFH206112* 469R, 569R, 460R, and 560R 80H–158 John Deere \$367.13 \$337. A-AFH206112* 469R, 569R, 460R, and 560R 80H–158 John Deere \$367.13 \$337. A-AFH206112* 469R, 569R, 460R, and 560R 80H–158 John Deere \$367.13 \$337. A-AFH206112* 6, 7, 8 Series Balers 60H-42 John Deere \$53.46 \$49. A-AE74238 6, 7, 8 Series Balers 60H-42 A&I Products \$33.67 AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H–42 John Deere \$36.39 \$33. A-AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H–42 A&I Products \$21.94 Lower Drive:	A-AFH208473	449, 459(S), 469(S), 559(S), 569, 440E, 450M, 460M, 550M, and 560M	50–79	A&I Products	\$ 23.96	
Upper Drive: AFH206114* 468, 568, 469, 569, 460M, and 560M 80–158 John Deere \$372.06 \$342. A-AFH206114* 468, 568, 469, 569, 460M, and 560M 80–158 A&I Products \$203.34 AFH206112* 469R, 569R, 460R, and 560R 80H–158 John Deere \$367.13 \$337. A-AFH206112 469R, 569R, 460R, and 560R 80H–158 A&I Products \$251.94 Starter Roll Drive: AF24238 6, 7, 8 Series Balers 60H-42 John Deere \$ 53.46 \$ 49. A-AE74238 6, 7, 8 Series Balers 60H-42 A&I Products \$ 33.67 AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H–42 John Deere \$ 36.39 \$ 33. A-AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H–42 A&I Products \$ 21.94 Lower Drive:	AFH205377*	469PR, 569PR, 460R, and 560R	50-89	John Deere	\$ 17.97	\$ 16.41
AFH206114* 468, 568, 469, 569, 460M, and 560M 80–158 John Deere \$372.06 \$342. A-AFH206112* 469R, 569R, 460R, and 560R 80H–158 John Deere \$367.13 \$337. A-AFH206112* 469R, 569R, 460R, and 560R 80H–158 John Deere \$367.13 \$337. A-AFH206112* 469R, 569R, 460R, and 560R 80H–158 A&I Products \$251.94 Starter Roll Drive: AF74238 6, 7, 8 Series Balers 60H-42 John Deere \$53.46 \$49. A-AF74238 6, 7, 8 Series Balers 60H-42 A&I Products \$33.67 AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H–42 John Deere \$36.39 \$33. A-AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H–42 A&I Products \$21.94 Lower Drive:	A-AFH205377	469PR, 569PR, 460R, and 560R	50–89	A&I Products	\$ 13.82	
A-AFH206114 468, 568, 469, 569, 460M, and 560M 80–158 A&I Products \$203.34 AFH206112* 469R, 569R, 460R, and 560R 80H–158 John Deere \$367.13 \$337. A-AFH206112* 469R, 569R, 460R, and 560R 80H–158 A&I Products \$251.94 Starter Roll Drive: AE74238 6, 7, 8 Series Balers 60H-42 John Deere \$53.46 \$49. A-AE74238 6, 7, 8 Series Balers 60H-42 A&I Products \$33.67 AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H–42 John Deere \$36.39 \$33. A-AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H–42 A&I Products \$21.94 Lower Drive:	Upper Drive:					
AFH206112* 469R, 569R, 460R, and 560R 80H–158 John Deere \$367.13 \$337. A-AFH206112 469R, 569R, 460R, and 560R 80H–158 A&I Products \$251.94 Starter Roll Drive: AE74238 6, 7, 8 Series Balers 60H-42 John Deere \$53.46 \$49. A-AE74238 6, 7, 8 Series Balers 60H-42 A&I Products \$33.67 AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H–42 John Deere \$36.39 \$33. A-AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H–42 A&I Products \$21.94 Lower Drive:	AFH206114*	468, 568, 469, 569, 460M, and 560M	80–158	John Deere	\$372.06	\$342.21
A-AFH206112 469R, 569R, 460R, and 560R \$251.94 Starter Roll Drive: AE74238 6, 7, 8 Series Balers 60H-42 John Deere \$53.46 \$49. A-AE74238 6, 7, 8 Series Balers 60H-42 A&I Products \$33.67 AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H-42 John Deere \$36.39 \$33. A-AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H-42 A&I Products \$21.94 Lower Drive:	A-AFH206114	468, 568, 469, 569, 460M, and 560M	80–158	A&I Products	\$203.34	
Starter Roll Drive: AE74238 6, 7, 8 Series Balers 60H-42 John Deere \$ 53.46 \$ 49. A-AE74238 6, 7, 8 Series Balers 60H-42 A&I Products \$ 33.67 AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H-42 John Deere \$ 36.39 \$ 33. A-AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H-42 A&I Products \$ 21.94 Lower Drive: 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H-42 A&I Products \$ 21.94	AFH206112*	469R, 569R, 460R, and 560R	80H-158	John Deere	\$367.13	\$337.71
AE74238 6, 7, 8 Series Balers 60H-42 John Deere \$ 53.46 \$ 49 . A-AE74238 6, 7, 8 Series Balers 60H-42 A&I Products \$ 33.67 AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H-42 John Deere \$ 36.39 \$ 33 . A-AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H-42 A&I Products \$ 21.94 Lower Drive:	A-AFH206112	469R, 569R, 460R, and 560R	80H-158	A&I Products	\$251.94	
A-AE74238 6, 7, 8 Series Balers 60H-42 A&I Products \$ 33.67 AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H-42 John Deere \$ 36.39 \$ 33. A-AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H-42 A&I Products \$ 21.94 Lower Drive:	Starter Roll Dri	ve:				
AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H–42 John Deere \$ 36.39 \$ 33. A-AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H–42 A&I Products \$ 21.94 Lower Drive:	AE74238	6, 7, 8 Series Balers	60H-42	John Deere	\$ 53.46	\$ 49.11
A-AFH208831 449, 459(SS), 469(SS/PR), 559(SS), 569(SS/PR), 440E, 450E/M, 460M/R, 550M, and 560M/R 60H–42 A&I Products \$ 21.94 Lower Drive:	A-AE74238	6, 7, 8 Series Balers	60H-42	A&I Products	\$ 33.67	
Lower Drive:	AFH208831	449, 459 (SS), 469 (SS/PR), 559 (SS), 569 (SS/PR), 440 E, 450 E/M, 460 M/R, 550 M, and 560 M/R	60H-42	John Deere	\$ 36.39	\$ 33.41
	A-AFH208831	449, 459 (SS), 469 (SS/PR), 559 (SS), 569 (SS/PR), 440 E, 450 E/M, 460 M/R, 550 M, and 560 M/R	60H-42	A&I Products	\$ 21.94	
AFH206115* 469PR 569PR 460R and 560R 80_64 John Deere \$129.51 \$119	Lower Drive:					
ATTIZED TTS 4051 K, 3051 K, 400K, and 300K	AFH206115*	469PR, 569PR, 460R, and 560R	80–64	John Deere	\$129.51	\$119.01
A-AFH206115 A-AFH206113 469PR, 569PR, 460R, and 560R 80–64 A&I Products \$ 82.08	A-AFH206115	A-AFH206113 469PR, 569PR, 460R, and 560R	80–64	A&I Products	\$ 82.08	
AFH206113* 469R, 569R, 460R, and 560R 80H–64 John Deere \$148.76 \$136.	AFH206113*	469R, 569R, 460R, and 560R	80H-64	John Deere	\$148.76	\$136.81
A-AFH206113 469R, 569R, 460R, and 560R 80H–64 A&I Products \$102.10	A-AFH206113	469R, 569R, 460R, and 560R	80H-64	A&I Products	\$102.10	

^{*}Diamond Chain®:

[•] Heat-treated using carburizing furnaces set to precise temperatures • Uses both a proprietary lubrication formula and hot-dip application process on all lubricated roller chains

⁻ Uses proprietary shot-peening machinery developed and custom-made to ensure consistent intensity and coverage of components during the shot-peening process

[•] All chain is preloaded to approximate the recommended maximum loading during usage. This firmly seats pins and bushings and helps eliminate any initial elongation

John Deere GREEN-GARD™

John Deere GREEN-GARD Hay Preservative is a buffered, propionic acid preservative that helps retain the freshness, color, and quality of the hay by stopping mold growth, heating, and spoilage.

- Bale when you're ready at moisture up to 30%
- Non-corrosive buffered formula won't harm expensive baling equipment, the user, or livestock
- Treated hay is greener, higher in feed value, and can be stored for years while looking and feeding as well as when it was baled



NUMBER	DESCRIPTION	SIZE	LIST	NOW
AFH216669	Mini Drum	13 Gal. / 120 Lbs.	\$ 210.35	\$ 193.41
AFH216670	Drum	50 Gal. / 450 Lbs.	\$ 628.92	\$ 578.51
AFH216672	Tote	200 Gal. / 1,800 Lbs.	\$2,498.75	\$2,298.81
AFH216673	Large Tote	270 Gal. / 2,380 Lbs.	\$3,144.59	\$2,892.91


Small Square Baler Parts

You need square bales that stack like bricks, and you can rely on your John Deere dealer for the parts and service to keep you baling.

NUMBER	DESCRIPTION	APPLICATION	TYPE	LIST	NOW
E41833	Baler Tooth*	466 and 468	John Deere	\$ 2.52	\$ 2.21
A-E41833	Baler Tooth	466 and 468	A&I Products	\$ 2.09	
E17777	Stationary Knife	466	John Deere	\$118.01	\$108.51
E42088	Plungerhead Knife	466	John Deere	\$149.12	\$137.11
AFH202537	Needle (Twine with Guide)	328, 338, and 348	John Deere	\$183.67	\$168.91
AFH202538	Needle (Wire)	328, 338, and 348	John Deere	\$258.46	\$237.71
AE50593	Finger (Feeder)*	328 and 338	John Deere	\$335.34	\$308.41
AFH205877	Finger (Tucker)	328, 338, 348, and 468	John Deere	\$ 89.27	\$ 82.01
AE70115	Knotter Repair Kit*	466 and 468	John Deere	\$257.84	\$237.11

Sickle Parts for Mower/Conditioners, and Auger Platforms

Dura-Cut™ Sickle Sections are made with high carbon for rugged strength and have cutting edges that are heat-treated for longer cutting life.



^{*1600, 1600}A, 710, 720, 820, 890, 895, 896

^{*} Fits models 327, 328, 336, 337, 338, 346, 347, 348, and 467 square balers.

^{**1207, 1209, 1217, 1380, 1424, 1600, 230, 240, 300, 31, 36, 61,} and 66

Get a cut above the rest

John Deere Mower Conditioner Knives

Engineered for optimal wear resistance and designed specifically for John Deere machines, these mower conditioner knives remain sharp and provide long-term, premium cutting quality.

- Made from boron steel and heat treated for maximum strength
- Bend rather than break for safer livestock feed
- Knives are applied with rust-preventative oil or powder-coated for superior protection
- Burrs removed from holes for precise fit

10.5 deg. Knives: Standard knife from factory.

18 deg. Knives: High-twist design aids in maintaining excellent cut quality in downed crops or extremely heavy crop conditions.

FH323281 10.5 deg. Counterclockwise

FH323282 10.5 deg. Clockwise

FH308234 18 deg. Counterclockwise

FH308235 18 deg. Clockwise



Mower Conditioner Knives



NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
FH323281	Standard, Counterclockwise*		\$2.07	\$1.81
FH323282	Standard, Clockwise*		\$2.07	\$1.81
FH308234	High-Lift, Counterclockwise*		\$2.18	\$1.91
FH308235	High-Lift, Clockwise*		\$2.18	\$1.91
CC44004	Standard, Right-hand, Clockwise	265, 270, and 275	\$2.43	\$2.11
CC44005	Standard, Left-hand, Counterclockwise	260 and 270	\$2.36	\$2.11
CC21780	Standard, Counterclockwise	270, 265, 275, 285, R160, R200, R240, R280, and R310	\$2.04	\$1.81
CC21781	Standard, Clockwise	270, 265, 275, 285, R160, R200, R240, R280, and R310	\$2.01	\$1.71

^{*} Applications: 65, 275, 285, 625, 630, 635, 830, 835, 916, 926, 936, 946, 956, 994, 995, and 500R



Frontier Disc Mower Blades

NUMBER	DESCRIPTION	APPLICATION	TYPE	LIST	NOW
KN56151210	Angled Blade, Right Turning	DM1130, DM1140, DM1150, DM1160	Frontier	\$2.10	\$1.79
A-76N942	Angled Blade, Right Turning	DM1130, DM1140, DM1150, DM1160	A&I Products	\$1.35	
KN56151310	Angled Blade, Left Turning	DM1130, DM1140, DM1150, DM1160	Frontier	\$2.10	\$1.79
A-76N941	Angled Blade, Left Turning	DM1130, DM1140, DM1150, DM1160	A&I Products	\$1.35	
KN56451300	Angled Blade, Right Turning	DM1270	Frontier	\$3.10	\$2.69
A-76N226	Angled Blade, Right Turning	DM1270	A&I Products	\$1.75	
KN56451200	Angled Blade, Left Turning	DM1270	Frontier	\$3.10	\$2.69
A-76N198	Angled Blade, Left Turning	DM1270	A&I Products	\$1.75	

Advanced Hay, Straw, and Silage Tester

This newly advanced Hay, Straw, and Silage Tester is the most efficient probe on the market. The 20" stainless steel probe and tip provides accuracy, versatility, and durability. The SW07305 will measure push force to determine whether it's a highor low-density bale, then adjusts the moisture result for more precise accuracy.

Features:

- Measures 8–72% moisture content
- Temperature range 32–185°F (0–85°C)
- Automatic Density Compensation
- Choice of hay or straw bales, separate mode for silage
- Memory can store results up to 64 bales with a total of 1,000 savable moisture and temperature readings
- Continuous reading as you probe bale

NUMBER	DESCRIPTION	LIST	NOW
SW007305	Hay, Straw, and Silage Tester	\$344.36	\$316.81

Hay Probes and Baler Mounted Testers

NUMBER	DESCRIPTION	LIST	NOW	
Handheld Moisture Testers:				
Moisture Te	esters:			
SW16136	18-in. Probe (testing range from 14–44%)	\$207.77	\$191.15	
SW16326	32-in. Probe (testing range from 14–44%)	\$227.01	\$208.85	
Low-Moist	Low-Moisture:			
SW007320	20-in. Probe (testing range from 8–44%)	\$248.07	\$228.22	
SW007321	10-in. Probe (testing range from 8–44%)	\$232.79	\$214.17	
Baler-Mount	ted Hay Testers:			
SW07350	Tester mounts inside the baler for direct readout of moisture while baling (testing range from 8—44%)	\$315.51	\$290.27	
SW007360	Advanced Baler-Mounted Hay Moisture Tester (BHT-2)	\$436.71	\$401.77	



Hay Core Sampler

Developed by farmer for farmers. The Hay Core Sampler ensures fast and contamination-free sampling from hay bales for testing purposes.


Features:


- Sampling depth is 20"
- Sampler can be used with either a 3/8" or 1/2" drill. 1/2" recommended for best results
- The inside diameter of the shaft is 7/8" allowing samples to stay loose for easy bagging with the cleanout rod between samplings
- Includes cleanout rod for pushing hay into provided zip-lock sample bag
- Shaft and connections are made of stainless steel
- Replaceable core sampler tip


NUMBER	DESCRIPTION	LIST	NOW
SW007390	Hay Core Sampler	\$183.44	\$168.76












HX14 - 1,000 RPM



John Deere Rotary Cutter Blades

Suction Blades – Provide additional lift, ideal solution for picking up down material. **Flat Blades** – Require less horsepower and have cutting edges on both sides of the blade. **Dual Blades** – **Shredding Attachment** – For increased shredding of crop residue.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
FH332998	Suction Blade, CCW (Order 2)	403, 413, LX4	\$39.61	\$34.77
FH332989	Suction Blade, CCW (Order 2)	503, 513, LX5	\$45.12	\$39.57
FH332990	Suction Blade, CCW (Order 2)	603, 613, LX6	\$45.79	\$40.17
FH329910	Suction Blade, CCW (Order 2)*	MX5, MX6	\$35.00	\$30.67
FH329908	Suction Blade Center, CCW (Order 2)	HX6	\$43.28	\$37.97
FH329909	Suction Blade, CCW (Order 4)	MX7, HX7	\$49.34	\$43.27
FH329911	Suction Blade, CW (Order 2)*	MX8, MX10	\$41.33	\$36.27
FH329912	Suction Blade, CCW (Order 2)*	MX8, MX10	\$39.91	\$34.97
FH329914	Suction Blade Left-Hand, CW (Order 2)	HX10	\$35.76	\$31.37
FH329915	Suction Blade Right-Hand, CCW (Order 2)	HX10	\$35.76	\$31.37
FH332999	Flat Blade (Order 4)	HX10	\$45.40	\$39.87
FH329911	Suction Blade, CW (Order 2)*	HX14	\$41.33	\$36.27
FH329912	Suction Blade, CCW (Order 2)*	HX14	\$39.91	\$34.97
FH333000	Flat Blade (Order 6)	HX14	\$44.49	\$39.07
FH329917	Shredding Attachment, CCW – 540 RPM (Order 6)*	HX14	\$35.30	\$30.97
FH329916	Shredding Attachment, CW – 1,000 RPM (Order 6)*	HX14	\$35.30	\$30.97
FH329908	Suction Blade Center, CCW (Order 2)	CX15, HX15, MX15	\$43.28	\$37.97
FH329915	Suction Blade Right-Hand, CCW (Order 2)	CX15, HX15, MX15	\$35.76	\$31.37
FH329914	Suction Blade Left-Hand, CW (Order 2)	CX15, HX15, MX15	\$35.76	\$31.37
FH329918	Shredding Attachment Upper, CW (Order 2)	CX15, HX15, MX15	\$38.12	\$33.37
FH329919	Shredding Attachment Upper, CCW (Order 4)	CX15, HX15, MX15	\$38.12	\$33.37
FH329914	Shredding Attachment Lower, CCW (Order 2)	CX15, HX15, MX15	\$35.76	\$31.37
FH329915	Shredding Attachment Lower, CCW (Order 4)	CX15, HX15, MX15	\$35.76	\$31.37
FH329920	Suction Blade, CW (Order 2)	CX20, HX20	\$43.58	\$38.27
FH329909	Suction Blade, CCW (Order 4)	CX20, HX20	\$49.34	\$43.27
FH329918	Shredding Attachment Upper, CW (Order 2)	CX20, HX20	\$38.12	\$33.37
FH329919	Shredding Attachment Upper, CCW (Order 4)	CX20, HX20	\$38.12	\$33.37
FH329914	Shredding Attachment Lower, CCW (Order 2)	CX20, HX20	\$35.76	\$31.37
FH329915	Shredding Attachment Lower, CCW (Order 4)	CX20, HX20	\$35.76	\$31.37

 $[\]hbox{*Check machine serial number for correct blade}.$

Frontier Rotary Cutter Blades



NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
ME300125	Blade Set, 2 Blades	RC1048	\$70.28	\$63.19
ME300126	Blade Set, 2 Blades	RC1060, RC1072	\$88.36	\$79.39
ME300227	Blade Bolt Kit	RC1048, RC1060, RC1072	\$36.81	\$32.99
TIFC711121	Blade Set, 2 Blades	RC2048	\$70.27	\$63.09
TIFC711122	Blade Set, 2 Blades	RC2060	\$84.10	\$75.59
TIFC711123	Blade Set, 2 Blades	RC2072	\$88.37	\$79.39
5TIFC711222	Blade Set, 2 Blades	RC2084	\$98.26	\$88.29
TIFC711124	Blade Bolt Kit	RC2048, RC2060, RC2072	\$36.81	\$32.99
5TIFC711224	Blade Bolt Kit	RC2084	\$37.30	\$33.49



John Deere Rotary Cutter Drivelines

NUMBER	DESCRIPTION	APPLICATION	TYPE	LIST	NOW
AW30401	Complete Driveline w/ Clutch	MX5, MX6	John Deere	\$ 993.13	\$ 873.87
AW30402	Complete Driveline w/ Clutch	MX7	John Deere	\$1,272.25	\$1,119.47
A-CS54816	Complete Driveline w/ Clutch	MX5, MX6, MX7	A&I Products	\$ 451.51	
AP40623	Lift-Type, Semi-Mount and Offset 540 RPM Tractor to Clutch*	MX8, MX10,Offset MX8 (SN 016500-), Offset MX10 (SN 0015000-)	John Deere	\$1,231.79	\$1,083.87
AP40622	Pull-Type Driveline Ahead of Pedestal	MX8, MX10	John Deere	\$ 542.81	\$ 477.57
AW30427	Pull-Type w/ Clutch Behind Pedestal	MX8, MX10	John Deere	\$1,314.81	\$1,156.87
AP40625	Lift-Type and Offset 540 RPM Driveshaft/Clutch	HX7, Offset HX10	John Deere	\$ 745.80	\$ 656.17
AP40626	Lift-Type & Semi Mount 540 RPM Driveshaft/Clutch	HX6, HX10	John Deere	\$ 689.70	\$ 606.77
AP40627	Tractor Driveline to Splitter Gear Case	MX15	John Deere	\$1,008.70	\$ 887.57
BP18396	540 RPM Tractor Driveline to Support Bearing (Constant Velocity, Front Yoke)	HX10	John Deere	\$1,236.40	\$1,087.87
BP18399	540 RPM Tractor to Splitter Gear Case*	HX15, CX15 (SN 006500-), HX20 (SN 005000-), CX20 (SN -003525 & 003800-)	John Deere	\$1,471.80	\$1,295.07
BP18400	1,000 RPM 1 ³ / ₈ -in. Tractor to Splitter Gear Case*	HX15, CX15 (SN 006500-), HX20 (SN 005000-), CX20 (SN -003525 & 003800-)	John Deere	\$1,453.10	\$1,278.57
A-WC584823A	1,000 RPM 1 ³ / ₈ -in. Tractor to Splitter Gear Case*	HX15, CX15 (SN 006500-), HX20 (SN 005000-), CX20 (SN -003525 & 003800-)	A&I Products	\$1,076.39	
BP18401	1,000 RPM 1 ³ / ₄ -in. Tractor to Splitter Gear Case*	HX15, HX20 (SN -004519), HX20 (SN 005000-), CX20 (SN -003525 & 003800-)	John Deere	\$1,514.70	\$1,332.77
AW30666	Splitter Driveline to Wing Gear Case	HX15	John Deere	\$1,422.82	\$1,251.97
AW30705	Splitter Driveline to Wing Gear Case*	HX20 (SN -004999)	John Deere	\$1,811.60	\$1,594.07
AW34626	Splitter Driveline to Wing Gear Case*	HX20 (SN 005000-)	John Deere	\$1,333.03	\$1,172.97
AW33666	Splitter Driveline to Wing Gear Case*	CX20 (SN -003799)	John Deere	\$1,838.58	\$1,617.87
AW34627 *Check machine seria	Splitter Driveline to Wing Gear Case*	CX20 (SN 003800-)	John Deere	\$1,558.55	\$1,371.37

^{*}Check machine serial number for correct parts.



John Deere Rotary Cutter Blade Holders (Stump Jumpers)

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
AW34304	Blade Holder and Blades*	MX5 (SN 014000-), MX6 (SN 029000-), MX7 (SN 015000-)	\$990.57	\$871.57
AW34326	Blade Holder and Blades*	MX6 (SN -028999), MX7 (SN -014999)	\$960.77	\$845.37
AW34305	Blade Holder and Blades*	MX8 (SN 015000-)	\$724.32	\$637.27
AW34328	Blade Holder and Blades*	MX10 (SN -013999)	\$863.94	\$760.17
AW34306	Blade Holder and Blades*	MX10 (SN 014000-)	\$792.62	\$697.37
AW34217	Center, Blade Pan Assembly*	HX6	\$772.13	\$679.37
AW34220	Center, Blade Pan Assembly*	HX7	\$908.79	\$799.57
AW34331	Blade Holder and Blades*	HX10 (SN -008599), Lift-Type 1,000 RPM HX14 (SN -007899), Pull-Type 540 RPM HX14	\$871.42	\$766.67
AW34221	Blade Holder and Blades*	HX10 (SN 008600-), Lift-Type 1,000 RPM HX14 (SN 007900-)	\$847.13	\$745.37
AW34330	Center/Wing, Blade Pan Assembly*	Center: HX15 (008500–014499), CX15 (003750–006499) Wing: HX15 (SN -014499), CX15 (SN -006499)	\$778.96	\$685.37
AW34329	Center/Wing, Blade Pan Assembly*	Center: HX15 (SN -008499), CX15 (SN -003749) Center and Wing: HX20 (SN -004999), CX20 (SN -003799)	\$901.21	\$792.97
AW34217	Center/Wing, Blade Pan Assembly*	Center & Wing: HX15 (SN 014500-), CX15 (SN 006500–028999) Wing: CX15 (SN 029000-)	\$772.13	\$679.37
AW34220	Center/Wing, Blade Pan Assembly*	Center & Wing: HX20 (SN 005000-), CX20 (SN 003800-) Center: CX15 (SN 029000-)	\$908.79	\$799.57

^{*}Check machine serial number for correct parts.



Frontier Grooming Mower Blades

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
5BP0006795	4-ft. Deck	GM1048E, FM2012R, FM2112R	\$ 27.97	\$ 25.09
5BP0006641	5-ft. Deck	GM1060E, GM2060R, FM2012R, FM2015R, FM2112R, FM2115R	\$ 29.83	\$ 26.69
5BP0006845	6-ft. Deck	GM1072E, GM2072R, FM2015R, FM2017R, FM2115R, FM2117R	\$ 34.80	\$ 31.19
5BP0006690	7-ft. Deck	GM2084R, FM2120R	\$ 40.74	\$ 36.59
5BP0044318	7 ¹ / ₂ -ft. Deck	GM2190R	\$ 28.37	\$ 25.39
5BP0044598	9-ft. Deck	GM2109R	\$ 28.09	\$ 25.19
5WP1001510KT	KIT – Low Lift	GM1060R, FM1015R	\$121.41	\$109.19
5WP1001511KT	KIT – Low Lift	GM1072R, FM1012R, FM1017R	\$115.81	\$104.09
5WP1001512KT	KIT – Low Lift	GM1084R	\$156.91	\$141.09
5WP28329KT	KIT – Low Lift	GM1190R	\$153.33	\$137.89
5WP18881KT	KIT – Medium Lift	GM1060S	\$101.14	\$ 90.89
5WP18884KT	KIT – Medium Lift	GM1072S	\$105.50	\$ 94.89
5WP1001513KT	KIT – High Lift	GM1060R, GM3060, FM1015R	\$ 81.76	\$ 73.49
5WP1008199KT	KIT – High Lift	GM1072R, GM3072, FM1015R, FM1017R	\$108.98	\$ 97.99
5WP15127KT	KIT – High Lift	GM1072S	\$111.22	\$ 99.99
5WP53417KT	KIT – High Lift	GM1084R	\$159.71	\$143.59
5WP24590KT	KIT – High Lift	GM1190R	\$157.92	\$141.99
5WP78127KT	KIT – High Lift	GM3054	\$ 93.52	\$ 84.09



Frontier Grooming Mower Belts

NUMBER	DESCRIPTION	APPLICATION	TYPE	LIST	NOW
5WP18879	V-Belt W112 for 6-ft. Decks	FM1015 Rear Deck, FM1017 All Decks, GM1072R, GM1072S, GM3072	Frontier	\$ 79.97	\$ 71.89
A-18879	V-Belt for 6-ft. Decks	FM1015 Rear Deck, FM1017 All Decks, GM1072R, GM1072S, GM3072	A&I Products	\$ 47.28	
5WP1001244	V-Belt W99	FM1012 Rear Deck, FM1015 Wing Deck, GM1060R	Frontier	\$ 73.02	\$ 65.59
A-31615	V-Belt	FM1012 Rear Deck, FM1015 Wing Deck, GM1060R	A&I Products	\$ 32.26	
5BP0006798	V-Belt for 4-ft. Decks	FM2012, FM2112 Wing Deck	Frontier	\$ 41.59	\$ 37.29
5BP0006848	V-Belt 5VX850 for 6-ft. Decks	FM2017 All Decks, FM2115 Rear Deck, FM2117 All Decks, GM2072	Frontier	\$ 51.11	\$ 45.89
5BP0006693	V-Belt 5VX710	FM2012, FM2112 Rear Decks, FM2015, FM2115 Wing Decks, GM2060	Frontier	\$ 46.82	\$ 41.99
5BP0006694	V-Belt 5VX1000	FM2120 All Decks, GM2084	Frontier	\$ 60.92	\$ 54.69
5BP0008630	V-Belt BX98	GM1048E	Frontier	\$ 42.30	\$ 37.99
5BP0008670	V-Belt BX112 (60-in.)	GM1060E	Frontier	\$ 48.83	\$ 43.79
A-BX112	B-Section Cogged Belt	GM1060E	A&I Products	\$ 26.17	
5BP0008950	V-Belt BX140 (72-in.)	GM1072E	Frontier	\$ 60.46	\$ 54.29
A-BX140	B-Section Cogged Belt	GM1072E	A&I Products	\$ 32.74	
5WP53418	V-Belt W157	GM1084R	Frontier	\$ 79.97	\$ 71.89
A-53418	V-Belt W157	GM1084R	A&I Products	\$ 34.43	
5WP18990	V-Belt 2W140	GM1190R	Frontier	\$174.74	\$157.19
5BP0067169	V-Belt CX96	GM2190R	Frontier	\$ 81.76	\$ 73.49
5BP0067170	V-Belt CX106	GM2109R	Frontier	\$ 90.66	\$ 81.49



Brand New. All For You.

Introducing Electronics Repair & Return from John Deere

Skilled technicians. Quick turnaround. Competitive pricing. It's what you need when electronics go on the fritz and what you get from Electronics Repair & Return by John Deere Reman.

Now available, this convenient service offers you a true John Deere solution for the OEM repair of some of your most important electronic components. And better yet, it's all backed by a valuable 12-month Limited Warranty** that's sure to please.

Turn to John Deere for electronics repair and be rewarded with fast, reliable service to get your machine up to speed again.

^{**}The John Deere Reman Electronic Repair & Return 12-month Limited Warranty covers specific repairs on each component as noted on the Service Repair Card received with repaired unit. John Deere Reman will repair or replace unit during the applicable warranty period but is not responsible for any labor costs associated with the removal and installation of the components.

REPAIR LEVEL	DESCRIPTION	LIST
Evaluation Charge	For all components listed below, the cost to evaluate the repair will only be charged when component can not be repaired, or if customer decides not to complete the recommended repairs.	See Us
Starfire 3000		
Primary Inspection and Repair	Replace damaged dome and base housing with original-equipment John Deere dome and housing. Includes light pipe and decals. Unit will be fully functionally tested.	\$775.00
Comprehensive Inspection and Repair	Repair all points of failure to hardware within the SF3000 receiver. John Deere original equipment testing, processes, and procedures used to bring SF3000 back to like new condition. Includes electronic components, connectors, cables and solder reflow.	\$975.00
*All Repairs Include new Dome and new Lower House	sing	
Greenstar 1800 Display		
Complete Repair	Repair all hardware failure points within the 1800 Display. John Deere original equipment testing, processes, and procedures used to bring 1800 Display back to like new condition. Includes electronic components, connectors, audio alarm, housings, and solder reflow.	\$475.00
Greenstar 2600 Display		
Complete Repair	Repair all hardware failure points within the 2600 Display. John Deere original equipment testing, processes, and procedures used to bring 2600 Display back to like new condition. Includes electronic components, connectors, membrane switch, card reader, audio alarm, touchscreen replacement, housing, and calibration.	\$620.00
Greenstar 2630 Display		
Complete Repair	Repair all hardware failure points within the 2630 Display. John Deere original equipment testing, processes, and procedures used to bring 2630 Display back to like new condition. Includes electronic components, connectors, membrane switch, USB cover, audio alarm rear housing, air-gap LCD touchscreen with front housing and bezel assembly, and calibration.	\$870.00

Take a bigger bite out of earthmoving jobs.

Thicker and longer than standard blades, these John Deere blades help power through the toughest conditions. Three different widths and a variety of configurations are available on both carry-all and ejector scrapers. Plus many segments are reversible for twice the life.



Straight or Standard Configuration:

Our straight blade configuration comes standard on all John Deere scrapers. They sit flush with the ground and are perfect for precision land leveling, haul road maintenance, and loading sandy material.



Tooth Configuration:

Our tooth configuration is a factory option that allows the scraper to break up material as it enters the bowl. Teeth work well in hard and compact soils and help prevent material from slabbing as it cuts.



Drop Center Configuration:

Our drop center configuration is a popular factory option and the best choice for the toughest soil conditions. The compound blade depths help break down sticky clays and maximize loads.



Alternating Drop Center Configuration:

Alternating drop centers are great for intermediate-to-tough materials like dry clay. This configuration works well when material conditions are constantly changing.



Tooth Drop Center Combination Configuration:

The tooth drop center combination works well in a broad array of soils, particularly light-to-intermediate types where material conditions change frequently.

Scraper Parts

NUMBER STANDSCORPTION MODEL STANDSCORPTION						NOW
NUMBER	ITEM/DESCRIPTION	MODEL		LIST		NOW
Router Bits:	6 .			217		202 21
CB01440140	Cast	All Models		317.55		292.01
CB11492377	Universal Router Bit Extension for Ejectors	All Models	\$	185.60	\$	170.71
Blades:						
CB01428503	Ejector, 18-in. Standard	All Models	\$	208.01	\$	191.31
CB01428505	Ejector, 12-in. Standard	All Models	\$	181.73	\$	167.11
CB01447446	Ejector, 6-in. Standard	All Models	\$	136.67	\$	125.61
CB01440276	Ejector, 18-in. Long	All Models	\$	371.63	\$	341.81
CB01440281	Ejector, 12-in. Long	All Models	\$	313.28	\$	288.11
CB01440650	Ejector, 6-in. Long	All Models	\$	183.85	\$	169.01
CB01440368	Carry All (outer)	1510C, 1512C, 1812C, and 1814C (Carry All -2008)	\$	254.39	\$	233.91
CB01440373	Carry All (center)	1510C (Carry All -2008)	\$	356.25	\$	327.71
CB01440376	Carry All (center)	1812C (Carry All -2008)	\$	559.79	\$	514.91
CB01440379	Carry All (center)	1814C (Carry All -2008)	\$	828.78	\$	762.41
CB01440374	Carry All (aggressive)	1510C (Carry All -2008)	\$	557.63	\$	512.91
CB01440377	Carry All (aggressive)	1812C (Carry All -2008)	\$	861.12	\$	792.11
CB01472054	Carry All, 13-in. center	1510C, 1810C, and 1814C (Carry All -2008)	\$	649.21	\$	597.21
CB01472052	Carry All, 10-in. outer	All Carry All Models (Carry All -2008)	\$	359.90	\$	331.01
CB01443968	Blade Bolt, 2 1/4-in.	1510C, 1512C, 1812C, and 1814C	\$	2.08	\$	1.81
CB01443969	Blade Bolt, 2 1/2-in.	All Ejector and Carry All (Carry All -2008)	\$	2.08	\$	1.81
CB01443970	Washer		\$	1.11	\$	0.91
CB01443971	Nut		\$	0.79	\$	0.61
CB01472055	Center, 13-in.	1812C and 2112C	\$	982.90	\$	904.21
Sleeves:						
CB11467683	Sleeve*	2112C and 2112E	\$	509.94	\$	469.01
CB11453026	Sleeve**	1510C, 1512E, 1810C, 1810E, 1812C, 1814C, and 1814E	\$	444.51	\$	408.81
Miscellaneous P	arts:					
CB11454238	Hitch-pivot Assembly with Bushings (prior to 2005)	1510C, 1512C, 1512E, 1810E, 1812C, 1814C, and 1814E	\$2	2,774.36	\$2	2,552.31
CB11425249	O-ring Assembly-pin (hitch pivot)	1510C, 1512C, 1512E, 1810E, 1812C, 1814C, and 1814E	\$	110.70	\$	101.71

*Used only on short Quick Attach. **Used only on long Quick Attach.



High Moisture Kits

To minimize the chance of kernel damage when harvesting high-moisture corn (greater than 25 percent moisture), an insert can be installed in the auger floor that will close the gap between the floor and the auger flighting. While not required for use with the insert, a second kit can be installed that provides a lower auger position to further enhance grain quality.

NUMBER	DESCRIPTION	TYPE	LIST	NOW
Auger Floor	Insert:			
BXE10960	606C, 706C Series (6-row 30")	John Deere	\$ 754.21	\$ 640.94
BXE10962	608C, 708C Series (8-row 30")	John Deere	\$1,377.85	\$1,171.04
BXE10964	612C, 712C Series (12-row 20")	John Deere	\$2,301.15	\$1,955.84
BXE10965	612C, 712C Series (12-row 22")	John Deere	\$1,789.60	\$1,521.04
BXE10966	612C, 712C Series (12-row 30")	John Deere	\$2,357.83	\$2,004.04
KXE10428	612FC, 712FC Series (12-row 30")	John Deere	\$2,176.13	\$1,849.54
BXE10967	616C, 716C Series (16-row 30")	John Deere	\$4,026.96	\$3,422.74
BXE10968	618C, 718C Series (18-row 20")	John Deere	\$2,445.89	\$2,078.84
BXE10969	618C, 718C Series (18-row 22")	John Deere	\$2,795.42	\$2,375.94
Auger Heigh	t Adjustment Kit:			
BXE10973	606C, 608C, 706C, 708C (PIN -805,000)	John Deere	\$ 163.72	\$ 139.04
BXE10974	612C, 616C, 618C, 712C, 716C, 718C (PIN -805,000)	John Deere	\$ 401.34	\$ 340.94

AutoTrac™ RowSense™ Feeler Rods

AutoTrac RowSense, an innovative global positioning system (GPS) steering system, reduces overlap and fatigue during harvest.

Feature Benefit:

- Continue harvesting in down crop and dusty conditions
- Increases acre-per-hour potential and reduce grain loss
- Enhances operator comfort while reducing stress

NUMBER	DESCRIPTION	LIST	NOW		
AutoTrac RowSense – Kits Include Feelers, Sensors, and Harnessing:					
PF90699	20" Spacing	\$1,023.00	\$869.44		
PF90700	22" Spacing	\$1,023.00	\$869.44		
PF90697	30" Spacing	\$1,023.00	\$869.44		
BPF11507	Extension Kit (36" and 40" spacing)	\$ 302.50	\$256.94		
BXE10326	20" (50.8 cm) Spacing	\$ 497.20	\$422.44		
BXE10327	22" (55.9 cm) Spacing	\$ 605.00	\$514.14		
BXE10330	30" (76.2 cm) Spacing	\$ 297.00	\$252.34		
BXE10328	30" (76.2 cm) Spacing	\$ 297.00	\$252.34		

Corn Head Storage Stand

Provides stability to the corn head when not in use or on a trailer.

NUMBER	DESCRIPTION	LIST	NOW
BXE10423	Storage Stand	\$250.80	\$213.04



15% Off

Receive 15% off the list price on all John Deere Combine attachments including those listed to the side. Offer may be discontinued or modified without notice at any time. Offer cannot be combined with other offers. See your local John Deere dealer for details. Discount reflected in NOW price.





JohnDeere.com/CombineParts 57



Trigger a chain reaction

Make your corn head stronger—and last longer—with **RowMax**, a new retrofit solution from John Deere.

Designed exclusively for the 700C/FC corn heads and available as a retrofit for MY12-17 600C/FC corn heads, RowMax **boosts row unit life by up to 50%** with an advanced gathering chain featuring 12 additional links, two more sprocket teeth, and upgraded solid alloy bushings. In addition, if you replace your worn stalk rolls with opposed or intermeshing stalk rolls, you'll get 25% more wear life thanks to an improved wear coating.

Cover more acres—and lower lifetime ownership cost—by upgrading your cornhead with an innovative, RowMax retrofit kit from John Deere.

NUMBER	DESCRIPTION	LIST	NOW
KXE10487	RowMax Kit	\$468.48	\$430.91
HXE110671	LH Opposed Stalk Roll	\$503.78	\$453.29
HXE110672	RH Opposed Stalk Roll	\$503.78	\$453.29
HXE110675	LH Intermeshing Stalk Roll	\$525.90	\$473.19
HXE110676	RH Intermeshing Stalk Roll	\$525.90	\$473.19
HXE141569	LH Chopping Stalk Roll	\$729.51	\$656.49
HXE141570	RH Chopping Stalk Roll	\$729.51	\$656.49

^{*}Also order KXE10528 metal guide kit to complete installation.



Reel Tine Flip-Over Kit

Reduce wrapping of crop material in tough, wet, viney crops (such as soybeans, peas, straight-cut edible beans, and canola) with the reel tine flip-over kit, which also increases visibility to the front of the draper.

NUMBER	DESCRIPTION	LIST	NOW
BXE10262	625D, 630D, 635D (MY08–16) and 630FD, 635FD (MY12–15)	\$3,424.30	\$2,910.54
BXE10263	640D (MY08–16) and 640FD (MY12–15)	\$3,424.30	\$2,910.54
BXE10760	630FD and 635FD (MY16-)	\$3,456.20	\$2,937.64
BXE10761	640FD and 645FD (MY16-)	\$3,456.20	\$2,937.64
BXE10873	625D, 630D, 635D (MY17) and 725D, 730D, 735D (MY18-)	\$3,456.20	\$2,937.64
BXE10874	640D (MY17 and 740D (MY18-)	\$3,456.20	\$2,937.64



Header Height Sensors for Rigid Mode

This height-sensing bundle for 620F, 622F, 625F, 630F, and 635 HydraFlex™ Platforms adapts ground-contacting sensors for use when the flex cutterbar is locked into the rigid position. For use with 50-, 60-, 70-, and S-Series combines.

NUMBER	APPLICATION	LIST	NOW
BXE10119	MY 11 and newer 600 Series Flex Platforms	\$3.378.10	\$2.871.24



Crop Feeding Enhancements

Feed Drum Anti-Wrap Kit – This kit is recommended for tall, damp crop conditions to reduce drum wrapping. The attachment consists of two brackets that mount near the outer edge of the feed drum and reduce the likelihood of crop wrapping the drum.

Center Section Seal Kit – This kit minimizes grain loss when direct-cutting canola and can be utilized for other small grain crops with up to 45 percent decrease in losses from the center feed section compared to previous models.

NUMBER	DESCRIPTION	LIST	NOW
Feed Drum A	nti-Wrap Kit:		
BXE10736	600D Series	\$165.39	\$140.44
BXE10039	600FD Series (-764999)	\$552.20	\$469.24
BXE10408	600FD Series (765000-)	\$552.20	\$469.24
Center Secti	on Seal Kit:		
BXE10851	600D, 700D Series	\$686.40	\$583.24



15% Off

Receive 15% off the list price on all John Deere Combine attachments including those listed to the side. Offer may be discontinued or modified without notice at any time. Offer cannot be combined with other offers. See your local John Deere dealer for details. Discount reflected in NOW price.

JohnDeere.com/CombineParts 59





ActiveYield™ Retrofit Kit

ActiveYield maximizes the system's accuracy with no effort or time away from harvest. Every field, every variety, ActiveYield delivers quality yield data. ActiveYield senses the weight of the grain in the grain tank as it fills. The combine uses the weight information to calibrate the yield system continually throughout harvest. This gives the operator optimized system accuracy and reliable yield data.

NUMBER	APPLICATION	LIST	NOW
BXE10503	MY12–MY15 S-Series Combines	\$3,548.60	\$3,016.14
BXE10797	MY16- S-Series Combines	\$2,641.10	\$2,244.74

^{*}Compatible with corn, soybeans, wheat, barley, and canola.



Additional Grain Tank Sensor

The fast, easy way to tell if your grain tank is full when harvesting on sidehills. Includes mounting hardware and clamps.

NUMBER	APPLICATION	LIST	NOW
BH81598	70-Series	\$244.20	\$207.44
BXE10270	S-Series	\$244.20	\$207.44



Unloading Auger Boot

The Unloading Auger Boot on current-model combines is now available as a retrofit for all high-unloading rate systems (3.2/3.8 bps). The design of the unloading auger boot delivers a more controlled stream of crop to the grain-handling equipment.

NUMBER	LIST	NOW
HXE71069	\$207.46	\$176.14

15% Off All Performance Enhancements for Combines and Front End Equipment.

Sale dates November 1st, 2019 though February 28th, 2020. See dealer for complete list of performance enhancements.

^{*}Not compatible with S660 and S760 with manual grain tank extensions.

STS- and S-Series Concaves

- Small-Wire Concaves are standard on small-grain combines and are recommended for use in wheat, barley, and other cereal crops. Additionally, they are recommended for use in specialty crops such as grass seed.
- Large-Wire Concaves are standard on rice combines and available as an option on corn and small-grain combines. They are recommended for rice, sorghum, soybeans, and corn.
- Round Bar Concaves are standard equipment on corn combines and are recommended for use in corn and soybeans. Additionally, they are recommended for use in specialty crops such as edible beans and food corn.

Concaves listed below come in sets of three.

NUMBER	DESCRIPTION	TYPE	LIST	NOW
Small-Wire (Concaves (9560, 9570, S550):			
A-V18054	Standard Wear	A&I Products	\$2,198.47	
Small-Wire C	Concaves (9650, 9750, 9660, 9760, 9860, 967	70, 9770, 9870, S650, S	S660, S670, S	680, S690):
BXE10388	Standard Wear	John Deere	\$3,025.00	\$2,571.14
A-V18026	Standard Wear	A&I Products	\$2,156.42	
BXE10389	High Wear	John Deere	\$3,630.00	\$3,085.34
Large-Wire (Concaves (9560, 9570, S550):			
BH84290	Standard Wear	John Deere	\$2,422.20	\$2,058.74
Large-Wire (Concaves (9650, 9750, 9660, 9760, 9860, 96	70, 9770, 9870, S650,	S660, S670, S	5680, S690):
BXE10390	Standard Wear	John Deere	\$2,915.00	\$2,477.64
BXE10391	High Wear	John Deere	\$3,504.60	\$2,978.74
Round Bar C	oncaves (9560, 9570, S550):			
BH84291	Standard Wear	John Deere	\$3,345.10	\$2,843.14
Round Bar C	oncaves (9650, 9750, 9660, 9760, 9860, 967	0, 9770, 9870, S650, S	660, S670, S	680, S690):
BXE10387	High Wear	John Deere	\$2,420.00	\$2,056.84



15% Off

Receive 15% off the list price on all John Deere Combine attachments including those listed to the side. Offer may be discontinued or modified without notice at any time. Offer cannot be combined with other offers. See your local John Deere dealer for details. Discount reflected in NOW price.

STS- and S-Series Concave Inserts

Concave inserts provide the additional threshing action required for harvesting small grains with the round bar concaves. Concave inserts are easy to install and remove as you switch between crops.

NUMBER	DESCRIPTION	TYPE	LIST	NOW
Concave Ins	erts (9560, 9570, S550):			
BH84294	Set of 2	John Deere	\$ 905.30	\$769.34
Concave Ins	erts (9650, 9750, 9660, 9760, 9860, 96	70, 9770, 9870, S650,	S660, S670, S680,	S690):
BH84308	Set of 2	John Deere	\$1,018.60	\$865.64



Kondex® Revolution™ Half-Width Concaves

These concaves give more versatility to match varying crop conditions. Plus they're lighter and easier to change and install. Available for S-Series and STS Combines.*

NUMBER	DESCRIPTION	LIST	NOW
BXE11144	MaxThresh™ Kit	\$1,961.30	\$1,666.94
BXE11145	MaxRound™ Kit	\$1,961.30	\$1,666.94
AXE76998	Plate, Concave Front Lip	\$ 235.71	\$ 216.81
AXE76999	Concave, Half Width, MaxThresh	\$ 902.89	\$ 830.61
AXE77000 *Not available for	Concave, Half Width, MaxRound r 9560 STS, 9570, or S550 Combines.	\$ 865.26	\$ 795.91



JohnDeere.com/CombineParts 61

Get Sound Advice from Combine Advisor



With a trifecta of technologies designed to maximize your harvest, Combine Advisor is now available as a field-installed retrofit kit for S700 Series Combines (MY18 and newer). The robust suite helps you target optimal settings and then automates the combine to maintain peak performance in changing conditions. Combine Advisor includes:

- HarvestSmart™ to automate feed rate
- Active Terrain Adjustment™ to manage changing terrain
- Auto Maintain w/ActiveVision™ to monitor crop conditions

Stop by today to learn more about Combine Advisor.

NUMBER	DESCRIPTION	PKG. QTY.	LIST	NOW
BXE11034	ICA2 Attachment Bundle	1	\$10,787.70	\$9,169.34
BXE11035	ICA2 Attachment Bundle	1	\$10,787.70	\$9,169.34
BXE10948	Active Terrain Adjustment	1	\$ 3,894.00	\$3,309.74



Grain Tank Mirror Kit

Add the Grain Tank Mirror Kit to any S-Series Combine to increase visibility of the grain tank.

NUMBER	LIST	NOW
KXE10458	\$168.76	\$143.24



Foot Pegs

Improve comfort while harvesting with this simple upgrade. Foot pegs can be installed on all S-Series Combines going back to MY12.

NUMBER	LIST	NOW
KXE10454	\$198.91	\$168.94

Upgrade Next Year's Harvest

You may not be in the market for a new combine just yet, but John Deere has an extensive offering of retrofits and upgrades for the combine you have now. Get improved performance and added comfort and convenience with John Deere retrofits and upgrades.

For a limited time, save 15% on all John Deere Combine attachments* including those listed above.

*Discount reflected in **NOW** price. Dealer participation may vary. Other restrictions may apply. Offers may be discontinued or modified without notice at any time. See dealer for details.

Windrow Pickups Parts and Attachments

Pickup Teeth

NUMBER	DESCRIPTION	LIST	NOW
630A, 640A,	645A, 630B, 640B, 645B		
CC25176	Teeth	\$5.04	\$4.51
639 Standard	d Pickup		
LCA105173	Teeth – Standard	\$3.59	\$3.21
639, 649, 65	9 Premium Pickup		
LCA108554	Teeth – Premium	\$4.75	\$4.31



Pickup Strippers

NUMBER	DESCRIPTION	LIST	NOW
630A, 640A,	645A (-052096)		
E65648	Stripper	\$53.28	\$48.91
630A, 640A,	645A (052097-)		
FH311772	Stripper	\$37.85	\$34.71
630B, 640B,	645B		
FH311772	Stripper	\$37.85	\$34.71
639, 649, 65	9		
LCA104898	Stripper	\$28.40	\$26.01



Cam, Cam Arm, Cam Follower

NUMBER	DESCRIPTION	LIST	NOW
630A, 640A,	645A		
CC44956	Cam LH	\$215.32	\$198.01
CC44955	Cam RH	\$215.34	\$198.01
AE46215	Cam Follower/Bearing	\$ 23.85	\$ 21.81
DC49039	Cam Arm	\$ 73.32	\$ 67.41
DC49040	Cam Arm	\$ 68.94	\$ 63.31
630B, 640B,	645B		
CC44956	Cam LH	\$215.32	\$198.01
CC44955	Cam RH	\$215.34	\$198.01
AE46215	Cam Follower/Bearing	\$ 23.85	\$ 21.81
DC49039	Cam Arm (-106600)	\$ 73.32	\$ 67.41
DC49040	Cam Arm (-106600)	\$ 68.94	\$ 63.31
DC55145	Cam Arm LH (106601-)	\$ 81.49	\$ 74.91
639 Standard	d Pickup		
CC44956	Cam LH	\$215.32	\$198.01
CC44955	Cam RH	\$215.34	\$198.01
AFH204000	Cam Follower/Bearing	\$ 27.82	\$ 25.51
LCA108783	Cam Arm	\$ 80.90	\$ 74.31
639, 649, 65	9 Premium Pickup		
FH316226	Cam LH	\$357.53	\$328.81
FH316225	Cam RH	\$357.53	\$328.81
LCA108964	Cam Arm w/Bearing	\$142.09	\$130.61
LCA108965	Cam Arm w/Bearing	\$142.09	\$130.61



Rotary Harvesting Parts and Attachments



Rotary Knife Kits

These service sets include all blades, scrapers, special bolts, and nuts. Number required to cover complete header is listed below. Heavy duty kits include tungsten carbide coated blades, which lasts three times longer.

NUMBER	DESCRIPTION	NUMBER REQUIRED	LIST	NOW
676				
LCA109994	Heavy Duty – Small Drum	1	\$440.09	\$404.81
LCA109995	Heavy Duty – Large Drum	1	\$749.33	\$689.31
696				
LCA78553	Standard	3	\$390.70	\$359.31
LCA79040	Heavy Duty	3	\$564.52	\$519.31
698				
LCA78553	Standard	4	\$390.70	\$359.31
LCA79040	Heavy Duty	4	\$564.52	\$519.31
699				
LCA78553	Standard	5	\$390.70	\$359.31
LCA79040	Heavy Duty	5	\$564.52	\$519.31
692				
LCA78553	Standard	6	\$390.70	\$359.31
LCA79040	Heavy Duty	6	\$564.52	\$519.31
778				
LCA89941	Standard	2	\$771.31	\$709.51
LCA79040	Heavy Duty	2	\$564.52	\$519.31
770				
LCA89941	Standard	2	\$771.31	\$709.51
LCA98799	Standard	1	\$427.40	\$393.11
LCA79040	Heavy Duty	2	\$564.52	\$519.31
LCA98800	Heavy Duty	1	\$546.55	\$502.71

Scrapers for Rotary Headers

High performance scrapers with convenient bolt-on design, allows you to use each side of scraper, saving maintenance costs.

NUMBER	DESCRIPTION	LIST	NOW
676			
LCA69794	Weld-On	\$ 7.03	\$ 6.41
684, 686, 68	8, 710		
LCA87284	Bolt-On Set	\$77.55	\$71.21



If you notice teeth are blunt or damaged, replace with new points. Points must be installed in pairs on opposite sides of the drum.

NUMBER	DESCRIPTION	LIST	NOW
676, 678, 68	4, 686, 688, 690, 692, 696, 698, 710, 770, 772, 778		
LCA90654	Clockwise Rotation	\$5.24	\$4.71
LCA90655	Counterclockwise Rotation	\$5.24	\$4.71





7000 Series SPFH Parts and Attachments

7780

Feeding Parts – 7000 Series

John Deere feed rolls, wear strips, and bolts are made from heavy-duty, induction hardened stainless steel, which helps to minimize potential downtime. They are also demagnetized to prevent them from false tripping the metal detection system.

NUMBER	DESCRIPTION		LIST		NOW
7200, 7300,	7400, 7500, 7250, 7350, 7450, 7550, 7180, 7280, 7380, 7480, 75	80			
Upper Fron	t Feed Roll:				
AZ102096	Feed Roll with Replaceable Wear Strips	\$	1,932.91	\$1	,778.21
HXE64649	Wear Strip – Corn	\$	76.52	\$	70.31
HXE64652	Wear Strip – Grass	\$	147.04	\$	135.21
Z81671	Shaft	\$	445.55	\$	409.81
JD10071	Needle Bearing	\$	19.79	\$	18.11
AZ62417	Needle Bearing	\$	21.52	\$	19.71
AL28870	Seal	\$	16.69	\$	15.31
Upper Rear	Feed Roll:				
AZ71834	Feed Roll	\$	861.40	\$	792.41
HXE26048	Shaft	\$	205.40	\$	188.91
JD10458	Bearing	\$	51.75	\$	47.51
Lower Feed	Roll:				
AZ101149	Feed Roll	\$1	1,390.94	\$1	,279.61
Z77138	Shaft (783 MM)	\$	524.53	\$	482.51
HXE32390	Shaft (728 MM)	\$	306.30	\$	281.71
AZ51405	RH Bearing	\$	72.81	\$	66.91
AXE10405	LH Outside Bearing	\$	71.39	\$	65.61
JD9467	LH Inside Bearing	\$	17.54	\$	16.01
7700, 7800,	7750, 7850, 7950, 7780, 7980				
Upper Fron	t Feed Roll:				
AZ101738	Feed Roll with Replaceable Wear Strips (7700/7800)	\$3	3,622.40	\$3	,332.51
AZ103444	Feed Roll with Replaceable Wear Strips (7750, 7850, 7950, 7780, 7980)	\$3	3,269.57	\$3	,007.91
HXE64650	Wear Strip – Corn	\$	95.28	\$	87.61
HXE64653	Wear Strip – Grass	\$	162.98	\$	149.81
Z81672	Shaft	\$	489.52	\$	450.31
JD10071	Needle Bearing	\$	19.79	\$	18.11
AZ62417	Needle Bearing	\$	21.52	\$	19.71
AL28870	Seal	\$	16.69	\$	15.31
Upper Rear	Feed Roll:				
AZ71837	Feed Roll	\$7	1,185.96	\$1	,091.01
HXE26049	Shaft	\$	256.76	\$	236.11
JD10458	Bearing	\$	51.75	\$	47.51
Lower Feed	Roll:				
AZ101150	Feed Roll	\$2	2,212.75	\$2	,035.61
Z72358	Shaft (903 MM)	\$	221.18	\$	203.41
Z102377	Shaft (848 MM)	\$	574.66	\$	528.61
AZ51405	RH Bearing	\$	72.81	\$	66.91
AXE10405	LH Outside Bearing	\$	71.39	\$	65.61
JD9467	LH Inside Bearing	\$	17.54	\$	16.01








Cutting Parts – 7000 Series

NUMBER	DESCRIPTION		LIST		NOW	
7200, 7300,	7400, 7500, 7250, 7350, 7450, 7550, 7180, 7280, 7380, 7480, 75	80				
Knives and M	lounting Parts:					
Z63136	Corn Knife	\$	25.42	\$	23.31	
Z62075	Corn Knife, Angled, Right-Hand	\$	28.72	\$	26.31	
Z62076	Corn Knife, Angled, Left-Hand	\$	28.72	\$	26.31	
Z69500	Grass Knife	\$	23.10	\$	21.21	
Z102741	Grass Knife, Dura Line™ Coated	\$	30.04	\$	27.51	
Z69650	Knife Bolt	\$	2.75	\$	2.41	
Z60535	Cover Plate	\$	11.13	\$	10.11	
HXE121397	Thread Bar	\$	9.64	\$	8.81	
Z101528	Knife Bracket	\$	15.88	\$	14.51	
Shearbars/St	tationary Knife:					
AZ53906	Corn	\$	562.64	\$	517.51	
AZ103112	Grass	\$	562.64	\$	517.51	
AZ57685	All Crop, Heavy-Duty	\$1	,160.19	\$1	,067.31	
AXE37631	All Crop, Dura Line Plus	\$1	,687.94	\$1	,552.81	
7700, 7800,	7750, 7850, 7950, 7780, 7980					
Knives and M	Nounting Parts:					
Z72500	Corn Knife	\$	28.24	\$	25.91	
Z81123	Grass Knife	\$	25.67	\$	23.51	
Z103040	Grass Knife, Dura Line™ Coated	\$	33.37	\$	30.61	
Z69650	Knife Bolt	\$	2.75	\$	2.41	
Z76801	Cover Plate	\$	11.28	\$	10.31	
HXE121393	Thread Bar	\$	44.70	\$	41.01	
Z101529	Knife Bracket	\$	104.27	\$	95.81	
Shearbars/St	tationary Knife:					
AZ64735	Corn	\$	664.94	\$	611.61	
AZ103113	Grass	\$	664.94	\$	611.61	
AZ64737	All Crop, Heavy-Duty	\$1	,440.25	\$1	,324.91	
AXE37632	All Crop, Dura Line Plus	\$1	,994.84	\$1	,835.21	
7000, 7050,	7000, 7050, 7080 Series					
Sharpening S	Stone:					
AZ56626	Stone	\$	91.73	\$	84.31	







Blower Parts – 7000 Series

NUMBER	TYPE	DESCRIPTION		LIST	NOW
7200, 7300,	7400, 7500, 7250, 7	7350, 7450, 7550, 7180, 7280, 7380, 7480, 7	′ 580		
HXE29868	Paddles	Straight – Normal Conditions (10 used)	\$	28.25	\$ 25.91
HXE34827	Paddles	Serrated – Gummy Conditions (5 used)	\$	36.12	\$ 33.11
HXE34828	Paddles	Serrated – Gummy Conditions (5 used)	\$	36.12	\$ 33.11
Z67028	Blower Band	Standard	\$	103.52	\$ 95.11
Z105384	Blower Band	Dura Line™	\$	719.55	\$661.91
7700, 7800,	7750, 7850, 7950, 7	7780, 7980			
HXE29814	Paddles	Straight – Normal Conditions (10 used)	\$	32.28	\$ 29.61
HXE34825	Paddles	Serrated – Gummy Conditions (5 used)	\$	41.79	\$ 38.31
HXE34826	Paddles	Serrated – Gummy Conditions (5 used)	\$	41.79	\$ 38.31
Z73473	Blower Band	Standard	\$	213.91	\$196.71
Z105386	Blower Band	Dura Line™	\$1	,029.49	\$947.01



Transition Chute Parts – 7000 Series

NUMBER	TYPE	DESCRIPTION	LIST	NOW
7200, 7300,	7400, 7500, 7250, 73	50, 7450, 7550, 7180, 7280, 7380, 7480	, 7580	
AZ104287	Transition Chute	Chute	\$1,885.61	\$1,734.71
AZ104286	Transition Liners	Wear Plate Kit	\$ 374.13	\$ 344.11
7700, 7800,	7750, 7850, 7950, 77	80, 7980		
AXE25702	Transition Chute	Chute	\$2,255.85	\$2,075.31
AZ104208	Transition Liners	Front Wear Plate Kit	\$ 383.60	\$ 352.81
AZ104209	Transition Liners	Rear Wear Plate Kit	\$ 346.73	\$ 318.91



Spout Parts – 7000 Series

NUMBER	TYPE	DESCRIPTION	LIST	NOW
7000, 7050,	7080 Series			
AZ104282	High-Arc Spout	Spout without Wear Liners	\$3,996.87	\$3,677.01
AZ104285	High-Arc Spout	Spout Extension – Standard	\$ 234.01	\$ 215.21
BZ100238	High-Arc Spout	Spout Extension – 8-Row	\$ 896.50	\$ 824.71
BZ100239	High-Arc Spout	Spout Extension – 10-Row	\$1,736.90	\$1,597.81
AZ103510	High-Arc Spout	Wear Liner – Bottom (848 MM)	\$ 175.49	\$ 161.41
AZ102629	High-Arc Spout	Wear Liner – Bottom (Dura Line™)	\$ 486.18	\$ 447.21
AZ103381	High-Arc Spout	Wear Liner – Middle (1,800 MM)	\$ 170.34	\$ 156.61
AZ103382	High-Arc Spout	Wear Liner – Middle (1,800 MM) w/NIR	\$ 217.54	\$ 200.01
AZ101740	High-Arc Spout	Wear Liner – Middle (2,000 MM) w/NIR	\$ 233.97	\$ 215.21
AZ54609	High-Arc Spout	Wear Liner – Top	\$ 112.79	\$ 103.71
AZ101238	Low-Arc Spout	Spout – Bottom	\$4,129.22	\$3,798.81
AZ101239	Low-Arc Spout	Spout – Middle	\$1,586.00	\$1,459.01
AZ101240	Low-Arc Spout	Spout – Top	\$ 755.70	\$ 695.11
Z68680	Flaps	Wear Liner – Bottom	\$ 134.30	\$ 123.51
Z105385	Flaps	Wear Liner – Bottom (Dura Line™)	\$ 775.58	\$ 713.41
Z105390	Flaps	Wear Liner – Bottom (Dura Line™) w/NIR	\$ 775.58	\$ 713.41
AZ54380	Flaps	Middle Flap	\$ 89.10	\$ 81.91
AZ100715	Flaps	Middle Flap (Dura Line™)	\$ 559.04	\$ 514.21
AZ53234	Flaps	End Flap	\$ 88.46	\$ 81.31
AZ100714	Flaps	End Flap (Dura Line™)	\$ 536.06	\$ 493.11







8000 Series SPFH Parts and Attachments





Feeding Parts – 8000/9000 Series

On both front feed rolls (upper and lower) each wear bar is reversible (straight or serrated edge) so you can adjust the aggressiveness of crop feeding.



NUMBER	ТҮРЕ	DESCRIPTION		LIST		NOW
8100, 8200	, 8300, 8400, 8500					
AXE49885	Upper Front Feed Roll	Feed Roll	\$3	,315.79	\$3	,050.41
HXE93580	Upper Front Feed Roll	Steel Wear Strip	\$	132.04	\$	121.41
HXE87701	Upper Front Feed Roll	Plastic Strip	\$	24.87	\$	22.81
AXE56441	Lower Front Feed Roll	Feed Roll	\$2	,853.82	\$2	,625.41
HXE100098	Lower Front Feed Roll	Steel Wear Strip	\$	132.04	\$	121.41
AXE66457	Upper Rear Feed Roll	Feed Roll (-516999)	\$	586.00	\$	539.01
AXE66457	Upper Rear Feed Roll	Feed Roll (517000-)	\$	586.00	\$	539.01
AXE14074	Lower Rear Feed Roll	Feed Roll	\$	575.82	\$	529.71
8600, 8700	, 8800, 9600, 9700, 9800, 9900					
AXE49638	Upper Front Feed Roll	Feed Roll	\$3	,429.76	\$3	,155.31
HXE93575	Upper Front Feed Roll	Steel Wear Strip	\$	132.04	\$	121.41
HXE87459	Upper Front Feed Roll	Plastic Strip	\$	51.28	\$	47.11
AXE56440	Lower Front Feed Roll	Feed Roll	\$3	,412.31	\$3	,139.21
HXE100097	Lower Front Feed Roll	Steel Wear Strip	\$	117.37	\$	107.91
AXE66456	Upper Rear Feed Roll	Feed Roll (-516999)	\$	722.06	\$	664.21
AXE66456	Upper Rear Feed Roll	Feed Roll (517000-)	\$	722.06	\$	664.21
AXE14946	Lower Rear Feed Roll	Feed Roll	\$	662.72	\$	609.61
8000, 9000	Series					
HXE87510	Feed Roll Wear Strips Hardware	Upper Strip Screw	\$	2.05	\$	1.81
Z74127	Feed Roll Wear Strips Hardware	Lower Strip Screw	\$	1.40	\$	1.21
Z74128	Feed Roll Wear Strips Hardware	Nut	\$	1.83	\$	1.61

Cutting Parts – 8000/9000 Series





NUMBER	TYPE	DESCRIPTION		LIST		NOW
8100, 8200,	8300, 8400, 8500					
HXE53570	Knives and Mounting Parts	Corn Knife	\$	29.15	\$	26.71
HXE53568	Knives and Mounting Parts	Grass Knife	\$	26.51	\$	24.31
HXE29393	Knives and Mounting Parts	Knife Bolt	\$	2.71	\$	2.41
HXE120441	Knives and Mounting Parts	Cover Plate	\$	22.27	\$	20.41
HXE121397	Knives and Mounting Parts	Thread Bar	\$	9.64	\$	8.81
HXE53563	Knives and Mounting Parts	Knife Bracket	\$	92.21	\$	84.71
HXE101352	Shearbars / Stationary Knife	Corn	\$	562.64	\$	517.51
HXE101351	Shearbars / Stationary Knife	Grass	\$	562.64	\$	517.51
HXE134961	Shearbars / Stationary Knife	All Crop, Dura Line Plus	\$2	2,483.73	\$2	,284.91
8600, 8700,	8800, 9600, 9700, 9800, 9900					
HXE52950	Knives and Mounting Parts	Corn Knife	\$	32.39	\$	29.71
HXE52933	Knives and Mounting Parts	Grass Knife	\$	29.45	\$	27.01
HXE29393	Knives and Mounting Parts	Knife Bolt	\$	2.71	\$	2.41
HXE119923	Knives and Mounting Parts	Cover Plate	\$	15.60	\$	14.31
HXE121393	Knives and Mounting Parts	Thread Bar	\$	44.70	\$	41.01
HXE52928	Knives and Mounting Parts	Knife Bracket	\$	97.19	\$	89.31
HXE101350	Shearbars / Stationary Knife	Corn Knife	\$	664.94	\$	611.61
HXE101349	Shearbars / Stationary Knife	Grass Knife	\$	664.94	\$	611.61
HXE134960	Shearbars / Stationary Knife	All Crop, Dura Line Plus	\$3	3,216.58	\$2	,959.21
8000, 9000 \$	eries					
AXE17437	Sharpening Stone	Stone	\$	115.18	\$	105.91

Blower Parts – 8000/9000 Series

NUMBER	DESCRIPTION		LIST		NOW
8100, 8200,	8300, 8400, 8500, 8600				
Paddles:					
HXE37067	Straight – Normal Conditions (10 used)	\$	28.61	\$	26.21
HXE34827	Serrated – Gummy Conditions (5 used)	\$	36.12	\$	33.11
HXE34828	Serrated – Gummy Conditions (5 used)	\$	36.12	\$	33.11
Blower Band	l:				
AXE41235	Standard	\$	532.09	\$	489.41
AXE42112	Dura Line™	\$2	2,131.96	\$1	,961.31
8600, 8700,	8800				
Paddles:					
HXE29814	Straight – Normal Conditions (10 used)	\$	32.28	\$	29.61
HXE34825	Serrated – Gummy Conditions (5 used)	\$	41.79	\$	38.31
HXE34826	Serrated – Gummy Conditions (5 used)	\$	41.79	\$	38.31
Blower Band	d:				
AXE35811	Standard	\$	620.68	\$	570.91
AXE42114	Dura Line™	\$2	2,486.79	\$2	,287.71



Spout Parts – 8000/9000 Series

NUMBER	DESCRIPTION	LIST	NOW
8000, 9000	Series		
High-Arc Spo	out:		
BXE10769	Spout High-Arc	\$8,215.90	\$7,558.51
BXE11033	Spout Extension – 10-Row	\$4,084.30	\$3,757.51
BXE11098	Spout Extension – 12-Row	\$5,656.63	\$5,204.01
HXE43969	Wear Liner – Bottom	\$ 222.57	\$ 204.71
HXE47058	Wear Liner – Bottom (Dura Line™)	\$1,035.27	\$ 952.31
AXE25517	Wear Liner – Middle	\$ 150.78	\$ 138.61
HXE39391	Wear Liner – Top	\$ 219.30	\$ 201.71
Low-Arc Spo	ut:		
AXE75118	Spout – Bottom	\$7,272.36	\$6,690.51
AZ101239	Spout – Middle	\$1,586.00	\$1,459.01
AZ101240	Spout – Top	\$ 755.70	\$ 695.11
AXE48208	Wear Liner – Bottom	\$ 334.00	\$ 307.21
AXE49258	Wear Liner – Bottom (Dura Line™)	\$ 960.30	\$ 883.41
AXE45366	Wear Liner – Top	\$ 263.09	\$ 241.91
Middle Spou	t:		
AXE28058	Wear Liner	\$ 103.04	\$ 94.71
AXE29779	Wear Liner (Dura Line™)	\$ 104.99	\$ 96.51
Flaps:			
AXE52630	Middle Flap	\$ 339.66	\$ 312.41
AXE55603	Middle Flap (Dura Line™)	\$2,109.94	\$1,941.01
AXE68374	End Flap	\$ 573.21	\$ 527.31
AXE68375	End Flap (Dura Line™)	\$3,076.23	\$2,830.01




Kernel Processor Rolls

The John Deere kernel processor is induction-hardened rather than flame-hardened, like many competitors' rolls. What does that mean to you? Hardening is much more consistent, resulting in a longer life and fewer repair costs. The hardening zones of a John Deere roll are shown in the illustration to the right.



Type Saw Tooth Standard Saw Tooth Chrome Saw Tooth Whole Crop Triangle Milo Standard **Application** Standard corn condition Corn – provides higher All whole crop Alkalage and milo Corn – provides aggressiveness increased lifetime due application to the hard chroming 0.5-1mm **Gap Recommendation** 2.5-3mm 2.5-3mm 2.5-3mm 0.5-1mm **Different Speed** 21% 21% 21% 32% 32%



Kernel Processor Rolls

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW	
Standard Tri	angle:				
AZ102631	2 Needed	7200–7500, 7250–7550, 7180–7580	\$1,483.34	\$1,364.61	
AZ102632	2 Needed	7700–7800, 7750–7950, 7780–7980	\$1,739.09	\$1,599.91	
AXE43638	2 Needed	8100, 8200, 8300, 8400, 8500	\$1,700.00	\$1,563.91	
AXE43491	2 Needed	8600, 8700, 8800	\$1,800.00	\$1,655.91	
Saw Tooth S	tandard:				
AZ101800	2 Needed	7200–7500, 7250–7550, 7180–7580	\$1,483.34	\$1,364.61	
AZ102602	2 Needed	7700–7800, 7750–7950, 7780–7980	\$1,739.09	\$1,599.91	
AXE43571	Front Roll	8100, 8200, 8300, 8400, 8500	\$1,700.00	\$1,563.91	
AXE43572	Rear Roll	8100, 8200, 8300, 8400, 8500	\$1,700.00	\$1,563.91	
AXE43163	Front Roll	8600, 8700, 8800	\$1,841.39	\$1,694.01	
AXE43182	Rear Roll	8600, 8700, 8800	\$1,841.39	\$1,694.01	
Saw Tooth C	hrome:				
AZ101376	2 Needed	7200–7500, 7250–7550, 7180–7580	\$1,994.84	\$1,835.21	
AZ101377	2 Needed	7700–7800, 7750–7950, 7780–7980	\$2,455.19	\$2,258.71	
AXE43639	Front Roll	8100, 8200, 8300, 8400, 8500	\$2,455.19	\$2,258.71	
AXE43640	Rear Roll	8100, 8200, 8300, 8400, 8500	\$2,400.00	\$2,207.91	
AXE43492	Front Roll	8600, 8700, 8800	\$2,608.64	\$2,399.81	
AXE43493	Rear Roll	8600, 8700, 8800	\$2,608.64	\$2,399.81	
32% Saw Too	oth Chrome (Rear Roll R	eversed):			
AXE43639	2 Needed	8100, 8200, 8300, 8400, 8500	\$2,455.19	\$2,258.71	
AXE43492	2 Needed	8600, 8700, 8800	\$2,608.64	\$2,399.81	
Saw Tooth V	Vhole Crop:				
AZ102633	2 Needed	7200–7500, 7250–7550, 7180–7580	\$1,483.34	\$1,364.61	
AXE43641	Front Roll	8100, 8200, 8300, 8400, 8500	\$1,700.00	\$1,563.91	
AXE43642	Rear Roll	8100, 8200, 8300, 8400, 8500	\$1,700.00	\$1,563.91	
AXE43494	Front Roll	8600, 8700, 8800	\$1,841.39	\$1,694.01	
AXE43495	Rear Roll	8600, 8700, 8800	\$1,841.39	\$1,694.01	
Triangle Mil	Triangle Milo / Sorghum:				
AZ54513	2 Needed	7200–7500, 7250–7550, 7180–7580	\$1,450.00	\$1,333.91	
AXE43643	2 Needed	8100, 8200, 8300, 8400, 8500	\$1,700.00	\$1,563.91	
AXE43496	2 Needed	8600, 8700, 8800	\$1,800.00	\$1,655.91	

Scrapping Plates

Scrapping plates boost harvest efficiency by pushing cotton further into the spindle picking zone.

NUMBER	MODEL	LIST	NOW
BN272408	PRO-16 Units	\$301.40	\$256.04



Stalklifter Rods

Stalklifter rods allow you to harvest low-hanging bolls more easily by improving the row unit's lifting action.

NUMBER	MODEL	LIST	NOW
BN272534	PRO-12, PRO-16, VRS Units	\$407.00	\$345.84



Active RMB Belt Cleaning Brush

The CP690 offers an optional active rotating belt cleaning brush that provides improved RMB belt cleaning in tougher, higher-moisture harvesting conditions.

NUMBER	MODEL	LIST	NOW
BKK10319	CP690, CS690	\$3,060.20	\$2,601.04



Harvest Identification, Cotton Pro

Harvest Identification, Cotton Pro is the next generation of round module tracking. Features include the documentation of module moisture, weight, editable features, and other features. Cotton module weighing provides on-the-go cotton module weights to the cab display that enables easier yield monitor calibration for more accurate harvest yield data and agronomic decisions. Cotton module moisture sensor provides a vital role in preserving cotton quality and maintain high quality standards.

NUMBER	DESCRIPTION	LIST	NOW		
Harvest Identification, Cotton Pro – CP690 and CS690 (MY17+):					
BKK10642	Cotton Pro Kit (RFID Reader)	\$4,840.00	\$4,113.84		
Cotton Mod	ule Weighing – CP690 and CS690 (MY15-16):				
AKK25966	Cotton Module Weighing Kit	\$3,900.00	\$3,314.84		
Cotton Mois	Cotton Moisture Sensor – CP690 and CS690 (MY15-16):				
AKK25968	Moisture Sensor Kit	\$3,100.00	\$2,634.84		



15% Off All Performance Enhancements for Cotton Harvesters and Front End Equipment.

Sale dates November 1st, 2019 though February 28th, 2020. See dealer for complete list of performance enhancements.



Meet the card that makes your purchases count.

JohnDeere.com/Rewards

When you're a John Deere Rewards member, the savings just keep coming. Membership is free. Start with an initial purchase of 2 qualified units in 12 months to unlock Platinum benefits. After that, you'll receive valuable equipment discounts, Home & Workshop products discounts, and exclusive member promotions. There isn't a better equipment rewards program in the industry.

Visit JohnDeere.com/Rewards to sign up or find out more.



JohnDeere.com/Rewards

TRACTOR HOT BUYS

See your John Deere dealer to take advantage of these limited time special prices on the parts and attachments listed below.



Locking Fuel Caps

Fits 5025, 5E, 5M, 6000, 6005, 6010, 6015, 6020, 6030, 6E, 6M, 7020, and 7030.

AL113087

LIST - \$29.27

NOW - \$21.74

Fits 7720–7920, 7730–7930, 8020, 8030, 8R, 9020, and 9030. NOW - \$48.04 RE255763 LIST - \$64.46





Accessory Adapters

Standard connector with 3-foot cable.

RE67013 LIST - \$12.07 NOW-\$ 8.84

Power adapter harness.

LIST - \$30.64 NOW - \$22.74 RE67014

Three-way convenience outlet adapter.

LIST - \$31.84 **RE67015** NOW - \$23.64

Auxilliary power cord – 3-pin.

RE37651 LIST - \$43.75 NOW - \$32.54



Display Mounting Bracket

Greenstar® display mounting bracket.

PF90385 LIST - \$149.00 NOW - \$111.54



Step Kits

30-55 Series Row-Crop tractors.

LIST - \$329.75 RE61690 NOW - \$263.59

3010, 3020, 4010, 4020 Row-Crop tractors.

RE62856 LIST - \$349.67 NOW - \$279.49

Third Step for above kits.

LIST - \$100.04 NOW-\$ 79.79 RE163104

Mirrors

Mirror head complete – Multiple applications. NOW - \$58.44

LIST - \$78.33 AL78021



AM/FM/WB Radio

7000, 7010, 7020, 8000, 8010, 8020, 9000, and 9020

Series tractors.

RE575067 LIST - \$388.44 NOW - \$291.04



Fits 4000, 4020, 4030, 4040, and 4230 Series tractors.

AR86595 LIST - \$ 74.52 NOW - \$ 55.64

Fits 4040, 4240, 4440, 4640, 4840, 4050, and 4450 (new design) Series tractors.

RE20224 LIST - \$189.19 NOW - \$141.64

Fits 8000, 8000T, 8010, and 8010T Series tractors.

LIST - \$332.79 **RE44784** NOW - \$249.34



Fits 5E, 5M, 5R, 6020, 6030, 6M, and 6R Series tractor cabs. LIST - \$26.87 AL174358 NOW - \$19.94

Fits 6000 and 6010 Series tractor cabs.

AL110629 NOW - \$28.84 LIST - \$38.81

Fits 7020, 7030, 8010, 8020, and 8030 Series tractor cabs.

RE234165 LIST - \$35.03 NOW - \$26.04




Mid and Large Tractor Alternators

NUMBER	APPLICATION	TYPE	LIST	NOW
RE205273	5225–5625, 5E Limited, 5M Tier 3, 90 Amp	John Deere	\$477.21	\$439.03
A-RE205273	5225–5625, 5E Limited, 5M Tier 3, 90 Amp	A&I Products	\$275.63	
SE501363	4040–4840, 4050–4850, 8430, 8630, 8440, 8640 Tractors	John Deere Reman	\$305.57	\$281.12
A-TY26050	4040–4840 w/ cab, 4050–4650 w/ cab, 8430, 8630, 8440, 8640 Tractors	A&I Products	\$186.35	
SE501371	4055-4455, 4555-4955, 4560-4960, 8560-8960, 8570-8970 Tractors	John Deere Reman	\$343.04	\$315.60
A-TY6684	4055-4455, 4555-4955, 4560-4960, 8560-8960, 8570-8970 Tractors	A&I Products	\$213.88	
AL207585	6200, 6300, 6400. 55 Amp	John Deere	\$458.64	\$421.95
SE501346	6200, 6300, 6400. 55 Amp	John Deere Reman	\$272.49	\$250.69
A-AL81436	6200, 6300, 6400. 55 Amp	A&I Products	\$152.65	
AL166645	6020, 6015, 6030,7220–7520 – 90 amp	John Deere	\$503.46	\$463.18
SE501829	6110–6410, 6120-6420, 6405, 6605, 6015, 7220–7520. 90 Amp	John Deere Reman	\$402.78	\$370.56
A-AL166645	6110-6410, 6120-6420, 6405, 6605, 6015, 7220-7520. 90 Amp	A&I Products	\$325.76	
AL166646	6110–6410, 6120–6420, 6215–6715, 6230–6430 Prem., 7220–7520, 7130–7430 Prem. 120 Amp	John Deere	\$616.42	\$567.11
SE501827	6110–6410, 6120–6420, 6215–6715, 6230–6430 Prem., 7220–7520, 7130–7430 Prem. 120 Amp	John Deere Reman	\$493.13	\$453.68
A-AL166646	6110–6410, 6120–6420, 6215–6715, 6230–6430 Prem., 7220–7520, 7130–7430 Prem. 120 Amp	A&I Products	\$332.64	
RE218703	8120–8520, 8120T, 8520T	John Deere	\$622.43	\$572.64
SE501825	8120–8520, 8120T, 8520T	John Deere Reman	\$483.45	\$444.77
A-RE218703	8120–8520, 8120T, 8520T	A&I Products	\$371.68	
RE46608	7600–7800, 7610–7810, 8100–8400, 8110–8410, 9100–9400, 9120–9520	John Deere	\$607.70	\$559.08
SE501380	7600–7800, 7610–7810, 8100–8400, 8110–8410, 9100–9400, 9120–9520	John Deere Reman	\$486.18	\$447.29
A-RE46608	7600–7800, 7610–7810, 8100–8400, 8110–8410, 9100–9400, 9120–9520	A&I Products	\$296.49	

Price shown is exchange price after core is returned.





Note: For the parts that have a core chare, the price shown is the exchange price after core is returned.



Mid and Large Tractor Starters

NUMBER	APPLICATION	TYPE	LIST	NOW
RE543483	5603, 5425–5625, 5E Limited, 5085–5125 E/EL/M/ML/R, 6D, 6E	John Deere	\$566.01	\$520.73
SE502913	5603, 5425–5625, 5E Limited, 5085–5125 E/EL/M/ML/R, 6D, 6E	John Deere Reman	\$452.81	\$416.59
SE501414	4650, 4850, 8430, 8440, 8640 – Nippondenso	John Deere Reman	\$488.66	\$449.57
A-RE41875	4000, 4020, 4030–4630, 4040–4440, 4050–4850, 8440, 8640, 8450 Tractors – Nippondenso	A&I Products	\$348.13	
SE501444	4000, 4020, 4030–4630, 4040–4440, 4050–4850, 8440, 8640, 8450 Tractors – Delco	John Deere Reman	\$519.39	\$477.84
A-TY6701	4000, 4020, 4030–4630, 4040–4440, 4050–4850, 8430, 8440, 8450, Tractors – Delco	A&I Products	\$341.57	
RE70957	7610–7810, 7630–7930, 8100–8400, 8110–8410, 8120–8520, 9120–9520	John Deere	\$571.88	\$526.13
SE501403	7610–7810, 7630–7930, 8100–8400, 8110–8410, 8120–8520, 9120–9520	John Deere Reman	\$457.51	\$420.91
A-RE70957	7610–7810, 7630–7930, 8100–8400, 8110–8410, 8120–8520, 9120–9520	A&I Products	\$298.93	
RE527400	6230–6430, 6030 Premium, 6615–6715, 71–7330, 7030 Premium, 6M, 6R Series Tractors	John Deere	\$520.63	\$478.98
SE501868	6230–6430, 6030 Premium, 6615–6715, 71–7330, 7030 Premium, 6M, 6R Tractors	John Deere Reman	\$416.51	\$383.19
A-RE527400	6230–6430, 6030 Premium, 6615–6715, 71–7330, 7030 Premium, 6M, 6R Tractors	A&I Products	\$339.29	
AL110597	40, 50, and 55 Series Utility Tractors, 6100–6400, 6110–6410, 6405	John Deere	\$500.49	\$460.45
SE501427	40, 50, and 55 Series Utility Tractors, 6100–6400, 6110–6410, 6405	John Deere Reman	\$400.39	\$368.36
A-AL110597	40, 50, and 55 Series Utility Tractors, 6100–6400, 6110–6410, 6405	A&I Products	\$268.14	
RE519975	6120–6420, 6215, 6415	John Deere	\$527.75	\$485.53
SE501854	6120–6420, 6215, 6415	John Deere Reman	\$422.19	\$388.41
A-RE519975	6120–6420, 6215, 6415	A&I Products	\$295.33	
SE501420	7700, 7800, 8100–8300	John Deere Reman	\$510.94	\$470.06
A-SE501420	7700, 7800, 8100–8300	A&I Products	\$348.13	
RE515843	8770, 8870, 9200–9400, 9220–9620, 9330–9630, 9R	John Deere	\$683.79	\$629.09
SE501862	8770, 8870, 9200–9400, 9220–9620, 9330–9630, 9R	John Deere Reman	\$547.03	\$503.27
A-RE515843	8770, 8870, 9200–9400, 9220–9620, 9330–9630, 9R	A&I Products	\$428.42	

Price shown is exchange price after core is returned.



Compact and Utility Tractor Starters

NUMBER	APPLICATION	TYPE	LIST	NOW
AM878176	655, 755, 756, 855, 856	John Deere	\$422.12	\$388.31
A-AM878176	655, 755, 756, 855, 856	A&I Products	\$149.03	
AM878417	670, 770, 3005, 3203, 4115, 4200, 4210	John Deere	\$456.93	\$420.31
SE501447	750, 770, 790, 850, 870, 955, 900HC, 1070	John Deere Reman	\$404.06	\$371.61
M810337	1023E, 1025R, 1026R, 2025R, 2305, 2320	John Deere	\$435.69	\$400.71
RG60654	2032R, 2038R, 2520, 2720, 3E, 3R, 3020 Series, 4105, 4300, 4310, 4400, 4410	John Deere	\$493.78	\$454.21
A-RG60654	2032R, 2038R, 2520, 2720, 3E, 3R, 3020 Series, 4105, 4300, 4310, 4400, 4410	A&I Products	\$167.10	
AM879743	990, 110 TLB, 4005, 4M, 4R, 4500, 4510, 4600, 4610, 4700, 4710	John Deere	\$530.07	\$487.61
A-AM879743	990, 110 TLB, 4005, 4M, 4R, 4500, 4510, 4600, 4610, 4700, 4710	A&I Products	\$249.28	
RE540304	4X20 Series, 5225, 5325, 5065M(iT4), 5075M(iT4)	John Deere	\$312.46	\$287.41

Note: For the parts that have a core charge, the price shown is the exchange price after the core is returned.



Sealed for Long Life

Water pump seals have two mating surfaces that take a lot of abuse and are susceptible to wear and failure when exposed to contaminants in the coolant. Genuine John Deere water pumps use hard tungsten carbide on both seal surfaces to provide maximum protection and component life.

Water Pumps

With John Deere, your dealer has the right water pump part to meet any budget. Genuine John Deere water pumps are your best choice for longevity and performance.

John Deere Reman water pumps are remanufactured to the current John Deere specifications. The Reman pumps are completely disassembled, and bearings and seals are replaced and tested to verify integrity. In addition to the OE and the John Deere Reman offerings, your dealer also carries A&I Products water pumps, which offer a quality aftermarket product at an economical price.

NUMBER	APPLICATION	TYPE	LIST	NOW
SE500919	3010, 3020, 4000, 4010, 4020	John Deere Reman	\$264.55	\$243.39
A-AR45332	3010, 3020, 4000, 4010, 4020	A&I Products	\$125.35	
RE545572	4120–4720 Compact Tractor	John Deere	\$271.31	\$249.61
SE502115	4120–4720 Compact Tractor	John Deere Reman	\$244.18	\$224.65
A-RE545572	4120–4720 Compact Tractor	A&I Products	\$183.60	
RE545573	5225, 5325, 5065M, 5075M	John Deere	\$326.10	\$300.01
SE502114	5225, 5325, 5065M, 5075M	John Deere Reman	\$228.27	\$210.01
A-RE545573	5225, 5325, 5065M, 5075M	A&I Products	\$189.86	
RE546906	6003, 6005, 6010, 6015, 6020, 6030, 6D, 72–7810, 72–7820, 7230–7330 Tractors	John Deere	\$311.33	\$286.42
SE501609	6003, 6005, 6010, 6015, 6020, 6030, 6D, 72–7810, 72–7820, 7230–7330 Tractors	John Deere Reman	\$219.43	\$201.88
A-RE505980	6003, 6005, 6010, 6015, 6020, 6030, 6D, 72–7810, 72–7820, 7230–7330 Tractors	A&I Products	\$132.03	
RE68230	7600–7800, 8560–8960 – Hi Flow	John Deere	\$396.78	\$365.04
SE501011	7600–7800, 8560–8960 – Hi Flow	John Deere Reman	\$302.04	\$277.88
A-RE68230	7600–7800, 8560–8960 – Hi Flow	A&I Products	\$196.36	
RE549153	9120–9520	John Deere	\$717.33	\$567.94
SE501592	9120–9520	John Deere Reman	\$600.60	\$460.55
RE521502	7610–7810, 7720–7920, 8000 (010000-), 8010, 8020, 9000, 9020	John Deere	\$472.16	\$434.39
SE501596	7610–7810, 7720–7920, 8000 (010000-), 8010, 8020, 9000, 9020	John Deere Reman	\$362.36	\$333.37
A-RE521502 Note: For the parts	7610—7810, 7720—7920, 8000 (010000-), 8010, 8020, 9000, 9020 that have a core charge, the price shown is the exchange price after the core is returned.	A&I Products	\$260.64	



Water Pump Repair Kits

Make sure your engine is properly cooled with a John Deere water pump service kit. Water pump service kits come with the necessary genuine John Deere parts to rebuild your water pump and keep your cooling system operating at maximum performance.

NUMBER	APPLICATION	TYPE	LIST	NOW
AR101549	4020-4620, 4030-4630, 4040-4840, 4350, 4455, 8430, 8440, 8640	John Deere	\$ 12.21	\$ 11.23
A-AR101549	4020-4620, 4030-4630, 4040-4840, 4350, 4455, 8430, 8440, 8640	A&I Products	\$ 9.29	
RE70143	2940, 3040, 3140, 2950, 3050, 2955, 3155, 4050, 4250, 4450	John Deere	\$165.99	\$152.71
A-RE11348	2940, 3040, 3140, 2950, 3050, 2955, 3155, 4050, 4250, 4450	A&I Products	\$109.75	
RE524383	8560, 8760, 8960, 8570, 8770, 8870, and 8970	John Deere	\$280.70	\$258.24
RE524406	4255, 4455, 4555, 4755, 4955, 4560, 4760, and 4960	John Deere	\$225.64	\$207.59
RE62658	5103–5403, 5105, 5205, 5200–5400, 5210–5410, 5220, 5320, 5045E–5075E, 5075M	John Deere	\$ 55.97	\$ 51.49
A-RE62658	5103–5403, 5105, 5205, 5200–5400, 5210–5410, 5220, 5320, 5045E–5075E, 5075M	A&I Products	\$ 45.56	
RE69844	4050-4850, 4055-4955, 4560-4960, 8450, 8560, 8100-8400, 8110-8410	John Deere	\$ 31.90	\$ 29.35

Tractor Belts



Top surface

 Special rubber surface—for high wear resistance

Embedding compound

 Highly adhesive rubber compound layers—for excellent stability of the v-belt

Tension cord

- Low-stretch polyester cord for highest stability
- Extreme tensile strength

Base compound low profile height

- High flexibility
- Excellent heat radiation—for maximum lifetime
- Good performance even in the serpentine drive of the engine idlers

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
L41330	Air Conditioner Belt	2940, 2950, 2955 (SN -663473), 3150, 3155	\$16.75	\$15.91
L59206	Air Conditioner Belt	2355–3155 Series Utility Tractors (663474-)	\$20.22	\$19.21
R87152	Fan w/ Viscous Drive	2955, 3055, 3255	\$24.57	\$22.60
R73189	AC Compressor Belt	30, 40, 55, and 60 Series Row Crop Tractors, 8450, 8650, 8560, 8960 4WD	\$ 8.49	\$ 8.07
RE29018	Fan, Alternator Belt – Set of 2 Matched B-Belts	4240-4840 (6466 Eng.), 4050-4850, 8430, 8440	\$20.55	\$19.52
RE41942	Alternator Belt – Set of 2 Matched V-Belts	55 and 60 Series Row Crop	\$18.99	\$17.47
L111600	Drive Belt With A/C – Length 2,460mm	6005, 6310, 6410, 6230 Prem, 7320, 7230	\$66.61	\$63.28
L111601	Drive Belt With A/C – Length 2,475mm	6110, 6210, 6120–6420, 6215–6715, 7220, 7130	\$65.46	\$62.19
R115614	Fan Drive (w/ Viscous Coupling)	7200, 7400 w/ Cab, 7610, 7710, 7810 (SN -089999)	\$66.18	\$60.89
R174754	Fan Drive (w/ Viscous Coupling)	7710, 7810 w/ Cab (SN 090000-)	\$72.97	\$67.13
R157687	AC Compressor Belt	8000, 8000T, 8010, 8010T Series w/o Trailer Air Brake	\$55.34	\$52.57
R131213	Fan Drive Belt	8000, 8000T, 8010, 8010T Series	\$52.64	\$50.01
R164820	Fan Drive Belt	8020, 8020T	\$38.06	\$35.02

Crankshaft Dampers

Did you know your crankshaft damper has a service life?

When torque is applied, engines generate harmful vibrations. A damper reduces these vibrations, which extends belt life and reduces gear wear. Our engine damper consists of an inertia ring, elastic member, and hub assembly attached to the crankshaft. John Deere recommends changing the crankshaft damper at 4,000–5,000 hours or 5 years, whichever comes first in some applications. Contact us to see if your crankshaft damper needs replacing today.

NUMBER	APPLICATION	LIST	NOW
Engine Damp	pers:		
AR102218	4640, 4840, 8440, 8640, 4650, 4850, 8450, and 8650 Tractors; 8820 Combine; 9940 Cotton Picker; and 5720, 5820, 5730, and 5830 Forage Harvesters	\$542.24	\$498.86
AR57241	4230, 4430, 4040, 4240, 4350, and 4440 Tractors; and 6600, 7700, 6620, and 7720 Combines	\$233.85	\$215.14
RE15018	4050, 4250, 4450, 4650, 4850, 4055, 4255, 4455, 4555, 4755, 4955, 4560, 4760, 4960, 8450, and 8650 Tractors; and 9950, 9960, 9965, and 9970 Cotton Pickers	\$286.82	\$263.87
AR58172	4000, 4010, and 4020 Tractors	\$367.77	\$338.35
RE500917	8520, 9100, and 9120 Tractors; 9560, 9650, 9750, 9660, and 9760 STS Combines; 6610 and 7200 Forage Harvesters; 9976 Cotton Picker; and 4920 Sprayer	\$609.15	\$560.42
RE57603	8000 series (- 016632), 8410, 8120, 8220, 8320, 8420, and 9100 Tractors; 9976 Cotton Picker; 9510 and 9610 Combines; and 6610 and 6650 Forage Harvesters (8.1 L engines)	\$364.51	\$335.35
RE24975	9500, 9600, CTS Combines (-509679), 8100–8300 Wheel and Track Tractors (016633-), and 8110–8310 Wheel and Track Tractors	\$602.81	\$554.59
RE52298	8560–8960 Tractors, 8570–8970 Tractors, and 6610–6910 SPFH	\$925.15	\$851.14
RE523266	9100–9400 (053080-) and 9020 Series Wheel and Track Tractors	\$888.38	\$817.31



Change out engine dampers to avoid a costly repair or a potential broken crankshaft.

John Deere OE Engine Overhaul Kits

Here are some examples that make the John Deere OE engine overhaul kits the "Best" choice. John Deere liners are heat-treated to a precise hardness and depth to increase durability and life. Proper heat-treat hardness provides a hard surface with good wear characteristics. Pre-assembled piston liner kits eliminate the chance for broken or improperly installed piston rings, which can cause power loss, oil consumption, and excessive wear, leading to seized pistons and potentially premature engine failure. Fiber-reinforced piston bowl rings provide more than twice the yield strength of aluminum alloy and increase the operating pressure and temperature range without the risk of cracking. John Deere uses two layers of metal alloy on the ID face of the main bearings to protect them from the constant rotational forces of the crankshaft.



Standard Kit:

- Rod, main, and thrust bearings
- Thrust washers
- Oil pan split gasket
- Factory assembled piston/liner kits
- Liner packings
- Front and rear seals
- Gasket rings
- Snap rings

Expanded Kit:

- Standard kit contents
- Rod bolts and bushings
- Piston pins
- Camshaft bushings

NUMBER	APPLICATION	KIT TYPE	LIST	NOW
RE524374	4010 and 4020 (SN -200999)	Expanded Kit*	\$1,966.58	\$1,809.25
RE526966	6605 and 6615–6715 Tractors	Standard Kit	\$1,759.57	\$1,618.80
RE527299	5210–5510, 5420–5520, and 5325–5525	Standard Kit	\$1,195.70	\$1,100.04
RE524411	4440, 4640, and 4840 Row-Crop Tractors; 8440 and 8450 4WD Tractors; 5720 Forage Harvester; 6620, 6620SH, 7720, and 8820 Combines; and 9940 Cotton Picker	Standard Kit	\$1,954.51	\$1,798.15
RE525437	4440, 4640, and 4840 Row-Crop Tractors; 8440 and 8450 4WD Tractors; 5720 Forage Harvester; 6620, 6620SH, 7720, and 8820 Combines; and 9940 Cotton Picker	Expanded Kit*	\$2,357.60	\$2,168.99
RE524625	4055, 4255, 4455, 4555, 4560, 4755, and 4760 Row-Crop Tractors; 8430, 8440 (572027-), and 8450 4WD Tractors; 5730 Forage Harvester; 8820 Combine; and 9940 and 9950 Cotton Pickers	Standard Kit	\$2,300.09	\$2,116.08
RE526727	8120, 8220, and 8320 Row-Crop Tractors	Standard Kit	\$3,150.91	\$2,898.84
RE526962	4055, 4255, 4455, 4555, 4560, 4755, and 4760 Row-Crop Tractors; 8430, 8440 (572027-), and 8450 4WD Tractors; 5730 Forage Harvester; 8820 Combine; and 9940 and 9950 Cotton Pickers	Standard Kit	\$2,686.94	\$2,471.98
RE524627	4055, 4255, 4455, 4555, 4560, 4755, and 4760 Row-Crop Tractors; 8430, 8440 (572027-), and 8450 4WD Tractors; 5730 Forage Harvester; 8820 Combine; and 9940 and 9950 Cotton Pickers	Expanded Kit*	\$2,633.63	\$2,422.94
RE526726	8420 and 8520 Row-Crop and 9120 4WD	Standard Kit	\$3,043.22	\$2,799.76
RE524630	4555–4955, 4560–4960, and 8560–8960	Standard Kit	\$2,215.09	\$2,037.88
RE524636	4555–4955, 4560–4960, and 8560–8960	Expanded Kit*	\$2,783.12	\$2,560.47
RE526971	6010 and 6020 Series Tractors, and 6215–6415 and 3800 Telehandlers	Standard Kit	\$1,403.06	\$1,290.82

^{*}Expanded engine overhaul kits include rod bolts, rod bushings, piston pins, and camshaft bushings.

A&I Engine Overhaul Kits

If you're looking for a quality offering at an economical price, we also offer A&I Engine Overhaul kits for John Deere and competitive machines. A&I works with quality suppliers to ensure that all parts included in an A&I engine kit perform and fit as they were meant to. Our engine kits offer: cam ground pistons, ni-resist inserts, spun cast liners, and cylinder components designed as a package.

Note: In-Frame Kits typically include Pistons, Liners, Rings, Rod Bearings, & Gaskets and Major Kits typically include Pistons, Liners, Rings, Rod Bearings, Rod Bushings, Rod Capscrews, Cam Bearings, Main Bearings, Thrust Bearings/Washers, Crankshaft Seals, and Gaskets.



NUMBER	APPLICATION	KIT TYPE	LIST
A-RE524345	4010 and 4020 (SN -214999)	Major Engine	\$1,702.64
A-RE66093	5410, 5510, 5425, 5425N	Major Engine	\$1,281.56
A-RG18845	4440, 4640, 4840 (SN -253372), 8430, 8440, 8450 (SN -253372)	Major Engine	\$1,587.46
A-RE64212	4055–4755, 4560, 4760, 8570 (SN 568445-), 8100–8300 (6076 engine)	Major Engine	\$1,778.00
A-RG17892	4320, 4430, 4630 Tractors; 6600 and 7700 Combine (SN 335845-)	Major Engine	\$1,644.93
A-RE66094	6110–6410, 6120–6420, 6405 and 6605 Tractors	Major Engine	\$1,344.33
A-OK504201	7710–7810 (SN -089999), 8100–8400 (6081 engine), 8110–8410 Tractors	Major Engine	\$2,877.06









If your 7, 8, or 9 Series Tractor needs a major repair, you can now fix it thanks to a limited-time offer from John Deere Financial. The **all-new Repower Program** provides No-Payment/No-Interest (NP/NI) or low-cost financing for new and Reman engines, transmissions, axles, and final drives — as well as repairs to front independent link suspension. But that's not all because you can also finance work to cab interior, hydraulics, engine accessories and exterior finishes. **Qualifying models include:**

- 7000/7010/7020/7030 Tractors
- 8000/8010/8020/8030 Tractors
- 9000/9020/9030 Tractors

Take advantage of this special financing opportunity through **October 31, 2020** when you use your Multi-Use Account.

Ask us about the Repower Program today.

Repower Program Finance Options	Minimum Purchase
365 Days NP/NI (12 Months) ¹	\$10,000
Fixed 1.9% with 24 Equal Monthly Payments ²	\$10,000
Fixed 2.9% with 36 Equal Monthly Payments ³	\$10,000

Subject to John Deere Financial approval and John Deere dealer participation. Unless otherwise specified, programs are for purchases on agricultural and commercial Multi-Use Accounts only. Minimum finance amount is required. After Promotional Period, interest charges will begin to accrue at the Multi-Use Account Rate. Programs subject to change, without notice, at any time. Offer valid November 1, 2019 – October 31, 2020.

Offer valid on qualifying purchases made between November 1, 2019 to October 31, 2020 and is subject to approved credit on a Multi-Use Account, a service of John Deere Financial, f.s.b. For agricultural and commercial use only. Fixed 19% APR with 24 equal monthly payments. Payments are required during and after the promotional period. After the promotional period, interest charges will begin to accrue at the regular Multi-Use Account rate. Winimum \$10,000 purchase required. Available at a participating merchants, see your local merchant for complete details.

Offer valid on qualifying purchases made between November 1, 2019 to October 31, 2020 and is subject to approved credit on a Multi-Use Account, a service of John Deere Financial, f.s.b. For agricultural and commercial use only. Fixed 2.9% APR with 36 equal monthly payments. Payments are required during and after the promotional period. After the promotional period, interest charges will begin to accrue at the regular Multi-Use Account rate. Minimum \$10,000 purchase required. Available at participating merchants, see your local merchant for complete details.

Dealers: R-12 Discount applies, refer to program bulletin for complete details.

Independent Link Suspension

New ILS updates on 8020, 8030, 8R Tractors

John Deere released the Independent Link Suspension (ILS) with model year 2002. Since then we have made improvements to several of the components. If it's time to replace the steering and suspension parts on your ILS front end, see your John Deere dealer.

Updated parts include:

- Inner/Outer tie rods
- Upper/Lower control arm ball joints
- A-arm pivot shaft (expander pin)



Hydraulic Upgrade Kits For 9 Series

Coupler Conversion Kits – ½" to ¾" High Flow Couplers

The conversion design is exclusive to John Deere and converts the couplers on a standard flow SCV from ½" couplers to ¾" couplers. This conversion is an economical solution to improve the transfer of hydraulic horsepower from the tractor to the implement. Convert 1 to 6 SCV couplers on a single stack tractor.

This kit is ideal for operators with:

- High hydraulic demand implements, such as large air seeders and planters
- Implements that require ¾" couplers
- A desire to improve implement raise/lower cycle times for faster headland turns.

Hydraulic Intelligent Power Management for 9620R and 9620RX

A hydraulic intelligent power management (IPM) field-install kit is now available for MY15 and newer 9620R, and MY16 and newer 9620RX Ag Tractors. The package contains both software and hardware components designed to increase the performance of tractors operating implements that require continuous hydraulic power.

Hydraulic IPM provides an additional 25 hp in gears 5 through to 18, and an additional 50 hp in gears 1 through to 4. This kit is designed to supplement the additional hydraulic power and flow consumed by systems running dual fan motors such as the Air Power™ 2 system equipped on John Deere C850 Air Carts.

NUMBER	DESCRIPTION	APPLICATION	LIST		NOW
Coupler Con	version Kits – ½" to ¾4"				
BRE10486	³ / ₄ -Inch Coupler Adapter Conversion (converts 1 SCV)	9R, 9RX, 9X30 Tractors (SN 13001- wheel, SN, 911011- 2T) without rear 3-point hitch and BOSCH CAN SCV's only	\$ 869.00	\$ 79	99.48
BRE10485	Hardware Kit		\$ 121.00	\$ 11	11.32
RE593820	Mounting Bracket (single reduction axle)	9230, 9330, 9430, 9360R, 9410R, 9460R, 9370R, 9420R, 9470R	\$ 418.69	\$ 38	85.19
RE593821 Note: One hardw	Mounting Bracket (double reduction axle) are kit and one mounting bracket required per vehicle. Additional fabricat	9530, 9630, 9510R, 9560R, 9520R, 9570R, 9620R ed hoses may be required.	\$ 192.50	\$ 17	77.10
Hydraulic Int	telligent Power Management for 9620R and 9620RX				
BRE10391	Hydraulic IPM with three ³ / ₄ -in. SCVs and engine software update	9620R, 9620RX	\$18,978.30	\$17,46	50.04



R Series Cab Bracket Kit

The R series cab bracket kit is available for mounting monitors, phones, displays, and mounts to existing holes inside the cab. Fits 7–9R series tractor cabs.

RE317435 Price – \$141.90 **Sale Price – \$130.55**



Mounting Bracket Kit – Long Bar and Tray Kits

The accessory mounting bracket with optional tray kit provides a low-cost solution to all your mounting needs in the cab. Fits 7020, 7030, 8010–8030, 9020, and 9030 Series.

BRE10141	Bracket Kit	Price – \$89.10	Sale Price - \$80.19
BRE10142	Tray Kit	Price – \$63.80	Sale Price – \$57.42



CommandARM Bracket

The CommandARM bracket offers a safe and convenient way to mount a mobile device or tablet to the CommandARM on 6R–9R FT4 tractors. Includes bracket and hardware only.

BRE10147 Price – \$47.30 **Sale Price – \$43.52**



6 Series Mounting Brackets

Cab accessory mounting brackets provides solutions to safely mount monitors, displays, cell phone, and tablet mount in your 6 series cab tractor.

BL15042	6R Series Tractors (without CommandArm™) Price – \$441.10	Sale Price – \$405.81
BL15158	C-Post Bracket – 6030, 6M	Price – \$177.10	Sale Price - \$162.93



Cell Phone Bracket Kit

The RAM X-Grip® bracket's four-leg design offers great holding power, without covering your phone's screen.

BRE10015 Price - \$67.10 Sale Price - \$60.39



RAM Tablet Mount Kit

This kit's high-strength design keeps your tablet secure, without restricting access to audio jacks or USB or other ports.

BRE10255 Price – \$92.40 **Sale Price – \$83.16**



Accessory Mounting Bracket Kit

Mount, adjust, and position key controls and displays within the cab for maximum accessibility without compromising visibility. The John Deere design can be used in multiple configurations and tailored to the specific machine and task.

RE343680 Price – \$55.81 **Sale Price – \$50.23**



Greenstar Display Bracket

Corner post cab bracket for mounting Greenstar display.

PF90385	Single Display Bracket Mount	Price – \$149.00	Sale Price – \$111.54
PF90430	Dual Display Adapter Mounting	Price – \$109.38	Sale Price – \$100.63



Instructional Seat

This top-quality seat comes complete with a retractable seat belt that bolts securely to the cab.

NUMBER	APPLICATION	LIST	NOW
RE192707	Fits 7720–7920, 8100–8400,* 8100T–8400T, 8110–8410, 8110T–8410T, 8120–8520, and 8120T–8520T Row-Crop Tractors; and 9300T–9400T and 9320T–9520T 4WD Tractors; 4940 Sprayer, 4730–4930 Sprayers, 4720/4920 Sprayer	\$342.82	\$325.68
RE195932	Fits 9100–9400 and 9120–9620 4WD Tractors	\$748.88	\$688.97
AL173569	6020, 6030, 6030 Prem, 7030, 7030 Prem, Current 6M Series Tractors	\$691.90	\$636.55
BSJ10434	5R	\$614.90	\$565.71
BSJ10125	5E, 5M, 5MH Final Tier 4	\$633.60	\$582.91

^{*}For the following tractors, also order (1) R184251 bracket, (1) RE174406 upholstery, and (1) R131751 bracket: 8100 (-010005), 8200 (-010002), 8300 (-010004), and 8400 (-010004).



Cab-Mounted Sunshades

John Deere cab-mounted sunshades help eliminate glare as well as reduce heat buildup in the cab. They offer improved operator comfort during the day, and at night they simply roll up. Easy to install and all hardware is included. We also offer a **new left hand sunshade** bracket kit. This new bracket mounts completely inside the door opening and the shade will move with the door, allowing cab access without retracting the sunshade.

NUMBER	DESCRIPTION	LIST	NOW
RE197943	Front Shade Fits all 6000, 6010, 6020, 7000, 7010, 7020, 8000, 8010, 8020 (W&T), 9000, and 9020 (W&T) Series Tractors	\$131.37	\$120.86
RE197944	Rear Shade Fit all Large-Frame 7000, 7010, 7020 and 7030 Series, 8000, 8000T, 8010, 8010T, 8020, 8020T, 8030, 8030T, 9000, 9000T, 9020, 9020T, 9030 Series, and 9030T Series Tractors.	\$180.15	\$171.14
BRE10472	NEW! Left Hand Sun Shade Bracket Kit – Fits MY2014-2019 7R, 8R, 8RT, 9RT	\$ 99.00	\$ 91.08
RE562587	Sunshade Curtain – Rear, right hand or left hand (large)	\$151.40	\$139.29
RE261504	Sunshade Curtain – Front or left hand (small)	\$ 91.96	\$ 84.60

Note: Left hand sun shade bracket requires large sunshade RE562587 or small sunshade RE261504 – ordered separately.



Voyager Camera System

Add a camera and get a whole new view! The 6R, 7R, 8R, and 9R Series Tractors come equipped with built-in video capability for those who want better visibility when operating large machinery. You can use Voyager cameras, cables, and a special adapter harness on the new R Series Tractors equipped with the touchscreen CommandCenter™ or the GreenStar™ (GS3) 2630 display. These units can utilize one video input.



NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
SWVCMS20B	Voyager Camera with Mounting Bracket	6R/7R/8R/9R Series Tractors	\$189.63	\$170.67
SWCEC25	25-ft. Extension Harness	7R/8R/9R Series Tractors	\$ 28.54	\$ 25.69
SWTY26834	Adapter Harness – R Tractors	7R/8R/9R Series Tractors	\$104.24	\$ 93.82
SWTY26845	Adapter Harness IVS 2630 Monitor	7R/8R/9R Series Tractors	\$170.61	\$153.55
SWTY27027	6R Camera Harness Kit		\$302.99	\$272.69

This is easy.







iMatch Quick Hitch

The iMatch Quick Hitch provides easy hookup and a guaranteed fit for all Category 1 implements designed to meet the ASAE Category 1 Standard S278.6 for quick-attach hitches.

	NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
)	LVB25976	iMatch Quick Hitch Category 1 with Adjustable Top Hook. Includes One Set of Bushings (LVU15507)	Category 1, 3-pt. Hitch	\$383.90	\$319.99
	LVU12858	One iMatch Quick Hitch Lower Adapter Bushing – Length 33mm (1.3-in.)		\$ 24.54	\$ 22.51
	LVU15507	One iMatch Quick Hitch Lower Adapter Bushing — Length 50mm (1.97-in.)		\$ 26.00	\$ 23.81



Canopies for Compact and Utility Tractors


Protect yourself from extreme weather conditions throughout the year with a canopy from John Deere.

NUMBER	APPLICATION	LIST	NOW
Canopy:			
LP64809	Fits 1E, 1R, 2R, 2210, 2305, 2520, 4010, 4100, 4110, and 4115 Series Tractors	\$ 463.95	
LVB25334	Standard Canopy fits 3E, 3R, 4M, 4R, 5D, 5E, 5M, 3320, 3520, 3720, 4105, 4320, 4520, 4720, 5003, 5020, and 5025	\$ 490.60	\$ 451.31
AR201256	Fits 6000, 6010, 6030, 6015, 6003, 6005, 7020, and 7030 Series Open Station	\$1,653.30	\$1,520.91
RE270484	Deluxe Canopy fits 5D, 5E, 5M, 5003, 5025, 5105, 5205, and 5020 Series Tractors	\$ 828.30	\$ 761.91
Metal Canop	y:		
A-C7481G*	47" x 58" Universal Fit Green Metal Canopy Kit (Hardware Included) – 18 degrees of angle fore or aft, powder-coated finish, and insulated to reduce noise/vibrations/heat transfer	\$ 359.80	



Additional Mounting Hardware might be required. Ask us about the proper mounting hardware for your machine.

*Each kit includes all necessary universal mounting brackets and hardware to accommodate Roll Over Protection Systems (ROPS) that are between 27"–40" wide. Also available in Red, Blue, or Orange. Ask us for details.



A new seat can bring back the same wonderful feeling you had the first time you sat down on your machine. Ride comfortably with a replacement seat from John Deere.



NUMBER	APPLICATION	TYPE		LIST		NOW
CH16115	650, 750, 850, 950, 900HC, and 1050	John Deere	\$	220.21	\$	202.51
AM107759	655, 755, 756, 855, 856, 955	John Deere	\$	169.49	\$	155.81
A-AM107759	655, 755, 756, 855, 856, 955	A&I Products	\$	129.90		
LVU804201	670,770, 790, 870,970, 990, 1070, 3005, and 4005	John Deere	\$	284.44	\$	261.61
A-M805158	670,770, 790, 870,970, 990, 1070, 3005, and 4005	A&I Products	\$	201.84		
AM879503	4010, 4100, 4110, and 4115	John Deere	\$	258.98	\$	238.21
A-AM879503	4010, 4100, 4110, and 4115	A&I Products	\$	186.10		
LVA10029	4X00 and 4X10 Series Tractors	John Deere	\$	135.44	\$	124.51
A-LVA10029	4X00 and 4X10 Series Tractors	A&I Products	\$	95.07		
LVA12909	3X20, 4X10, 4X20, and 3R	John Deere	\$	308.10	\$	283.41
LVA12330	$3320-3720,4310-4710,4320-4720,\\$ and 3R	John Deere	\$	522.37	\$	480.51
LVA19221	3203, 1E, and 3E	John Deere	\$	185.33	\$	170.41
LVA14067	2210, 2305, 2X20, and 2R	John Deere	\$	202.48	\$	186.21
LVA19040	Seat Assembly – 4M Series Tractors	John Deere	\$	215.62	\$	198.31
LVA19041 *Check machine ser	Seat Assembly — 4R Series Tractors ial number for correct parts	John Deere	\$1	,469.57	\$1	,351.91

Compact Utility Tractor Additional SCVs

Adding a Third or Fourth and Fifth Selective Control Valve (SCV) to your machine can provide enhanced functionality when using hydraulically controlled implements and attachments.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
BLV10838	Third SCV	1E and 1R Series Tractors	\$ 630.34	\$ 579.81
BLV10731	Third SCV Kit w/o Detent	2X20 and 2R Series Tractors	\$1,178.10	\$1,083.81
LVB24845	Third SCV	3X20 Series Tractors	\$ 352.00	\$ 323.71
LVB26030	EH Third SCV, OOS	3320–3720 and 4105 Series	\$1,255.10	\$1,154.61
LVB26031	EH Third SCV, Cab	3320–3720 Series Tractors	\$1,184.70	\$1,089.81
BLV10500	EH Third SCV, OOS	MY15 – 3R Series Tractors	\$ 968.00	\$ 890.51
BLV10887	EH Third SCV, Cab	MY14 – 3R Series Tractors	\$1,255.10	\$1,154.61
BLV10961	EH Third SCV	Open Station – MY14, Cab MY15 – 3R Series Tractors	\$ 968.00	\$ 890.51
BLV10761	Fourth and Fifth SCV	3X20 and 3R Series Tractors	\$ 882.20	\$ 811.51
LVB25089	Third SCV	4510–4710 Series Tractors	\$ 327.80	\$ 301.51
LVB25513	Third SCV, OOS	4X20 Series Tractors	\$ 293.70	\$ 270.11
LVB26077	Electric Diverter Kit, OOS	4X20 Series Tractors	\$1,576.30	\$1,450.11
LVB26033	EH Third SCV, Cab	4320–4720 Series Tractors	\$1,184.70	\$1,089.81
LVB24855	Flow Diverter Kit	4320–4720 Series Tractors	\$1,576.30	\$1,450.11
LVB26037	Fourth and Fifth SCV, OOS	4X20 Series Tractors	\$ 908.60	\$ 835.81
LVB26072	EH Fourth and Fifth SCV, Cab	4320–4720 Series Tractors	\$1,455.30	\$1,338.81
BLV10764	EH Third SCV, OOS	4M and 4R Series Tractors	\$1,005.40	\$ 924.91
BLV10050	Dual Rear SCV, OOS	4M and 4R Series Tractors	\$ 918.50	\$ 844.91
BLV10763	EH Third SCV, Cab	4R Series Tractors	\$1,005.40	\$ 924.91
BLV10045	Dual Rear SCV, Cab	4R Series Tractors	\$ 999.90	\$ 919.81
Additional parts m	ay be required for complete setup. OOS den	otes Open Operator Station. Please see us fo	r details.	



Additional parts may be required for complete setup. OOS denotes Open Operator Station. Please see us for details.

Additional SCVs for Utility Tractors

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
SJ289614	Dual Rear SCV	5103–5403 Tractors	\$ 809.60	\$ 744.71
RE73288	Rear SCV	5105, 5205 Tractors	\$ 809.60	\$ 744.71
BSJ10190	Second Rear SCV	5045D, 5055D, 5045E–5075E Tier 2 Engine Tractors	\$ 833.80	\$ 767.01
SJ13780	Triple Deluxe Rear SCV	5083E Limited, 5093E Limited, 5101E Limited Tractors	\$2,336.40	\$2,149.41
SJ11114	Dual Rear SCV w/Lever	5083E Limited, 5093E Limited, 5101E Limited Tractors	\$ 387.20	\$ 356.11
RE270429	Triple Rear SCV w/Lever	5083E Limited, 5093E Limited, 5101E Limited Tractors	\$1,317.80	\$1,212.31
RE248038	Dual Rear SCV	5065M–5115M IT4 Tractors	\$1,661.25	\$1,528.31
RE272024	Triple Rear SCV	5065M–5115M IT4 Tractors	\$3,693.37	\$3,397.81
RE228060	Dual Rear SCV	5225–5625 Tractors	\$1,618.10	\$1,488.61
RE228062	Triple Rear SCV	5225–5625 Tractors	\$2,336.40	\$2,149.41
BSJ10002	Rear SCV	5045E–5075E FT4 Tractors	\$ 833.80	\$ 767.01
BSJ10441	Rear SCV	5075M–5115M, 5100MH Tractors	\$1,004.30	\$ 923.91
BSJ10110	Dual to Triple Rear SCV	5090E, 5100E, 5100M, 5100MH, 5115M Tractors	\$1,004.30	\$ 923.91
BSJ10234	4th SCV, Open Center	5090R–5125R Tractors	\$ 795.30	\$ 731.61
BSJ10440	4th SCV, Pressure Flow Compensated	5090R–5125R Tractors	\$1,101.10	\$1,012.91









A-WL56M2C




CabCAM™

Wired and Wireless CabCAM™

Featured benefits:

- Eliminate blind spots
- Improve visibilitySee better at night
- Easy installation

,			
NUMBER	DESCRIPTION	FEATURES	LIST
Wired CabCA	M:		
A-CC7M1C	7" Wired Color CabCAM™ System	Standard Monitor, 1 Camera	\$341.70
A-CTB7M1C	7" Wired Color CabCAM™ System	Touch Button Monitor, 1 Camera	\$369.99
A-CWT7M1C	7" Wired Color CabCAM™ System, Weatherproof Capability	Weatherproof Touch Button Monitor, 1 Camera	\$442.50
A-CC7M2CQR	7" Wired Color CabCAM™ Quad System	Touchscreen Quad Monitor, 2 Cameras	\$640.00
A-CTB9M1C	9" Wired Color CabCAM™ System	Touch Button Monitor, 1 Camera	\$427.07
A-CCT9M2CQ	9" Wired Color CabCAM™ Quad System	Touchscreen Quad Monitor, 2 Cameras	\$665.49
A-CC35M1C	3.5" Wired Color CabCAM™ System	Standard Monitor, 1 License Plate Camera	\$228.29
Wireless Cab	CAM:		
A-WL56M2C	7" Wireless Color CabCAM™ System, Analog	Analog Monitor, 2 Cameras (Channel 1 and 2)	\$530.69
A-WCCH3	Weatherproof Wireless CabCAM™ Camera, Analog, Infrared Illumination	Channel 3	\$132.06
A-WCCH4	Weatherproof Wireless CabCAM™ Camera, Analog, Infrared Illumination	Channel 4	\$132.06
A-CDW7M1C	7" Wireless Color CabCAM™ Quad System, Digital	Digital Quad Monitor, 1 Camera	\$484.86
A-DWC86	Weatherproof Wireless CabCAM™ Camera, Digital, Infrared Illumination	Works with Digital Wireless System Only	\$192.00
A-DWC86WL	Weatherproof Wireless CabCAM™ Camera, Digital, LED Illumination	Works with Digital Wireless System Only	\$192.00
Convert your	Wired CabCAM System to Wirel	ess:	
A-DWT34	Digital Wireless CabCAM™ Transmitter	Attach to any wired CabCAM™ Camera to make wireless, must be paired with A-DWR96 Receiver	\$183.00
A-DWR96	Digital Wireless CabCAM™ Receiver	Attach to any wired CabCAM™ Monitor to make wireless, must be paired with A-DWT34 receiver or A-DWC32 Camera	\$141.00
A-DWC32	Weatherproof Wireless CabCAM™ Camera, Digital, Infrared Illumination	Must be Paired with A-DWR96 Receiver	\$192.00
A-DWC32WL	Weatherproof Wireless CabCAM™ Camera, Digital, LED Illumination	Must be Paired with A-DWR96 Receiver	\$192.00
Wireless Pow	er for your CabCAM™ System:		
A-CPA509	Rechargeable Battery	For Wireless Cameras & Monitors	\$107.14



A&I Products LED Lights

A full selection of LED lights for universal and direct fit applications.

NUMBER	DESCRIPTION	APPLICATION	LIST
Universal Wo	orklamps:		
A-WL38BS	Square Blue Spot, 9-3W Cree Diodes, 4" x 4" x 2.4"	Blue light ideal for sprayer booms, 1 light per 80'	\$ 62.50
A-WL89CC	Square Flood w/CabCAM $^{\text{\tiny{M}}}$ Camera, 8-5W Cree Diodes, 4.8" x 4.8" x 3.6"	2890 Effective Lumens, Works with Wired CabCAM™	\$ 245.71
A-WL820	Oval Flood, 10-3W Cree Diodes, 6" x 4.75" x 3"	1920 Effective Lumens	\$ 90.94
A-WL825	Oval Trapezoid, 10-3W Cree Diodes, 6" x 4.75" x 3"	1920 Effective Lumens	\$ 90.94
A-WL525	Square Flood, 1-25W COB Diode, 3.5" x 3.5" x 2.75"	2000 Effective Lumens	\$ 99.15
A-WL640	Rectangle Flood, 8-3W Cree Diodes, 6" x 3.5" x 3.5"	1600 Effective Lumens, Side Mount	\$ 76.39
A-WL650	Rectangle Trapezoid, 8-3W Cree Diodes, 6" x 3.5" x 3.5"	1600 Effective Lumens, Side Mount	\$ 80.60
A-WL461	Square Flood, 16-3W Cree LED Diodes, 5" x 5" x 2.5"	4160 Effective Lumens	\$ 81.43
A-WL471	Square Trapezoid, 16-3W Cree LED Diodes, 5" x 5" x 2.5"	4160 Effective Lumens	\$ 81.43
Replacement	: Lamps:		
A-WL8000KT	LED Light Kit, Includes 12 Complete Plug & Play Lights	Fits John Deere Tractor: 8100, 8100T, 8110, 8110T, 8200, 8200T, 8210, 8210T, 8300, 8300T, 8310, 8310T, 8400, 8400T, 8410, 8410T	\$ 1,040.61
A-WL9000KT	LED Light Kit, Includes 6 Complete Plug & Play Lights	Fits John Deere Combine: CTS, 9400, 9410, 9450, 9500, 9510, 9600, 9610, 9650, 9660CTS, (9560, 9560STS, 9570STS, 9650STS, 9660, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS (All Earlyl)	\$ 565.25
A-WL9697KT	LED Light Kit, Includes 8 Complete Plug & Play Lights	Fits John Deere Combine: 9470STS, 9560SH, (9560, 9560STS, 9570STS, 9650STS, 9660, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS (All Late))	\$ 804.67
A-WL2123KT	LED Light Kit, Includes 6 Complete Plug & Play Lights	Fits Case-IH Combine: 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588	\$ 554.17
A-WL789KT	LED Light Kit, Includes 8 Complete Plug & Play Lights	Fits Case-IH Combine: 5088, 6088, 7088, 7120, 7130, 7230, 8010, 8120, 8230, 9120, 9130, 9230	\$ 847.22
A-WL671L	Flood Headlamp, LH	Fits Bobcat Skid Steer: A220, A300, S100, S130, S150, S160, S175, S185, S205, S220, S250, S300, S330, T110, T140, T180, T190, T200, T250, T300, T320, 751, 753, 763, 773, 863, 864, 873, 963	\$ 88.89
A-WL671R	Flood Headlamp, RH	Fits Bobcat Skid Steer: A220, A300, S100, S130, S150, S160, S175, S185, S205, S220, S250, S300, S330, T110, T140, T180, T190, T200, T250, T300, T320, 751, 753, 763, 773, 863, 864, 873, 963	\$ 88.89

AllPartsStore.com 79

Ballasting for Loader Work

When doing loader work, rear ballast provides a counterweight for material in the loader bucket. This maximizes overall stability and productivity by keeping all four wheels on the ground. In addition to improving the tractor's performance, proper rear ballast will maximize the life of the front wheel drive axle, as well as other drivetrain components. A 3-point hitch-mounted implement can also be used for ballast, but it must meet the specified weight requirement. A 23-cm (9-in.) high extension can be added to the cat. 1 ballast box for even greater capacity. A bushing kit is required for the ballast box to be used with the iMatch™ Quick-Hitch.

NUMBER	DESCRIPTION	LIST		NOW
BW15073	Ballast Box for Category 1 Hitch*	\$ 302.50	\$	272.19
BW15074	Ballast Box Extension for Category 1 Box	\$ 143.00	\$	128.59
BW15852	Large Ballast Box for Category 2/3 Hitch	\$ 1,269.40	\$1	,142.39
Available Bu	shing Kits:			
LP25004	Quick Hitch Adapter Bushing Kit	\$ 29.70		
LP19969	iMatch Bushing Kit	\$ 35.00		
BW15056	iMatch Quick-Coupler Bushing Kit	\$ 104.50	\$	93.99





Add More Do More

with John Deere Loader Bucket Attachments



Digging Teeth

Can be added to Heavy-Duty Buckets for easier digging in hard ground or breaking loose hard-packed materials such as manure or silage. Not compatible with replaceable cutting edges.



Replaceable Cutting Edge

Cutting edges are recommended for use when scraping on concrete or other abrasive materials. Replaceable, reversible cutting edges protect the welded-on cutting edge of the bucket.



Tooth Bar

Tooth bars help penetrate hard-packed material. Attach to bucket by sliding over the cutting edge. Retained by two bolts, one in each end plate of bucket.

NUMBER	DESCRIPTION	LENGTH	LIST	NOW
BW15763	Digging Teeth		\$294.80	\$265.19
BW14762	Replaceable Cutting Edge	(1550mm) 61 in.	\$168.30	\$151.39
BW15819	Replaceable Cutting Edge	(1680mm) 66 in.	\$185.90	\$167.19
BW14763	Replaceable Cutting Edge	(1850mm) 73 in.	\$206.80	\$185.99
BW14267	Replaceable Cutting Edge	(2150mm) 85 in.	\$361.90	\$325.59
BW13910	Replaceable Cutting Edge	(2300mm) 91 in.	\$387.20	\$348.39
BW14269	Replaceable Cutting Edge	(2450mm) 96 in.	\$409.20	\$368.19
BW15249	Replaceable Cutting Edge	(2750mm) 108 in.	\$474.10	\$426.59
BW15227	Tooth Bar	(1550mm) 61 in.	\$508.20	\$457.29
BW15589	Tooth Bar	(1680mm) 66 in.	\$556.60	\$500.79
BW15228	Tooth Bar	(1850mm) 73 in.	\$616.00	\$554.29



OEM and aftermarket bearings from your John Deere dealer

From John Deere OEM to aftermarket alternatives from A&I Products, your John Deere dealer has the right bearings to fit your needs ... and your budget.

NUMBER	DESCRIPTION	APPLICATION	TYPE	LIST	NOW
Gauge Wheel Be	earings, Marker Disk Be	earings:			
AN212132	Ball Bearing	Planters: ME, ME2, ME+, MEXP, & Pro-Series XP Drills: 750, 1520,1530, 1535,1560, 1590, 1850, 1860, 1890, & 1895	John Deere	\$13.45	\$12.37
A-5203KYY2-I	Bearing, Double Row	Planters: ME, ME2, ME+, MEXP, & Pro-Series Drills: 750, 1520,1530, 1535, 1560, 1590, 1850, 1860, 1890, & 1896	A&I Products	\$ 8.58	
Row Cleaner Be	arings:				
AA38601	Ball Bearing	Planters: ME, ME2, ME+, MEXP, & Pro-Series XP	John Deere	\$20.01	\$18.40
A-AA38601	Ball Bearing	Planters: ME, ME2, ME+, MEXP, & Pro-Series XP	A&I Products	\$16.16	
AA59196	Ball Bearing	Planters: MEXP & Pro-Series XP	John Deere	\$13.78	
A-AA59196	Ball Bearing	Planters: MEXP & Pro-Series XP	A&I Products	\$12.17	
Cast Closing Wh	neel Bearings:				
AA34132	Ball Bearing	Planters: ME, ME2, ME+, MEXP, & Pro-Series, XP Drills: 455, 750, & 1535	John Deere	\$13.70	\$12.60
A-AA34132	Ball Bearing	Planters: ME, ME2, ME+, MEXP, & Pro-Series, XP Drills: 455, 750, & 1535.	A&I Products	\$ 3.97	
AA61722	Ball Bearing	Planters: ME2, ME+, MEXP, & Pro-Series XP Drills: 455, 750, 1535, & 1850	John Deere	\$ 6.33	\$ 5.82
A-6203-2RS-I	Clutch Pilot Bearing	Planters: ME2, ME+, MEXP, & Pro-Series XP Drills: 455, 750, 1535, & 1851	A&I Products	\$ 3.28	
A-6203-2RS-P	Clutch Pilot Bearing	Planters: ME2, ME+, MEXP, & Pro-Series XP Drills: 455, 750, 1535, & 1851	A&I Products	\$ 5.71	
Unit Mounted C	oulter and Single Disk	Fertilizer Bearings:			
JD8187	Bearing Cone	Planters: ME, ME2, ME+, MEXP, & Pro-Series XP Drills: 730, 735, 737,770, 775, 780, 785, 1790, 1820, 1830, 1835, 1840, 1870, 1890, 1895, 1990	John Deere	\$ 8.72	\$ 8.02
A-LM67048-I	Bearing	Planters: ME, ME2, ME+, MEXP, & Pro-Series XP Drills: 730, 735, 737,770, 775, 780, 785, 1790, 1820, 1830, 1835, 1840, 1870, 1890, 1895, 1992	A&I Products	\$ 4.10	
A-LM67048-P	Cone, Tapered Roller	Planters: ME, ME2, ME+, MEXP, & Pro-Series XP Drills: 730, 735, 737,770, 775, 780, 785, 1790, 1820, 1830, 1835, 1840, 1870, 1890, 1895, 1991	A&I Products	\$ 8.71	

John Deere Oil Filters + Plus-50™ II Engine Oil = 500 Hours* Free of Downtime



When you pair John Deere engine oil filters with premium Plus-50 II engine oil, there's no stopping you for 500 hours! That's because John Deere engineers design our maintenance products to work hand-in-hand to defend your machine from harsh conditions and wear. Plus, both John Deere filters and Plus-50 II are ready to protect engines.

Don't take your equipment to the field without this winning combo. Trust John Deere filters and oil to help your machines last.

^{*500-}hour drain interval applies to diesel John Deere engines when the following criteria are met: 1. Engine is equipped with an extended drain interval oil pan, 2. Machine operates with Plus-50 II engine oil API CJ-4/SN, 3. Machine uses a John Deere oil filter, 4. Machine uses only Ultra Low Sulfur Diesel fuel.

John Deere Fuel Filters—They're just better.



When it comes to fuel, water is the number one enemy, leading to poor performance and reliability. That's why John Deere fuel filters are specially designed to not only trap water, but also repel it.

Matched to your machine for optimized fuel flow, all genuine John Deere fuel filters are tested to meet or exceed original John Deere specifications.

Don't trust your equipment to anyone else. Insist on genuine John Deere fuel filters.



Protect your All Makes equipment with the advanced technology of Fleetguard® filters.

We offer Fleetguard filters for almost every make of off-road equipment and heavy-duty on-road vehicle.

Lube: Fleetguard spin-on lube filters meet or exceed OE performance requirements and the new challenges of modern engine technology. StrataPore® media as introduced in the full flow section to work in combination with the stacked discs to remove the smallest dirt particles, which cause the most engine damage. This configuration reduces engine wear by as much as 60% in some applications. The pairing of NanoNet® media with StrataPore media has created a new breed of lube filter that offers higher efficiency, higher capacity, and the best cold flow vs. restriction available.

Air: Fleetguard air filters deliver the cleanest combustion air possible for On & Off Highway engine applications. Nanofiber, when combined with our enhanced pleat design, delivers optimal air filter performance for superior engine protection and lower equipment operating costs. Magnum RS® radial seal primary and safety air elements provide real-world value. Magnum RS offers unique features that provide significant benefits for longer service life and optimum performance when the job demands it.

Fuel: Fleetguard fuel filters deliver best-in-class performance using proprietary StrataPore or NanoNet media which remove harmful contaminants. Each gradient media layer offers unique properties that tailor performance based on specific applications requirements. Use of Fleetguard on-engine filters ensures optimal fuel system protection.

Hyd: We also offer a comprehensive replacement hydraulic filter line for many competitive filter part numbers. Through the right choice of filter media, Fleetguard hydraulic filtration products achieve higher efficiency and dust capacity with lower pressure-drop characteristics than the competition. This prolongs component life, which saves you money in the long run. The proper oil-cleanliness level for critical clearances on components in the hydraulic fluid stream is the key.







ON THE FARM. IN THE FIELD. ON THE HIGHWAY.





ONE ENGINE OIL FOR ALL.

It takes a special breed of oil to keep engines running in off-road conditions. That's because Plus-50™ II Oil is specially formulated to keep engines running smoothly and efficiently in extreme off-road conditions. Tractors. UVs. Let John Deere Plus-50 II Oil be the one oil on your farm. **Talk to your dealer today.**

JOHN DEERE PLUS-50™ II OIL. KEEP RUNNING.



JohnDeere.com/Oil JohnDeere.ca/Oil

Use only as directed. Please read safety and warning information. John Deere, the leaping deer symbol and John Deere's green and yellow trade dress are the trademarks of Deere and Company.





Plus-50™ II Synthetic SAE 0W-40 / New 5W-40 API CK-4/SN Engine Oil

Plus-50 II Premium Engine Oil (SAE 0W-40) is a full synthetic PAO (Poly Alpha Olefin) based oil and the New Plus-50 II engine oil (SAE 5W-40) is an all-season synthetic engine oil that provides excellent performance for customers who operate in extremely cold or hot conditions and want to maximize engine life performance in modern engines and is completely backwards compatible for older engines.



Plus-50™ II API CK-4/SN Engine Oil

Plus-50 II SAE 15W-40 and 10W-30, is made with a unique additive system that offers excellent protection from deposits and wear. It exceeds API service classification CK-4/SN and John Deere Severe Off-Road Dyno test. It's excellent for diesel engines!

- Excellent product for current and older engines
- Formulated specifically to inhibit engine wear, corrosion, sludge, soot, varnish, and oxidation
- Extended drain intervals up to 500 hours in a John Deere engine, using a John Deere filter and ULSD diesel
- Proven performance in low-emission IT4 and FT4 engines
- Full-fleet solution and fully backwards compatible
- Tested and developed for severe off-road applications

Bulk Oil

Save time and money with John Deere bulk oil. If your fleet is using 330 gallons (1,250 liters) or more in a year, the John Deere bulk oil program can benefit your operations. Reduce your cost for oil, reduce the risk of contamination, and eliminate handling and disposal of packaged products with John Deere bulk premium lubricants. Visit your local John Deere dealer and ask to buy bulk John Deere Plus-50 II 15W-40 engine oil and/or Hy-GARD™ hydraulic/transmission oil.



Torq-Gard™

When you are looking for hardworking, standard-interval engine oil, Torq-Gard is a great choice. It protects in a broad range of applications, including 4-stroke diesel, natural gas, and gasoline engines. Available in 15W-40, 10W-30, 5W-30, and 30.

- Neutralizes acid to reduce corrosion
- Provides sludge control for cleaner engines
- Many viscosity grades offered for application in moderate to very cold operating temperatures
- Low-temperature fluidity for reduced engine startup wear



Turf-Gard™

Turf-Gard motor oil is recommended for all 4-cycle gasoline engines in lawn and garden tractors, riding mowers, generators, and other outdoor power equipment. Turf-Gard keeps engines clean and provides superior engine wear protection and fuel efficiency.

NUMBER	DESCRIPTION	SIZE	
TY25121	SAE 5W-30	1-qt.	
TY22029	SAE 10W-30	1-qt.	
TY25122	SΔF 10W-40	1-at	

See us for pricing.



Break-In Plus Engine Oil

Break-In Plus is a special purpose engine oil developed to be used in rebuilt or remanufactured engines and new John Deere engines during the initial break-in period/oil service interval. During the initial operation of a new or rebuilt engine with Break-In Plus, change the oil and filter between a minimum of 100 hours and a maximum of up to 500 hours. Check your operator manual for the maximum interval recommendation.

Break-In Plus provides two major differences from the traditional Break-In Oil:

- Meets the oil requirements for Final Tier 4 (FT4), interim Tier 4 (IT4), and supports all legacy engines
- Maximum drain interval up to 500 hours



John Deere Diesel Exhaust Fluid

With John Deere Diesel Exhaust Fluid, you can be confident you're getting a highquality product that will provide unsurpassed performance while protecting your equipment investment. Simplify your operation by making John Deere your one source for quality fluids.

NUMBER	DESCRIPTION	SIZE	
SWDEF025	John Deere Diesel Exhaust Fluid	9.46L (2.5-gal.)	
SWDEF055	John Deere Diesel Exhaust Fluid	208L (55-gal.)	
SWDEF330	John Deere Diesel Exhaust Fluid	1249L (330-gal.)	

See us for pricing.





Transmission and Hydraulic Oil

Hy-Gard™ oils are specifically developed to meet the exact requirements of transmissions, wet clutches, wet brakes, and hydraulic systems. Oils not meeting these exact specifications can compromise machine or component life.

Hy-Gard performance tested both in lab and in the field and approved by John Deere engineers to meet the increase demands for performance and protection of transmission and hydraulic systems.

Hy-Gard Oil

Available in 1-, $2^{1/2}$ -, 5-, 30-, 55-, and 220-gallon containers.

- Recommended for equipment with common system reservoirs or separate transmission and hydraulic systems
- Exceeds JDM J20C specification

Low-Viscosity Hy-Gard Oil

Available in quarts and 1-, 5-, and 55-gallon containers.

- Use in place of Hy-Gard oil in cold weather
- Exceeds JDM J20D specification

Bio Hy-Gard II Oil

Available in 5- and 55-gallon containers.

- Formulated from conola-based oil
- 94% Biodegradable
- Use in place of mineral-based hydraulic oils



Antifreeze/Coolant

Cool-Gard™ II High Performance Long-life, Heavy-duty Formula.

- Formulated for up to 6-years/6,000-hours* life in cooling systems of diesel and gas engines
- Supports advanced engine technology
- Protects against corrosion and deposits
- Extends water pump life and prevents liner cavitation
- High thermal and oxidation protection
- Ready-to-use 50/50 premix formula for freeze protection down to -34°F (-37°C)
- Contains bittering agent to help discourage accidental ingestion
- Less toxic (PG) propylene glycol available for use around animals

NUMBER	DESCRIPTION	SIZE
Cool-Gard II:		
TY26573	Concentrate	1-U.S. gal.
TY26574	Concentrate	55-U.S. gal.
TY26575	Pre-mixed	1-U.S. gal.
TY26576	Pre-mixed	2 1/2-U.S. gal.
TY26577	Pre-mixed	55-U.S. gal.
TY26578	Pre-mixed	330-U.S. gal. tote
TY26968	PG, Pre-mixed	1-U.S. gal.
TY26969 PG	Pre-mixed	55-U.S. gal.
TY26970 PG	Pre-mixed	330-U.S. gal. tote
4B II I		

^{*}Rating applies when complete cooling system flush is performed prior to use.

See us for pricing.

Grease

John Deere grease is specifically formulated to meet the demanding lubricating needs for tough off-road and on-road conditions. The right high-quality John Deere grease could save you money through longer equipment life, reduced downtime, and lower equipment operational cost.

BEST

Multipurpose SD polyurea grease and Extreme-Duty synthetic grease:

- John Deere's best multipurpose grease; ideal for high temperatures and extreme pressures
- Use for U-joints, wheel bearings, and other grease points requiring severe-duty grease

NUMBER	DESCRIPTION	SIZE
Multipurpose Gr	ease:	
CXTY24419	Multipurpose SD Polyurea Grease	3-oz. twin pack
TY6341	Multipurpose SD Polyurea Grease	14-oz. cartridge
TY25744	Synthetic Grease	14-oz. cartridge
TY24416	Multipurpose HD Lithium Complex Grease	14-oz. cartridge
PT507	Multipurpose Lithium Grease	14-oz. cartridge
Specialty-Purpos	se Grease:	
TY24425	Heavy-Duty Water-Resistant Grease	14-oz. cartridge
AN102562	Corn Head Grease	14-oz. cartridge
TY6333	3% Moly Lithium Complex Grease. For use in heavy loads for pin-to- bushing contact. Great for construction equipment.	14-oz. cartridge
TY25083	Golf and Turf Cutting Unit Grease	14-oz. cartridge
TY27373	Calcium Sulfinate 5% Moly. For use in heavy loads for pin-to-pin bushing contact.	15-oz. cartridge



DEF Supporting Equipment

Portable dispensing units (PDUs) are available in a variety of sizes, perfect for any application. Additionally, the pump kits deliver 7–10 gallons per minute and have an industry-leading five-year warranty.

NUMBER	DESCRIPTION
SW12VDEFP	12V Pump Kit w/ Poly Manual Nozzle
SW110VDEFP	110V Pump Kit w/ Poly Manual Nozzle
SW12VDEFSS	12V Pump Kit w/ Stainless Steel Nozzle
SW110VDEFSS	110V Pump Kit w/ Stainless Steel Nozzle
SWDEFPDU65P	DEF Poly PDU – 65-gal. (246L)
SWDEFPDU65M	DEF Metal Box w/ Poly PDU – 65-gal. (246L)













Diesel Fuel Conditioner

Don't let problematic fuel cause damage or downtime. Fuel-Protect Conditioners help you keep going all season by preventing fuel system erosion caused by poor fuel quality. With Fuel-Protect, you'll notice smoother starting and less exhaust smoke.

NUMBER	DESCRIPTION	SIZE	LIST
TY27722	Fuel Conditioner	16-oz.	\$ 8.93
TY27723	Fuel Conditioner	1-gal.	\$ 51.67
TY27724	Fuel Conditioner	5-gal.	\$251.97

Keep Clean / Microbiocide / Emergency Thaw

Keep Clean: Specifically formulated for high pressure diesel fuel systems. Prevents and limits formation of deposits that cause injector sticking, misfire, rough idling, power loss or hard starting conditions.

Microbiocide: Antimicrobial fuel preservation additive recommended for control of bacteria and fungi in fuel systems.

Emergency Thaw: Dissolves gelled diesel fuel and melts ice in the fuel filter caused by freezing conditions, restoring fuel flow to the engine.

NUMBER	DESCRIPTION	SIZE	LIST
TY26827	Keep Clean	946ml (32-oz.)	See Us
TY26828	Keep Clean	3.78L (1-gal.)	See Us
TY26829	Keep Clean	18.9L (5-gal.)	See Us
TY26830	Keep Clean	208L (55-gal.)	See Us
PM701014US	FQS 1.5 Microbicide	946ml (32-oz.) / Pkg. qty. 4	\$47.51
TY27730	Emergency Thaw	946ml (32-oz.)	\$ 9.88

GL-5 and Synthetic GL-5 Gear Lube

GL-5 and Synthetic GL-5 lubricant is designed for severe on- and off-highway applications. Its superior thermal stability and oxidation resistance keeps gears and seals clean, while its thermal durability protects gears from physical damage by preventing heat-induced failure of anti-wear chemistry.

NUMBER	DESCRIPTION	SIZE	
Synthetic GL-5 (Gear Lube:		
TY26372	80W-140	1-qt.	
TY26373	80W-140	5-gal.	
TY26374	80W-140	16-gal.	
TY26375	75W-90	1-qt.	
TY26376	75W-90	5-gal.	
TY26377	75W-90	16-gal.	
GL-5 Gear Lube:			
TY6296	80W-90	1-qt.	
TY26815	80W-90	1-gal.	
TY26816	80W-90	5-gal.	
TY26817	80W-90	30-gal.	
TY6345	85W-140	1-qt.	
TY26812	85W-140	1-gal.	
TY26813	85W-140	5-gal.	
TY26814	85W-140	30-gal.	
Synthetic Gear Lubricant for Combine Feederhouse Drives:			
TY26408	HD460	1-qt.	

See us for pricing.

Keep it in the field longer. Trust John Deere batteries to get you through the season and beyond.



In the field, the right battery can make a big difference—and the right battery for your John Deere equipment is StrongBox™. It's the best battery you can use in your machinery because it's developed and tested right alongside John Deere equipment. Our engineers designed StrongBox with the following benefits to give you a better battery:

- Increased power for quick starts in extreme cold
- High cranking amps, faster charges, and efficient design for lowering electrical resistance
- Epoxy-anchored plates that are four times stronger than traditional plates to reduce vibration damage the leading cause of failure in commercial batteries

StrongBox has also been proven to deliver better performance—up to eight times longer than its competitors. We even proved it with extensive testing against the top competitors in the industry.

Don't chance it with standard batteries. Power up with batteries built for the rugged conditions you face. Power up with StrongBox.



StrongBox[™] Batteries

StrongBox batteries fit all makes of heavy- and light-duty equipment used on farms, ranches, and construction sites. They also fit most lawn and garden equipment, SUVs, and ATVs. You can't beat StrongBox for quality and value!

NUMBER	BCI	CCA		
Heavy-duty Special Tractor Appl	cations:			
TY21737A	3EH	850		
Heavy-duty Commercial Applica	tions:			
TY21734A	4	975		
TY21764A	24	550		
TY23020A	4D	1400		
TY23025A	5D	1000		
TY24341A	3ET	620		
TY24546A	31	925		
TY25272A	27	650		
TY25879A	31	925		
TY26442A	34	770		
TY25881A	45	500		
TY26498A	22NF	500		
TY26782A	D4	1200		
TY26783A	D5	1400		
Lawn and Ground Care Applications:				
TY25221A	U1	342		
TY25878A	U1	300		

See us for exchange pricing.



Performance Batteries for Most Types of Equipment

John Deere Performance batteries are available for a variety of applications and fit most types of equipment, including agricultural, commercial, sport utility, and marine.

NUMBER	BCI	CCA			
Commercial Applications:					
SWHP-31E	31	925			
SWHP-31D	31	925			
SWCOM-4D-P	4D	1000			
SWCOM-5D	5D	850			
SW22NF-40	22NF	390			
SWF-3ET	3ET	460			
Lawn and Ground Care Application	Lawn and Ground Care Applications:				
SWGT-XPL	U1	300			
SWGT-X	U1	300			
SWGT-H	U1	235			

See us for exchange pricing.

^{*}Activated StrongBox batteries are available only at participating dealers.

**Dealers are not subject to sell an Activated battery at the same price as a Dry battery.

Performance Truck/SUV Batteries

The new John Deere Performance Truck/SUV batteries are available in a variety of sizes and will fit most automotive models. See your local dealer to find the battery that fits your vehicle needs.

NUMBER	BCI	VOLTS	CCA	CA
Dodge/Ram:				
SW78-72	78	12	770	950
SWL4-94RX	L4/94R	12	790	950
Ford:				
SW59C	59	12	590	710
SW65-72	65	12	850	1000
Chevy/GMC:				
SW48X	48	12	760	910
SW78-72	78	12	770	950
Toyota/Nissan:				
SW24F-84N	24F	12	675	835
SW27F-60	27F	12	700	850



See us for exchange pricing.

Booster Cables

John Deere offers 2-gauge and 4-gauge Booster Cables in a variety of service options: extra heavy-duty professional, commercial, heavy-duty professional, and heavy-duty commercial.

NUMBER	DESCRIPTION	LIST	NOW
2-Gauge an	d 4-Gauge 100% Copper Conduits:		
TY26217	Booster Cable, Extra Heavy-duty, 20-ft., 2-gauge	\$114.64	\$91.71
TY26215	Booster Cable, Commercial Service, 16-ft., 4-gauge	\$ 68.51	\$54.81
TY26216	Booster Cable, Commercial Service, 20-ft., 4-gauge	\$ 81.39	\$65.11
2-Gauge an	d 4-Gauge Copper Clad:		
TY27301	Booster Cable, Heavy-duty Professional, 20-ft., 2-gauge w/ bag	\$ 72.80	\$58.24
TY27302	Booster Cable, Heavy-duty Commercial, 16-ft., 4-gauge w/ bag	\$ 50.95	\$40.76



Battery Cleaner and Terminal Corrosion Preventer

NUMBER	DESCRIPTION	LIST	NOW
TY25767	Battery Cleaner (15-oz.)	\$4.44	\$3.55
TY25766	Terminal Corrosion Preventer (10-oz.)	\$5.44	\$4.35





Battery Accessories

Make John Deere your one-stop shop for battery accessories.
Our wide selection of battery accessories includes terminals, terminal brushes, bolts, corrosion preventative, and terminal cleaner—everything you need! See us today for the complete Battery Accessories lineup.



Automatic Battery Charger/Maintainers*

Excellent for extending battery life for seasonally-used turf and utility equipment. Automatically maintains both 6- and 12-volt batteries, keeping them at full charge by using float-mode monitoring. Charger has AGM charging capabilities.

NUMBER	LIST	NOW
1.5 Amp		
TY25866	\$38.07	\$34.26
TY26328 (on-board)	\$36.16	\$32.54
3 Amp		
TY27265	\$60.58	\$54.52
*Not available in California		




Automatic Battery Chargers


NUMBER	DESCRIPTION	LIST	NOW
TY27731	250-amp 12V and 125-amp 6V Engine Start Wheel Charger	\$258.86	\$232.97
TY27732	200-amp 12V and 125-amp 6V Engine Start Benchtop Charger	\$190.14	\$171.13
TY27733	50-amp 12V Engine Start Benchtop Charger	\$ 89.30	\$ 80.37

Comment of the last of the las

John Deere Hydro-Max™ Hydraulic Cylinders

- Heavy-duty, double-acting tie-rod cylinders is rated for 2,500 or 3,000 psi continuous working pressure
- Chrome-plated, hardened piston rod and heavy-duty ductile iron clevis with 360-degree thread contact area and positive-locking set screw device
- Clevises include high-tensile zinc plated pins





Omni Hydraulic Multiplier Valves

The Omni hydraulic multiplier valve addresses the needs of the compact utility tractor owner. Take an existing single circuit and split it into two circuits with electric controls on any 12-volt electrical system. The Omni valve is designed to be used on open, closed, or PFC hydraulic systems.

NUMBER	MULTIPLIER VALVE TYPE	NUMBER OF FUNCTIONS	ADD-ON	LIST	NOW
SW757-1550	Standard	2	With RCS Handle	\$ 835.07	\$ 734.86
SW757-1552	Standard	4	With RCS Handle	\$1,695.59	\$1,492.12
SW757-1520	Economy	2	With Pendant Switch	\$ 563.59	\$ 495.96
SWSV30	Standard	2	4 Switch Options	\$ 342.63	\$ 301.51



Hydraulic Multiplier and Add-On Valves

Add additional hydraulic outlets to prime movers economically. Hydraulic multipliers are transparent to the hydraulic system and work safely on all makes of equipment. They're easy to operate and provide a no-hassle solution to mobile equipment hydraulic shortages. These units are 100% final product-performance tested, and components are ISO-9002 certified.

NUMBER	DESCRIPTION	LIST	NOW
SW700-1002	Economy Multiplier Valve with 2 Circuits. Works with Switchbox.	\$341.79	\$300.78
SW700-1510	Standard Multiplier Valve with 2 Circuits. Works with Switchbox and ISO Couplers.	\$475.96	\$418.84
SW700-1590	Standard Multiplier Valve with 2 Circuits. Works with John Deere Couplers.	\$574.92	\$505.93
SW700-1594	Standard Multiplier Valve with 2 Circuits. Works with John Deere Couplers and Positive Ground.	\$475.71	\$418.62
SW700-1003	Economy Multiplier Valve with 3 Circuits. Works with Switchbox.	\$494.83	\$435.45
SW700-1100	Universal Control Valve with Remote Push-button Switch.	\$234.01	\$205.93
SW700-1513	Standard Multiplier Valve with 3 Circuits. Works with Switchbox.	\$844.25	\$742.94
SW700-1553	Standard Multiplier Valve with 3 Circuits. Works with RCS Handle.	\$889.98	\$783.18



Your John Deere dealer can build hydraulic hoses in minutes.



We follow through to deliver uptime for you.

Stay up and running, and eliminate the worry about contaminants entering your hydraulic system. Trust your John Deere dealer to deliver complete solutions, like Ultra Clean, that ensure contaminants are completely removed from new hose assemblies.

Ask your dealer how Ultra Clean means uptime.




Stainless Steel Hose Clamps



NUMBER	CLOSED AND OPEN RANGE	DUTY	LIST
TY22462	¹ / ₄ –5/ ₈ in.	Light	\$0.81
TY22465	⁹ /16—1 ¹ /16 in.	Standard	\$0.97
TY22466	¹¹ / ₁₆ –1 ¹ / ₄ in.	Standard	\$0.97
TY22467	¹³ / ₁₆ –1 ³ / ₄ in.	Standard	\$0.97
TY22472	2 ⁵ / ₁₆ –3 ¹ / ₄ in.	Standard	\$1.07

QUALITY PARTS & ACCESSORIESFOR ALL TYPES OF OUTDOOR POWER EQUIPMENT



Air filters • Bearings • Belts • Broadcast spreaders • Bushings • Brushcutter blades • Carburetors • Edger blades Electric PTO clutches • Fuel filters and line • Inner tubes • Internal engine parts • Lawnmower blades • Mufflers • Oil Pulleys • Safety products • Snow-thrower parts • Seats • Solenoids • Spark plugs • Spindles • Starters • Sulkies Switches • Throttle cables • Tires • Trimmer heads and line • Workshop tools • Much, Much, More!

Nothing Like Doing It Yourself

When your equipment is in top condition, putting it to use can be a pleasure. John Deere Home Maintenance Kits contain almost everything you need to tune up your machine in one convenient package. Available for most John Deere lawn tractors. Also compatible with other manufacturers' equipment with compatible engines. See your owner's manual for suggested routine maintenance.

Find your Home Maintenance Kit at JohnDeere.com/HMK and order online at JDParts.com



Tune Up and Head Out

No need to take your machine to the shop for a tune-up. Our Home Maintenance Kits make it easy to tune up your lawn tractor or Gator™ by providing almost everything you need in one convenient package:

- 2 quarts oil
- 1 oil filter
- 1 air filter

- 1 fuel filter
- Air precleaner
- Spark plugs

Check out some of our kits below. If you don't see your machine listed, don't worry. There are many other kits available. See us to get the appropriate kit for your machine.

NUMBER	APPLICATION	LIST	NOW
100 Series:			
LG262	D110 (SN 500,001-), D120, E110	\$45.07	\$40.56
LG264	D155 (SN -700,000), D160, D170	\$56.96	\$51.26
LG266	D105 (SN -200,000), D110 (SN -500,000), E100 (49 states)	\$41.62	\$37.46
LG268	D150 (SN 700,001-), D160, D170	\$56.30	\$50.67
LG272	D130 (SN 000,000–040,000), D140 (SN 000,000–050,000)	\$47.56	\$42.80
LG275	D105 (SN 200,001-), D125, D130 (SN 400,001-), D140 (SN 400,001-), E140	\$39.45	\$35.51
EZtrak™ and	Residential ZTrak™:		
LG249	Z445 (SN -100,000) and Z465 (SN -150,000), Z540M, Z540R; Z645 (SN 140,001-), Z655 (SN 140,001-), Z665 (SN 140,001-)	\$49.62	\$44.66
LG263	Z425 (SN -040,000)	\$48.22	\$43.40
LG264	Z425 (SN 040,001–100,000)	\$56.96	\$51.26
LG265	Z445 (SN 140,001-), Z465 (SN 150,001-); Z540M, Z540R; Z645 (SN 140,001-), Z655 (SN 140,001-), Z665 (SN 140,001-)	\$48.44	\$43.60
LG268	Z525E (010,001), Z375R (040,001), Z425 (SN 100,001), Z225, Z245	\$56.30	\$50.67
LG269	Z435, Z465 (Briggs Engine); Z445 (SN 100,001–140,000), Z535M (010,001-), Z535R (010,001-), Z625, Z645 (SN 100,001–140,000), Z655 (SN 100,001–14)	\$56.41	\$50.77
LG276	Z235, Z255, Z335E, Z335M, Z345M, Z345R, Z355E, Z355R, Z535M, Z535R	\$44.77	\$40.29
Select Series	.TM.		
LG249	X320 (SN -180,000), X324 (SN -180,000), X340, X360 (SN -180,000), X500 (SN -060,000), X530 (SN -060,000), X534 (SN -060,000)	\$49.62	\$44.66
LG256	X300 (SN -180,000), X300R (-150,000), X304 (SN -180,000)	\$45.62	\$41.06
LG257	X520, X540 (SN 010,001-)	\$82.72	\$74.45
LG265	S240, X300 (SN 180,001-), X300R (150,001-) X304 (SN 180,001-), X310, X320 (SN 180,001-), X324 (SN 180,001-), X350, X350R (010,001-), X354, X360 (SN 180,001-), X370, X380, X384, X390, X394, X500 (SN 060,001-), X530 (SN 060,001-	\$48.44	\$43.60
LG277	X330	\$50.52	\$45.47
Signature Se	ries:		
LG244	X720, X724, X728, X729, X730, X734, X738, X739	\$93.60	\$84.24
LG245	X700, X710	\$87.91	\$79.12
LG260	X740, X744, X748, X749, X750, X754, X758	\$71.38	\$64.24



Improve performance, increase uptime, and reduce operating costs with our new, innovative MulchControl attachment. Compatible with High Capacity and Accel Deep™ mower decks for Signature Series tractors, EZtrak™, and Residential ZTrak™ mowers, this attachment does an excellent job of mulching and is easily converted to side discharge or bagging in just a few seconds with the use of a lever conveniently located on the mower deck.

The MulchControl attachment makes mulching a more desirable and practical option, so you can benefit from the advantages of mulching, including:

- A beautiful lawn
- Tidy grass clippings that aren't blown onto the operator, driveways, or flower beds
- Less fertilizer use
- No need to dispose of clippings

Take control of your clippings with MulchControl from John Deere.

NUMBER	DESCRIPTION	LIST	NOW
BM26300	Model Year 2015 and later X700 Series 54-in. HC Mower Deck (SN 30,001-), EZtrak Z625, Z655 (SN 170,001-), and Residential ZTrak Z535R and Z540R	\$241.81	\$217.63
BM25258	Model Year 2015 and later X700 Series 60-in. HC Mower Deck (SN 30,001-), EZtrak Z665 (SN 170,001-), and Residential ZTrak Z540R	\$257.87	\$232.08
BM24794	Select Series and Residential ZTrak with 42A Accel Deep Mower Deck	\$139.10	\$125.19
BM24993	Select Series and Residential ZTrak with 48A Accel Deep Mower Deck	\$169.06	\$152.15
BM24994	Select Series and Residential ZTrak with 54A Accel Deep Mower Deck	\$219.36	\$197.42





Tech Tip:

Every time you fill your red gas can, add some Fuel Protect gas stabilizer. Then you always have protected fuel and longer storage life.



John Deere Fuel-Protect Gasoline Stabilizer

Blended fuel attracts water from the air, which causes corrosion to fuel tanks, fuel lines, carburetors, and injectors. John Deere Fuel-Protect contains double the corrosion preventer to help fight these damaging effects. Pumped gasoline starts to degrade immediately, causing varnish deposits to build in engines. This results in starting problems, poor performance, and reduced engine life. Add John Deere Fuel-Protect to keep fuel fresh for 12 months, more than doubling the storage life of fresh gasoline. John Deere Fuel-Protect also eliminates the need to drain fuel prior to storage.

NUMBER	DESCRIPTION	LIST
TY27534	Fuel-Protect for Gasoline, 8-oz.	\$ 4.53
TY27535	Fuel-Protect for Gasoline, 32-oz.	\$13.11

Material Collection System

Provides an efficient means for picking up leaves and grass clippings. The dual-bag system is easy to empty because you unload one bag at a time. Excellent for difficult bagging conditions when grass is very heavy, long, or wet. Requires blower, discharge chute, and bagger assembly.

See us for MCS options for other riding lawn equipment models.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
BM21681	Chute	X700 Signature Series Mowers	\$115.56	\$104.00
BM20780	7-Bushel Hopper	X700 Signature Series Mowers	\$507.19	\$456.47
BG20867	54HC Power Flow	X700 Signature Series Mowers	\$674.10	\$606.69
BM20714	Click-N-Go Bracket	X700 Signature Series Mowers	\$119.84	\$107.86



Heavy-Duty Brush Guard

Keep your tractor free from scratches and scrapes with our front-end brush guard. With its welded construction made of large-diameter tubing and thick steel plates, it provides superior protection for the front grille, lights, and hood.

NUMBER	APPLICATION	LIST	NOW
BM23057	X300 and X500 Select Series Tractors	\$131.61	\$118.45
BM20880	X700, X720, X724, X728, X729, X740, X744, X748, X749	\$264.29	\$237.86
BM24375	X710, X730, X734, X738, X739, X750, X754, X758	\$264.29	\$237.86



Front Weight Bracket/Bumper

Available to replace the tractor's standard front bumper. Makes Quik-Tatch™ weights an alternative to front-wheel weights for adding front ballast.

NUMBER	APPLICATION	LIST	NOW
BM25370	X300 Select Series Tractors and X500 (SN 020001-), X530, X534 (SN 060001-)	\$71.69	\$64.52



Mower Blades featuring John Deere Self-Sharpening Blade

John Deere now offers a mower blade that cuts itself sharp! These blades are designed to provide the long-lasting performance expected from a genuine John Deere mower blade while minimizing the amount of maintenance required. Simply put, in abrasive conditions, John Deere mower blades featuring the John Deere self-sharpening mower blade, stay sharper longer.


John Deere Self-Sharpening Blades



Mower Blades

John Deere mower blades have consistent hardness and toughness when tested by independent laboratories. The blade specifications translate into long-lasting blades that withstand impact. You can count on genuine John Deere parts.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
M127673	Mulching Blade	Fits Select Series, EZtrak™, GX, LT Series with 48-in. Mower Deck	\$13.97	\$12.57
B1JD1043	Mulching Blade	Sunbelt Alternative – XHT	\$ 6.98	\$ 6.28
B1PD5048	3-in-1 Blade	Sunbelt Alternative – Predator	\$ 8.94	\$ 8.05
M143520	Side Discharge Blade	Fits Select Series, EZtrak, GX, and LX Series with 54-in. Mower Deck	\$17.33	\$15.60
B1JD1052	Side Discharge Blade	Sunbelt Alternative – XHT	\$ 8.19	\$ 7.37
B1PD5054	3-in-1 Blade	Sunbelt Alternative – Predator	\$14.63	\$13.17
M164016	Standard Blade	Fits Signature Series, EZtrak, and ZTrak™ with 54 HC Mower Deck	\$23.05	\$20.75
B1JD1039	Standard Blade	Sunbelt Alternative – XHT	\$12.40	\$11.16
B1PD5172	3-in-1 Blade	Sunbelt Alternative – Predator	\$18.77	\$16.89
M163983	Standard Blade	Fits Signature Series and ZTrak with 60 HC Mower Deck	\$23.48	\$21.13
B1JD1054	Standard Blade	Sunbelt Alternative – XHT	\$12.11	\$10.90
B1PD5179	3-in-1 Blade	Sunbelt Alternative – Predator	\$13.03	\$11.73
UC15158	LaserEdge	Fits Z900 Series and 997 with 60-in. 7-Iron™ PRO Deck	\$35.00	\$31.50
TCU15881	High Lift Blade	Fits Z900 Series A, B, E, M, R, and 997 with 60-in. 7-Iron™ PRO Deck	\$19.20	\$17.28
B1JD1092	High Lift Blade	Sunbelt Alternative – XHT	\$12.54	\$11.29
B1PD5041	3-in-1 Blade	Sunbelt Alternative – Predator	\$12.18	\$10.96
TCU15882	High Lift Blade	Fits Z900 Series A, B, E, M, R, and 997 with 72-in. 7-Iron™ PRO Deck	\$22.43	\$20.19
B1JD6018	High Lift Blade	Sunbelt Alternative – XHT	\$14.15	\$12.74
B1PD5018	3-in-1 Blade	Sunbelt Alternative – Predator	\$13.24	\$11.92







SunBelt Predator






John Deere residential mowing belts are engineered to be incredibly strong, durable, and long-lasting. We make sure of that by incorporating an application-specific design process and rigorous testing standards—even going above and beyond what's required—so you get the best belt for your machine.

Mower Belts

Designed specifically for your mower and rigorously tested above and beyond what's required. John Deere mower belts withstand heavy loads and fit perfectly on your equipment.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
GX25628	42A Deck Drive Belt	Z335E, Z335M, Z345M, Z345R Residential ZTrak™ Mowers	\$ 47.98	\$ 43.18
B1GX25628	42A Deck Drive Belt	Sunbelt Alternative – K-Force	\$ 21.92	\$ 19.73
M154958	48 Edge Deck	X300	\$ 36.79	\$ 33.11
B1M110313	48 Edge Deck	Sunbelt Alternative – K-Force	\$ 30.38	\$ 27.34
M169485	48A and 54A Primary Deck Drive Belt	X300 and X500 Select Series Tractors	\$ 52.64	\$ 47.38
B1B72K	48A and 54A Primary Deck Drive Belt	Sunbelt Alternative – K-Force	\$ 15.11	\$ 13.60
M158131	54 Deck Drive Belt	Z425	\$ 70.18	\$ 63.16
B1M158131	54 Deck Drive Belt	Sunbelt Alternative – K-Force	\$ 20.58	\$ 18.52
GX25998	48A, 54A, 48 HC, and 54 HC Deck Drive Belt	Z500 Series Residential ZTrak Mowers	\$ 78.98	\$ 71.08
M165156	54 HC Deck Drive Belt	X700 Signature Series Tractors	\$ 99.68	\$ 89.71
B1M165156	54 HC Deck Drive Belt	Sunbelt Alternative – K-Force	\$ 23.77	\$ 21.39
M172963	60 HC Deck Drive Belt	Z500 Series Residential ZTrak Mowers	\$ 78.98	\$ 71.08
M163993	60 HC Deck Drive Belt	X700 Signature Series Mower	\$ 76.07	\$ 68.46
B1M163993	60 HC Deck Drive Belt	Sunbelt Alternative – K-Force	\$ 27.27	\$ 24.54
TCU35604	60-in. 7-Iron™ PRO Mower Deck Drive Belt	Z900 E/M/R	\$ 89.97	\$ 80.97
B1TCU35604	60-in. Mower Deck Drive Belt	Sunbelt Alternative – K-Force	\$ 45.01	\$ 40.51
TCU31194	72-in. 7-Iron™ PRO Mower Deck Drive Belt	Z900M and R Series	\$123.16	\$110.84
B1TCU31194	72-in. Mower Deck Drive Belt	Sunbelt Alternative – K-Force	\$ 45.62	\$ 41.06





JDParts.JohnDeere.com 103



MowerPlus™ Connectivity

Keep a John Deere riding lawn mower running its best and know how it mows with the John Deere MowerPlus app. Simply scan the lawn tractor's barcode to get custom information. The app helps determine the best time to mow, communicates expert pre-mow tips, offers maintenance reminders, and provides walk-through guides. MowerPlus app provides a tool to the dealer to reduce transaction cost at the dealership via the PIN scan and an easy connection point with the customer via maintenance reminders. John Deere now has two devices that wirelessly connect a lawn tractor to the MowerPlus app.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
BUC10510	MowerPlus Hour Meter Connector	Model Year 2003 and Later 100 Series and S240 Tractors, Including E100, LA100, L100, and S240	\$79.00	\$71.10
BUC10537	MowerPlus Smart Connector	Model Year 2016 and Later Select Series X300 and X500 Tractors	\$99.51	\$89.56



Trash Receptacle Kit

Provides mounting for a 5-gal. (19-L) bucket and trash-grabbing apparatus (both not included). Pick up trash and store without having to leave the mower seat.

NUMBER	APPLICATION	LIST	NOW
TCB11248	ZTrak Z800A, Z900A, Z900B, M, and R Series	\$103.79	\$93.41



Headlight Kit

Extend your day and get the job done with our Headlight Kit. Kit includes one or two headlights, wiring harnesses, mounting hardware, and headlight switch.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
BM24357	Dual Headlight Kit	Z235 and Z255 ZTrak Mowers	\$307.09	\$276.38
BUC10071	Dual Headlight Kit (shown)	Z525E, Z535M, Z535R, Z540M, Z540R ZTrak Mowers	\$299.60	\$269.64
TCB11281	Dual Headlight Kit	Z800 and Z900 ZTrak Mowers		See Us



You've got ground to cover and work to do. Get some help with that to-do list

when you outfit your Gator with these tools:

- Power Lift Kit
- AMS integration Kit
- Side Tool Rack
- Bucket Holder
- Draw Bar
- Ball Mount
- Winch
- Stereo Mount Kit and Stereo
- Fox Racing Shocks
- Underbody Armor Kit
- Cab Poly or Deluxe
- Cab Heater

See your John Deere dealer for more suggested parts, attachments, and accessories so you can tackle every task with your Gator Utility Vehicle.

JohnDeere.com/TackleGatorTasks

XUV835M

NUMBER	DESCRIPTION	LIST	NOW
Ag Manager	nent Solutions:		
BUC10634	AMS Integration Kit	\$ 380.91	\$ 342.82
Cabs/Roofs/	Windshields:		
BUC10568	Cab Doors	\$3,158.64	\$2,842.78
BM25990	Cab Rear Panel	\$ 545.70	\$ 491.13
BM26642	Heater	\$ 898.80	\$ 808.92
BUC10574	Full Windshield	\$ 722.26	\$ 650.03
BM25993	Half Windshield	\$ 361.66	\$ 325.49
Radios/Spea	kers:		
BUC10615	Base Radio	\$ 388.41	\$ 349.57
BUC10619	Premium Speaker Kit	\$ 944.81	\$ 850.33
Cargo Box O	ptions:		
BM26414	Cargo Box	\$ 908.43	\$ 817.59
BM22775	Side Tool Rack	\$ 339.19	\$ 305.27
BM24901	Cargo Box Side Extension Kit	\$ 524.30	\$ 471.87
Hitches:			
BM22290	Drawbar/Ball Mount	\$ 43.87	\$ 39.48
A-7A5301	Hitch Ball 48mm		See Us
PM05201	Hitch Ball 51mm		See Us
Winch:			
BM26251	WARN® ProVantage 4,500-lb. Winch	\$ 742.59	\$ 668.33



Power and Protection

Get your guard up with a full array of custom protection options that look great, too.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
BM26414	Cargo Box Power Lift	XUV835/865	\$908.43	\$817.59
BM26251	WARN® ProVantage 2041 (4,500-lb.) Winch	XUV835/865	\$742.59	\$668.33
BM21392	Winch Accessories Kit	XUV835/865	\$141.24	\$127.12
BUC10679	Brush Guard	XUV835/865	\$379.86	\$341.87
BM22841	Brush Guard	XUV825/855, HPX	\$272.86	\$245.57
BM23365	Brush Guard	XUV560/590	\$358.46	\$322.61
BM22767	Rear Bumper	XUV835/865/825/855	\$257.87	\$232.08
BM23362	Rear Bumper	XUV560/590, RSX	\$210.79	\$189.71
BUC10247	Front Fender Guard	XUV835/865	\$228.99	\$206.09
BM23394	Front Fender Guard	XUV560/590	\$197.96	\$178.16
BM26129	Cargo Box Fender Guard	XUV835/865	\$209.71	\$188.74
BM22811	Cargo Box Fender Guard	XUV825/855, TX/TE	\$209.71	\$188.74
BUC10759	CV Guards – Front and Rear	XUV835/865	\$251.46	\$226.31



Cargo Box Protection

Protects cargo bed from scratches and dents.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
BM23849	Cargo Box Bed Mat	XUV835, XUV865, XUV825, XUV855, HPX615, HPX815, TX 4x2, TH 6x4/Diesel, TE 4x2	\$ 42.80	\$ 38.52
VGB10133	Cargo Box Bed Mat	TS 4x2	\$128.40	\$115.56
BM23371	Cargo Box Mat	XUV560/S4, XUV590/S4, RSX860	\$128.40	\$115.56
BM25048	Poly Bedliner	TS 4x2	\$354.17	\$318.75



Floor Mats

Washable rubber floor mats provide an added layer of protection to the floor of the vehicle, guarding against dents, dings, and scratches.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
BM25743	Floor Mat – Front	XUV550, XUV560, XUV590i, RSX850i, RSX860i	\$ 85.60	\$ 77.04
BM25744	Floor Mat Kit	XUV590i S4	\$171.20	\$154.08
BM24282	Floor Mat – Front	XUV 625i, 825i, 825i S4, 855D, 855D S4	\$ 85.60	\$ 77.04
BM24283	Floor Mats – Rear	XUV 825i S4, 855D S4	\$ 85.60	\$ 77.04
BM26462	Floor Mats (2)	XUV835/865	\$ 85.60	\$ 77.04

Gator LED Lights

Introducing LED lights for your Gator utility vehicle. Not only do LED bulbs last up to 50 times longer than sealed beam halogen lights, they also consume less energy. Experience bulbs that will run cooler, shine brighter, and last longer—order these musthave lights today.



NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
BM26215	LED Driving Lights	XUV, RSX, HPX Gators	\$359.51	\$323.56
BM26216	LED Work Lights	XUV, RSX, HPX Gators	\$359.51	\$323.56
BM25619	LED Mounting Kit – Brushguard	XUV, RSX, HPX Gators	\$123.06	\$110.75
BM25620	LED Mounting Kit – Front Roof	XUV, RSX, HPX Gators	\$ 89.89	\$ 80.90
BM25731	LED Mounting Kit – Rear Roof, 2-Passenger	XUV, RSX, HPX Gators	\$ 86.67	\$ 78.00
BM25621	LED Mounting Kit – Rear Roof, 4-Passenger	XUV825 S4, XUV855 S4, XUV560 S4, XUV590 S4	\$ 89.89	\$ 80.90

Deluxe Light Kit

Get ultimate visibility with a deluxe light kit. Includes front and rear turn signals, reverse lights, and four-way flashers. The switch mounts on the dash of the vehicle, and the wiring harness connects to the standard vehicle harness.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
BM26180	Deluxe Light Kit	XUV550, XUV550 S4, XUV560, XUV560 S4, XUV590, and XUV590 S4	\$348.81	\$313.93
BM25545	Deluxe Light Kit (shown)	Model Year 2011–Current XUV625i, 825, 825 S4, 855, 855D S4	\$270.71	\$243.64
BM24831 NOTE: Not intend	Deluxe Light Kit led for use on public roadways.	RSX850i, RSX860	\$422.66	\$380.39





Beacon Light

For Gator Utility LED strob light—sealed against water, dust, corrosion—with dash-mounted on/off rocker switch.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
BM26185	Beacon Light	XUV835/865	\$257.87	\$232.08
BM22405	Beacon Light	T-Series	\$409.81	\$368.83
BM21649	Beacon Light – Deluxe	XUV825/855, HPX, T-Series	\$409.81	\$368.83
BM25553	Beacon Light – OPS	XUV825/855, HPX, XUV560/590, RSX	\$257.87	\$232.08







Cargo Box Toolboxes

Provides more integrated sealed storage in the cargo box.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
BM26162	Top-Opening Toolbox	Heavy-Duty XUVs, TX, TX Turf, TE, and TH Models	\$843.16	\$758.84
BM26160	Side-Opening Toolbox	Heavy-Duty XUVs, TX, TX Turf, TE, and TH Models	\$843.16	\$758.84
BUC10393	Tailgate with Brake and Tail Lights	Heavy-Duty XUVs, TX, TX Turf, TE, and TH Models	\$370.21	\$333.19
BM26220	Label Kit – Green and Yellow	Heavy-Duty XUVs, TX, TX Turf, TE, and TH Models	\$ 23.54	\$ 21.19
BM26218	Label Kit – Olive and Black	Heavy-Duty XUVs, TX, TX Turf, TE, and TH Models	\$ 35.31	\$ 31.78
BM26219	Label Kit – Camo	Heavy-Duty XUVs, TX, TX Turf, TE, and TH Models	\$ 43.87	\$ 39.48

Side Tool Rack

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
BM22775	Side Tool Rack	XUV835, XUV865, XUV825/S4, XUV855/S4, TX 4x2, TH 6x4/ Diesel, TE 4x2	\$339.19	\$305.27



Radios

The weatherproof SWJHD906BT Radio brings news, weather, and our iPod/MP3 to your Gator. You get a NOAA weather band with weather alert, AM/FM radio, and input to play a smartphone, MP3, or portable CD player. If your Gator is already set up for a radio head unit, or if you're looking for a replacement, the SWJHD1635BT radio features everything you will need. This radio has Bluetooth streaming audio (microphone included) with hands-free calling, Sirius XM, NOAA Weatherband, and USB port.

NUMBER	DESCRIPTION	LIST	NOW
SWJHD906BT	AM/FM/WB Mini-Radio with Auxiliary Input	\$307.80	\$277.02
SWJHD1635BT	AM/FM/WB/iPod- & iPhone-ready/SiruisXM/Bluetooth	\$307.08	\$276.37



SWJHD906BT



SWJHD1635BT

Weatherproof Bluetooth Amplifier and Heavy-Duty Mini Speakers

The weatherproof SWJAHD240BT is on the forefront of technology with integrated Bluetooth technology allowing users to stream their audio content using a Bluetooth-enabled device. Pair this amplifier with the 3.5" SWJXHD35 heavy-duty mini-box speakers, and it will offer a full range of audio entertainment. These speakers are exclusively designed to withstand the challenges of off-road and outdoor environments.





AMS Integration Kit

Compatible with poly roof, on the OPS alone, or with Deluxe Cab. Kit includes components to mount a StarFire™ receiver and GreenStar™ display (sold separately). Use for boundary mapping, flagging field obstacles, and soil sampling.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
BM25035	Poly Roof or OPS	Model Year 2011 to current HPX, XUV625i, XUV825, XUV855, XUV825 S4, XUV855 S4	\$380.91	\$342.82
BM25589	For Deluxe Cab	Model Year 2011 to current HPX, XUV625i, XUV825, XUV855, XUV825 S4, XUV855 S4	\$380.91	\$342.82
BUC10634	Poly Roof or OPS	XUV835/865	\$380.91	\$342.82



John Deere Tire Sealant

John Deere Tire Sealant is a proven preventative maintenance tool. Protect your tires against air loss and save money from reduced downtime for the life of your tires.

Other benefits include:

- Puncture sealing up to 1/4-inch in diameter
- Rim and bead sealing
- Dry rot and crack prevention

NUMBER	DESCRIPTION	LIST
TY26370	Tire Sealant, 16-oz.	\$ 11.79
TY27031	Tire Sealant, 32-oz.	\$ 21.90
TY16236	Tire Sealant with Hand Pump, 1-gal.	\$ 48.63
TY15833	Tire Sealant, 5-gal.	\$141.83



Cab Heater

Three-directional louvers provide complete operator comfort and windshield defrosting. Kit includes high-output two-speed heater, mounting hardware, coolant hoses, and electrical harness. Requires VGB10547 heater fitting kit for HPX and XUV625i gas engine models. Requires BM25593 heater fitting kit for XUV825i gas engine models. Requires VGB10548 heater fitting kit for HPX and XUV855D diesel engine models.

NUMBER	DESCRIPTION	APPLICATION	LIST	NOW
BM23608	Cab Heater	HPX Gas, HPX Diesel, XUV625i, XUV825i, XUV825i S4, XUV855D, XUV855D S4	\$1,159.89	\$1,043.90



Make your peace of mind last.

When you buy John Deere equipment, you get one of the best warranties in the business. With the PowerGard™ Protection Plan Residential, add up to four years of coverage beyond the normal warranty term on all utility vehicles, riding lawn equipment, zero-turn radius mowers, and compact and utility tractors. You'll get extended protection with \$0 deductible and no out-of-pocket costs on covered repairs. Plus, transportation for factory warranty and extended protection repairs is covered!

If you decide to sell or trade your equipment before the end of the coverage term, the remaining coverage is fully transferable to the next owner. Lower cost, low-deductible Powertrain and Engine Protection Plans are also available.

Call or stop by today so we can customize your peace-of-mind plan.

JohnDeere.com/PPPR







Designed to be one of the most rugged stereos in the industry, this heavy-duty radio delivers high-quality audio while withstanding some of the harshest working conditions.

A AM/FM/WB/iPod®/iPhone®/ SiriusXM™ Heavy-Duty Radio

SWJHD1630

\$246.05 **\$221.45**

Boldly go where no radio has gone before.

The weatherproof Jensen SWJHD906BT radio brings news, weather, and Bluetooth® capabilities to Gators, Skid Steers, and Open-Station Tractors. You get NOAA Weatherband with weather alert, AM/FM radio, Bluetooth playback, controls, and the ability for hands-free calling (external microphone SWJMICHFP sold separately), and an input to play iPod, MP3 player, or portable CD player.

B Mini 906BT Radio

SWJHD906BT

*Heavy-Duty Mini Speakers (SWJXHD35) sold separately. \$307.80 **\$277.02**

The SWJHD1365BT stereo is built tough for demanding environments while featuring the latest technological advancements. This radio features Bluetooth streaming audio (microphone included) with hands-free calling, giving you a truly hands-free experience. The iPod/iPhone capabilities can be taken advantage of via the USB so you can take your personal music library with you. Plus, the stereo is also SiriusXM-ready, offering you endless entertainment options.

AM/FM/WB/iPod- & iPhone-ready/SiriusXM/ Bluetooth Stereo

SWJHD1635BT

\$307.08 \$276.37



С







We made the cab quiet. Now give your ears something to listen to.

If your cab radio is dead, dying, or just plain dysfunctional, consider an audio upgrade. Tune in to local news, weather, and sports, or bring your own audio stimulation via CD or MP3. Satellite news and music are also an option.

Pull in AM/FM and weather-band signals. This new heavyduty radio has a full 7-channel NOAA Weatherband tuner and tells the time with the new segmented high-visibility display. It also comes with front Aux in capabilities and is equipped with a two-wire hookup that prevents battery drain when the vehicle is off.

AM/FM/WB Heavy-Duty Radio

SWJHD1130

\$168.68 \$151.81

In today's modern heavy-duty market, having a radio built to survive the tough stuff doesn't mean that it has to sacrifice in-demand entertainment options. The SWJHD36MIC features the ability to receive Bluetooth streaming audio and phone calls from a Bluetooth-enabled mobile phone, giving you a truly hands-free experience. The microphone required for hands-free calling comes standard with the radio. This state-of-the-art heavy-duty stereo also has NOAA 7-channel Weatherband tuner with S.A.M.E technology to focus on a more specific region, giving you more accurate weather updates along with being iPod- and SiriusXM radio-ready.

AM/FM/WB/CD/USB/Bluetooth®/iPhone/ iPod/SiriusXM Stereo

SWJHD36AMIC

\$337.04 \$303.34

Nozzle Body Turret O-Ring Lubricant

Over time the o-rings between the turret and nozzle body get dusty, which makes rotating the nozzle body difficult when changing between nozzles. Parker Super O-lube is the John Deere preferred product for lubricating o-rings on sprayers with our new ExactApply^M nozzle bodies, as well as those on older machines.

Features/Benefits:

- High-viscosity silicone oil that can be used with virtually any rubber polymer over temperatures ranging from -65°F to 400°F (-54°C to 204°C)
- Will not clog 30-micron filters
- Recommended for high pressure systems

NUMBER	DESCRIPTION	LIST	NOW
PMH3503	Super O-Lube, 2-oz. tube	\$20.52	\$18.47



LED Warning Lights

Make sure others can see you when you're on the road by installing corner and rooftop LED warning lights. These LEDs are brighter and last longer than standard lights, keeping you protected on the road for years to come. The rooftop light offers a 360° light source with four flash patterns, while the corner lights have a wideangle optic and 19 flash patterns. Both units are easy to install and operate.

NUMBER	DESCRIPTION	LIST	NOW
PMCLKLED6-A	Amber LED Corner Light, 12V, 1" diameter hole and 1" depth required	\$113.31	\$104.25
PMLED925-A	Rooftop LED Warning Light, 12/24V, Base Mount	\$174.15	\$160.22
PMLED925MX-A	Rooftop LED Warning Light, 12/24V, 90-lb. Magnet Mount, 15' Cord with Lighter Plug	\$191.21	\$175.91

See dealer for the complete Warning and Safety Light lineup.



John Deere Fuel-Protect Gasoline Stabilizer

Blended fuel attracts water from the air, which causes corrosion to fuel tanks, fuel lines, carburetors, and injectors. John Deere Fuel-Protect contains double the corrosion preventer to help fight these damaging effects. Pumped gasoline starts to degrade immediately, causing varnish deposits to build in engines. This results in starting problems, poor performance, and reduced engine life. Add John Deere Fuel-Protect to keep fuel fresh for 12 months, more than doubling the storage life of fresh gasoline. John Deere Fuel-Protect also eliminates the need to drain fuel prior to storage.

NUMBER	DESCRIPTION	LIST
TY27534	Fuel-Protect for Gasoline, 8-oz.	\$ 4.53
TY27535	Fuel-Protect for Gasoline, 32-oz.	\$13.11



Tech Tip:

Every time you fill your red gas can, add some Fuel Protect gas stabilizer. Then you always have protected fuel and longer storage life.



Soil Compaction Tester

Get the best crop yield by measuring the extent and depth of subsurface compaction with the brand new John Deere Soil Compaction Tester.

Some features include:

- 24" stainless steel rod with adjustable shock collar to prevent damage
- Easy-to-read, color-coded stainless steel dial that is liquid-filled to reduce shock
 - Green (0–200 psi) = Good growing conditions
 - Yellow (200–300 psi) = Fair growing conditions
 - Red (300+ psi) = Poor growing conditions
- Large and small tip included with convenient storage in tester housing
 - 1/2" tip for firm soil
 - 3/4" tip for soft soil
- Durable molded housing with rubber grip handle

See your local dealer to learn more.

NUMBER	LIST	NOW
SWSCT08180	\$238.07	\$219.02

USB Chargers and Cables

With the ever changing selection of devices available, it is important to choose the right charger to fit the device's need. Charge your mobile devices faster than ever in any John Deere application, personal vehicle, or at home with the variety of PowerUp™ USB chargers and cables made available by your John Deere dealer.

NUMBER	DESCRIPTION	LIST	NOW
PM191-052901	Dual USB Chargers – 4.8A	\$15.37	\$13.83
PM191-054448	3-in-1 Charger w/ 6-ft. Apple Cable	\$29.25	\$26.33
PM191-052079	USB Charger – Wall Charger w/ 2.4A Single USB	\$13.37	\$12.03
PM191-050594	USB Cable – Apple, 6-ft.	\$21.08	\$18.97
PM191-050860	USB Cable – Type C, 6-ft.	\$15.37	\$13.83
PM191-050563	USB Cable – Micro USB, 6-ft.	\$10.75	\$ 9.68



PM191-050594



PM191-052079





StrongBox™ Alkaline Batteries

John Deere StrongBox alkaline batteries deliver long-lasting, dependable, powerful performance for the devices you use everyday—from flashlights to portable radios and many other electronic devices.

NUMBER	DESCRIPTION	LIST	NOW
TY26865	AAA – 4-Pack	\$4.97	\$4.47
TY26866	AAA – 8-Pack	\$8.71	\$7.84
TY26867	AA – 4-Pack	\$4.97	\$4.47
TY26868	AA – 8-Pack	\$8.71	\$7.84
TY26869	C – 4-Pack	\$9.97	\$8.97
TY26870	D – 4-Pack	\$9.97	\$8.97
TY26871	9V – 2-Pack	\$8.86	\$7.97



Cleaners, Chemicals, and Protectants

John Deere understands what it takes to have a successful operation—in the field and in the shop. That's why we offer powerful cleaners and reliable lubricants. Two of our most popular products, John Deere Classic Glass Cleaner and All-Purpose Cleaner, can do wonders in the shop and in your cab. Make sure you give them a try.

NUMBER	DESCRIPTION	LIST	NOW
TY25684	Classic Glass Cleaner	\$3.82	\$3.44
TY26352	All-Purpose Cleaner	\$4.64	\$4.18
TY26350	Chain and Cable Lubricant	\$4.92	\$4.43
TY26632	Electronic Contact Cleaner	\$6.00	\$5.40
TY26101*	Brake & Parts Cleaner	\$4.97	\$4.47
TY26355*	Carburetor and Choke Cleaner	\$4.23	\$3.81
TY26357	Engine Cleaner	\$4.23	\$3.81
TY26595	Multi-Purpose Degreaser, 32-oz. Trigger Spray	\$7.06	\$6.35
TY26353	Penetrating Oil	\$4.53	\$4.08
TY16403	Carpet Stain Remover	\$6.79	\$6.11
John Deere	Hand Cleaner:		
TY26066	Hand Cleaner with Pumice and Citrus, 16-oz.	\$3.92	\$3.53
TY26108	Heavy Duty Hand Cleaner with Pumice, 16-oz.	\$4.31	\$3.88
*Not available in	all areas.		



Loctite® Adhesives and Sealants

Whether you are trying to lock a threaded fastener or you need a flexible form-in-place gasket, Loctite has the product. Your John Deere dealer is an authorized Loctite distributor and has the professional-grade products you can count on.

NUMBER	DESCRIPTION	LIST	NOW
PM37482	Thread Sealant 545, 36 ml bottle	\$29.67	\$26.70
PM1212164	Insulating & Sealing Wrap, 1" x 10' roll	\$12.20	\$10.98
PM38657	High-Flex Form-In-Place Gasket, 50 ml tube	\$19.11	\$17.20
PM38655	Gasket Maker 515-Flange Sealant, 50 ml tube	\$15.19	\$13.67
PM37463	RTV Clear Silicone, 80 ml tube	\$ 3.15	\$ 2.84
PM37391	Quick Gel® Super Glue, 2 gram tube	\$ 2.12	\$ 1.91
PM1330906	Thread Locker 243, 36 ml bottle	\$28.20	\$25.38
PM1165866	Superflex Green RTV Silicone (matches John Deere green)	\$17.55	\$15.80



John Deere Tire Sealant

John Deere Tire Sealant is a proven preventative maintenance tool. Protect your tires against air loss and save money from reduced downtime for the life of your tires.

Other benefits include:

- Puncture sealing up to 1/4-inch in diameter
- Rim and bead sealing
- Dry rot and crack prevention

NUMBER	DESCRIPTION	LIST
TY26370	Tire Sealant, 16-oz.	\$ 11.79
TY27031	Tire Sealant, 32-oz.	\$ 21.90
TY16236	Tire Sealant with hand pump, 1-gal.	\$ 48.63
TY15833	Tire Sealant, 5-gal.	\$141.83





Carpet Stain Remover

This remarkable stain remover makes hundreds of tough stains disappear. It quickly and easily removes hard-to-get-out stains tracked deep into your carpet. Plus, it works wonders on other fabrics too—like the interior of your tractor or vehicle.

NUMBER	DESCRIPTION	LIST	NOW
TY16403	Carpet Stain Remover	\$6.79	\$6.11



Chain and Cable Lubricant

Our heavy-duty chain and cable lubricant is expertly formulated to provide superior "creeping" into chain components and cable strands. Its precise concentration of specialty oils and grease, plus molybdenum disulfide, creates a non-gumming, thin film for maximum protection under severe conditions.

NUMBER	DESCRIPTION	LIST	NOW
TY26350	Chain and Cable Lubricant	\$4.92	\$4.43



Penetrating Oil

An industrial strength, free-flow penetrant designed to quickly penetrate and loosen the toughest and most stubborn nuts, bolts, and parts. Preferred by mechanics and sure to work as hard as you do!

NUMBER	DESCRIPTION	LIST	NOW
TY26353	Penetrating Oil	\$4.53	\$4.08



Fire Extinguishers

We offer ABC or multi-purpose dry chemical fire extinguishers. A pressurized watertype fire extinguisher is also available and recommended for all equipment working in dry conditions.

NUMBER	DESCRIPTION	PKG. QTY.	LIST
TY26851	Fire Extinguisher, ABC, 10-lb.	1	\$108.61
TY26852	Fire Extinguisher, ABC, 5-lb.	1	\$ 62.46
TY26853	Fire Extinguisher, ABC, 2-lb.	1	\$ 43.76
TY25183	Fire Extinguisher, 2A, 2.5-gal. UL Listed.	1	\$167.86

Paint Remover

Our paint remover is perfect for removing acrylic, enamel, and latex paint from all metal and wood. All you have to do is spray it on to your surface, let it sit for 10 minutes, and then scrape off the loose paint. It's that easy.

For multiple paint layers, reapplication might be required. Benefits of our paint remover include:

- Methylene chloride-free
- A powerful combination of solvents for faster paint removal
- High viscosity to help coat vertical surfaces

NUMBER	DESCRIPTION	LIST	NOW
TY27304	Paint Remover, 12 oz.	\$8.68	\$7.81

Paint Remover Décapant Paint

Paint

We offer high-quality, long-lasting, colorfast paints that deliver all-weather performance for John Deere and all-makes equipment applications.

Lead-Free Enamel Paint

John Deere lead-free enamel paint is environmentally safe for both interior and exterior applications. Sets up in minutes and is tack-free in a few hours. Dries overnight to a hard, glossy finish that resists fading, cracking, and chipping.

Low-VOC Paint

John Deere offers a solvent-based paint to meet stringent volatile organic compound (VOC) state and federal regulations. Easily replaces the waterborne formula in similar applications.

- Provides a low viscosity of 2.8 VOC for easier spraying
- Requires only a moderate air-dry time
- Free of hazardous air pollutants

Fast-Dry Paint

Dries to the touch in one hour and requires minimal thinning for spray applications. Developed in a lead- and chrome-free formulation to protect against chipping, corrosion, and rust.

*See your dealer for additional sizes, colors, and paint accessories.

Ag & Turf Green Paint: TY25624 A&T Green, 12 oz., Regular TY25643 A&T Green, 1 qt., Regular	\$10.17 \$19.47	\$ 9.15
The second secon		\$ 9.15
TY25643 A&T Green, 1 at., Regular	¢19.47	
	713.77	\$17.52
TY25656 A&T Green, 1 gal., Regular	\$53.21	\$47.89
TY25620 A&T Green, 1 gal., Fast Dry	\$69.44	\$62.50
TY25665 A&T Green, 1 qt, Low-VOC	\$24.64	\$22.18
TY25664 A&T Green, 1 gal., Low-VOC	\$76.01	\$68.41
Classic Green Paint:		
TY25644 Classic Green, 12 oz., Regular	\$10.80	\$ 9.72
TY25655 Classic Green, 1 qt., Regular	\$23.55	\$21.20
TY25670 Classic Green, 1 gal., Regular	\$70.79	\$63.71
TY25827 Classic Green, 1 qt., Low-VOC	\$30.99	\$27.89
Ag & Turf Yellow Paint:		
TY25641 A&T Yellow, 12 oz., Regular	\$ 9.95	\$ 8.96
TY25645 A&T Yellow, 1 qt., Regular	\$21.19	\$19.07
TY25648 A&T Yellow, 1 gal., Regular	\$67.29	\$60.56
TY25634 A&T Yellow, 1 qt., Fast Dry	\$23.53	\$21.18
TY25667 A&T Yellow, 1 qt., Low-VOC	\$28.77	\$25.89




Triangle Toolboxes Stocked with Hand Tools

John Deere Triangle Toolboxes keep tools in place and secure in your shop, pickup, or Gator. Features include gas strut lid supports and weather stripping seal to protect against dust and moisture.

For a limited time, choose from the 23-, 30-, or 36-inch Triangle Toolbox complete with a package of the most common hand tools customized for the perfect fit.

Mail-in rebates are available on the total package.



TRIANGLE TOOLBOX & TOOL KIT REBATE

Valid with a purchase of a John Deere Triangle Toolbox and Tool Kit

Purchase any of these toolboxes December 2, 2019 – February 28, 2020.

Mail this coupon, with original receipt showing date of purchase and item(s) purchased, to:

Mi-T-M Corporation

Attn: Spring '20 Toolbox Kit Offer 50 Mi-T-M Drive Peosta, IA 52068 USA

Coupon must be postmarked before March 31, 2020.

Please allow six weeks for delivery.

Offer valid on the following models:

AWJ-MB3617TB-G, AWJ-MB3617TB-B, AWJ-MB3617TB-Y, AWJ-MB3015TB-G, AWJ-MB3015TB-B, AWJ-MB2313TB-G, AWJ-MB2313TB-B

CH	EC	K	M	01	DE	L
P	U	RC	H/	45	ED	

1 **\$60** 36-inch Toolbox & Kit Rebate

□ \$40 30-inch Toolbox & Kit Rebate

□ \$20 23-inch Toolbox & Kit Rebate

Name ______

City

Telephone _____

Important: We cannot guarantee delivery without zip code or postal code.

Not valid with any other rebates, promotions, discounts, or special offers.

Ratchet and Socket Sets

NUMBER	DESCRIPTION	LIST	NOW
TY25835	21-piece SAE 1/4-in. Socket Set with Case; 3/16-in.—1/2-in.	\$ 44.80	\$ 40.32
TY25836	21-piece Metric ¹ / ₄ -in. Socket Set with Case; 5mm–13mm	\$ 44.80	\$ 40.32
TY25837	20-piece SAE ³ / ₈ -in. Socket Set with Case; ³ / ₈ -in.— ¹³ / ₁₆ -in.	\$ 59.97	\$ 53.97
TY25838	22-piece Metric ³ / ₈ -in. Socket Set with Case; 10mm–21mm	\$ 59.32	\$ 53.39
TY25839	SAE 1/2-in. Drive, 6-pt & 12-pt Socket Set, 25-pc; 7/16-in.—1 1/4-in. regular; 1/2-in.— 15/16-in. deep	\$110.12	\$ 99.11
TY25840	Metric ½-in. Drive, 12-pt socket set, 25-pc; 12mm–32mm regular; 15mm–22mm deep	\$110.81	\$ 99.73
TY19926	SAE ³ / ₄ -in. Drive, 12-pt Socket Set, 15-pc; ⁷ / ₈ -in.—1 ⁵ / ₈ -in.	\$209.12	\$188.21
TY19986	9-piece SAE ³ / ₄ -in. Socket Set with Case; 1 ¹¹ / ₁₆ -in.—2 ³ / ₈ -in.	\$119.64	\$107.68
TY19985	11-piece Metric ³ / ₄ -in. Socket Set with Case; 22mm–41mm	\$156.13	\$140.52



Road Box & Triangle Toolboxes

The John Deere Road Box features a reinforced security drop-front panel to protect tools from weather and theft. It also includes two bottom-skid rails for additional reinforcement and strength. The unique Triangle Toolboxes keep tools in place and secure in your pickup or Gator. Features include gas strut lid supports and weather stripping seal to protect against dust and moisture.

NUMBER	DESCRIPTION	LIST
AC-3615RB-G	36-in. Green Road Box with 5 Drawers	\$699.00
AC-3615RB-B	36-in. Black Road Box with 5 Drawers	\$699.00
AC-2313TB-G	23-in. Triangle Toolbox; green powder-coated, textured finish	\$395.00
AC-2313TB-B	23-in. Triangle Toolbox; black powder-coated, textured finish	\$395.00
AC-3015TB-G	30-in. Triangle Toolbox; green powder-coated, textured finish	\$489.00
AC-3015TB-B	30-in. Triangle Toolbox; black powder-coated, textured finish	\$489.00
AC-3617TB-G	36-in. Triangle Toolbox; green powder-coated, textured finish	\$645.00
AC-3617TB-B	36-in. Triangle Toolbox; black powder-coated, textured finish	\$645.00



AC-3617TB-G

AC-3015TB-G

Tool Chests & Cabinets

Keep your tools secure and organized with the John Deere Tool Chests and Cabinets. Powder-coated steel construction includes heavy-duty ball-bearing drawer slides with a load rating of 100 lbs. per pair. Unique raise-and-release drawer fronts keep drawers closed and secure. Tool Chests feature gas strut lid support, and cabinets include oversized polyurethane casters with a 2,000-lb. load rating.

NUMBER	DESCRIPTION	LIST
AC-4624CH-B	46-in. Tool Chest with 8 Drawers; 1,200-lb. load capacity	\$ 769.00
AC-4624CB-B	46-in. Tool Cabinet with 10 Drawers; 1,400-lb. load capacity	\$1,099.00
AC-4624CH-G	46-in. Tool Chest with 8 Drawers; 1,200-lb. load capacity	\$ 769.00
AC-4624CB-G	46-in. Tool Cabinet with 10 Drawers; 1,400-lb. load capacity	\$1,099.00
AC-5625CB-G	56-in. Tool Cabinet with 10 Drawers; 1,300-lb. load capacity with 1 ½-in. solid bamboo work surface, 24-in. depth	\$1,399.00
AC-5624H-G	56-in. Top Hutch with Shelf	\$ 515.00
AC-5625CH-G	56-in. Tool Chest with 8 Drawers; 800-lb. load capacity	\$ 969.00
AC-7224CB-G	72-in. Tool Cabinet with 15 Drawers; 1,600-lb. load capacity with 1 $^1/\!_4$ -in. stainless steel work surface, 24-in. depth	\$2,499.00
AC-7224H-G	72-in. Top Hutch with Shelf	\$ 729.00



AC-5625CB-G & AC-5624H-G

Limited time reward offers on select products.



Air Compressors

- Splash-lubricated cast iron crankcase
- Cast-iron cylinder and housing
- Single- or two-stage pumps available
- Drain valves and pressure relief valve
- 2-year warranty on AC Series; 1-year warranty on HR and PR Series
- *FREE 50-foot air hose reel (AT-4804-J) with purchase of any 2-stage air compressor see participating dealer for details.

NUMBER	DESCRIPTION	LIST
HR1-5E	2.0-hp Electric Motor, 120-volt, 4.1 cfm @ 100 psi, 5-U.S. gal. hand carry model	\$ 445.00
HR1-20E	2.0-hp Electric Motor, 120-volt, 4.1 cfm @ 100 psi, 20-U.S. gal. portable model	\$ 544.00
PR1-8GM	John Deere Branded 212-cc engine, 7.5 cfm @ 100 psi 8-U.S. gal. portable model	\$ 819.00
PR2-8GM*	John Deere Branded 300-cc engine, 17.2 cfm @ 175 psi 8-U.S. gal. portable model	\$1,335.00
AC1-5GH	Honda GX 118-cc Engine, 4.4 cfm @ 100 psi, 5-U.S. gal. hand carry model	\$ 829.00
AC1-8GH	Honda GX 196-cc Engine, 13.1 cfm @ 100 psi, 8-U.S. gal. wheelbarrow model	\$1,029.00
AC2-8GH*	Honda GX 270-cc Engine, 17.2 cfm @ 175 psi, 8-U.S. gal. wheelbarrow model	\$1,599.00
AC2-80ES*	5.0-hp Engine, 230-volt, 16.9 cfm @ 175 psi 80-U.S. gal. vertical stationary model	\$2,245.00
Other models available	e places see your local dealer for more details	



Air Hose & Air Hose Reels

- No memory, lays flat
- Kink resistant under pressure
- All-weather flexibility -40° to 60°C (-40° to 140°F)
- Maximum working pressure: 300 psi (20.6 bars)

Additional for AT-4803-J

Auto retract/latch hose mechanism

Additional for AT-4804-J

Unique winding system, hose coils smoothly

NUMBER	DESCRIPTION	LIST
AWJ-0015-0327	25-ft. Premium Hybrid Polymer Air Hose, ³ / ₈ -inch	\$ 29.95
AWJ-0015-0328	50-ft. Premium Hybrid Polymer Air Hose, 3/8-inch	\$ 52.60
AT-4803-J	50-ft. Retractable Hose Reel with Premium Hybrid Polymer Air Hose	\$149.00
AT-4804-J	50-ft. Professional Retractable Hose Reel with Premium Hybrid Polymer Air Hose	\$259.00

Buy any 2-stage Air Compressor, Welderator[™], or Compresserator[™] and receive a **FREE** 50-foot air hose reel (AT-4804-J).

New High-Flow Quick-Connect Air Fittings & Bulk Air Hose

New high-flow quick-connect couplers and plugs along with 250-ft bulk air hose spools and reusable fittings in $^{3}/_{8}$ -in. and $^{1}/_{2}$ -in. sizes. The all-new high-flow fittings allow for double the air flow when compared to standard air fittings.

Bulk Air Hose & Fittings

The new bulk hoses along with the reusable air hose fittings allow you to create custom air hoses up to 250 ft. The reusable hose splicers can also be used to repair damaged hose. The addition of the high-flow fittings and bulk air hose will open new opportunities to offer your customers custom length hose.

Air Gun & Extension Tube

The new agronomical air gun offers comfort and control, reducing operator fatigue, while delivering maximum flow with a variable trigger that regulates air flow precisely. The durable blow gun body is ideal for extreme use. The unique modular accessory system allows customized gun extension length.

NUMBER	DESCRIPTION	PKG. QTY.	LIST
AT-4013-J	Coupler – HF 1/4-in. Body x 1/4-in. FNPT	1	\$ 13.69
AT-4014-J	Plug – HF ¹ / ₄ -in. Body x ¹ / ₄ -in. MNPT, 2-pc.	1	\$ 4.65
AT-4015-J	Swivel Plug – HF 1/4-in. Body x 1/4-in. MNPT	1	\$ 8.15
AT-4016-J	Coupler and Plug Kit – HF, 3-pc.	1	\$ 17.95
AT-4017-J	Coupler and Plug Kit – HF, 7-pc.	1	\$ 35.90
AT-4018-J	Coupler – HF 1/4-in. Body x 3/8-in. FNPT	1	\$ 13.69
AT-4019-J	Plug – HF ¹ / ₄ -in. Body x ³ / ₈ -in. MNPT, 2-pc.	1	\$ 5.90
AT-4020-J	Coupler and Plug Kit – HF, 7-pc.	1	\$ 41.75
AT-4806-J	³ / ₈ -in. x 250-ft. Air Hose Spool	1	\$0.89/ft.
AT-4805-J	¹ / ₂ -in. x 250-ft. Air Hose Spool	1	\$1.19/ft.
AT-4808-J	Reusable End $-3/8$ -in.	1	\$ 6.89
AT-4809-J	Reusable End – 1/2-in.	1	\$ 8.45
AT-4810-J	Reusable Splicer – 3/8-in.	1	\$ 6.89
AT-4811-J	Reusable Splicer — 1/2-in.	1	\$ 8.45
AT-3001-J	Extension Tube – 12-in. for AT-3002-J	1	\$ 11.95
AT-3002-J	Air Gun with Safety Nozzle	1	\$ 42.95



Re-usable fittings allow for easy assembly and/or repairs

- Cut damaged portion of hose at 90°. Slide bend restrictor & fitting nut onto hose.
- Push hose onto reusable fitting until hose reaches threads.
- **3** Tighten fitting nut until snug. Snap into bend restrictor.







Limited time reward offers on select products.



Compresserators™

- Combination air compressor / generator
- Perfect for any industrial application that requires both electrical power and air; contractors and farmers alike will appreciate the convenience of the built-in generator system combined with the single- or two-stage air compressor pump
- Includes a regulator and two gauges for tank and outlet pressure readings
- Features heavy-duty steel base-plate assembly to reduce vibration
- 14-gauge powder-coated two-piece belt quard with 1/4 turn release for quick access to belts
- Ideal for contractors, service vehicles, and shops
- Models with "AC2" prefix include two-stage compressor pump
- Brushless 120V alternator
- Power available from 1,600 to 4,000 watts
- Options include electric start, stationary truck mounting kit, and 230V outlet
- *FREE 50-foot air hose reel (AT-4804-J) with purchase of any 2-stage Compresserator see participating dealer for details.

NUMBER	DESCRIPTION	LIST
AC1-CG16H	8-U.S. gal., 196-cc Honda GX, 10.9 cfm @ 125 psi, 1,600 watts output, portable	\$1,649.00
AC2-CG35H*	8-U.S. gal., 389-cc Honda GX, 15.7 cfm @ 175 psi, 3,500 watts output, stationary	\$2,595.00
AC2-CG35H-P*	8-U.S. gal., 389-cc Honda GX, 15.7 cfm @ 175 psi, 3,500 watts output, portable	\$2,495.00
AC2-CG35H-30*	30-U.S. gal., 389-cc Honda GX, 15.7 cfm @ 175 psi, 3,500 watts output, stationary	\$2,729.00
AC2-CG40M-30*	30-U.S. gal., 420-cc John Deere branded engine, 15.7 cfm @ 175 psi, 7,000 watts output, stationary	\$2,389.00



Welderators™

The John Deere welderator combines a quality cast iron two-stage air compressor, an industrial 5000-watt generator featuring a brush-type 2-pole 120V/240V alternator and a 170- or 220-amp arc welder with an amperage selection switch. All are powered by an industrial-duty Honda GX engine with a 3-year limited warranty or John Deere-Branded OHV engine with a 2-year limited warranty.

All John Deere Welderators feature

- Splash-lubricated cast iron crankcase
- Durable stainless-steel braided discharge hose
- Quality pilot valve unloader
- Amperage selection switch
- Regulator and two gauges for tank and outlet pressure
- Manual drain valves for proper maintenance
- Stationary truck mount kit, for installing stationary unit to truck bed

Generator Mode

- AC current only
- Selector switch set to idle down engine will idle down when generator is not in use and tank pressure is 175 PSI
- Switch is set to full throttle engine will run full throttle continuously

Welder Mode

- DC current only
- Engine must be running full throttle
- Selector switch must be set to full throttle
- *FREE 50-foot air hose reel (AT-4804-J) with purchase of any Welderator see participating dealer for details.

NUMBER	DESCRIPTION	LIST
AC2-CW5170M	420cc John Deere branded engine, 5000/4500 rated watts, 15.7 cfm, 170A arc welder, 30-gal capacity air tank	\$4,699.00
AC2-CW5170M-B	420cc John Deere branded engine, 5000/4500 rated watts, 15.7 cfm, 170A arc welder, base mount	\$4,279.00
AC2-CW5220H	688cc Honda V-twin engine, 5000/4500 rated watts, 29.0 cfm, 220A arc welder, 20-gal capacity air tank	\$7,949.00

John Deere—your hardware headquarters.

See your John Deere dealer for two easy, cost-saving ways to stock up on hardware for your farm and shop:

1) Grab what you need and pay by the pound.

- Bolts
- Fender washers
- Flat washers
- Nylon nuts

Wing nuts

- Carriage bolts Lag screws
- And more!

Lock washers

Plow bolts

Hex nuts

2) Customize your own hardware needs.

Make us your one-stop shop. See us today for great savings and added accessibility.




Customize your own Hardware Bins and Hardware

Keep your assortments even more organized with our sturdy storage bins. They're a great addition to any shop!

Preselected Hardware Assortments

English	Metric
Grade 5 hex, 1/4–1/2-in. dia. Part No. PM15472 Sizes in assortment: 99 Metal bins included: 40- and 72-hole	Grade 8.8 hex, M6–M12 dia. Part No. PM15477 Sizes in assortment: 70 Metal bins included: 72-hole
Grade 5 hex, 5/8–3/4-in. dia. Part No. PM15473 Sizes in assortment: 36 Metal bins included: 40-hole	Grade 8.8 hex, M16 dia. Part No. PM15478 Sizes in assortment: 19 Metal bins included: 40-hole
Grade 5 carriage, 1/4–1/2-in. dia. Part No. PM15474 Sizes in assortment: 36 Metal bins included: 40-hole	Grade 8.8 carriage, M6–M16 dia. Part No. PM15479 Sizes in assortment: 34 Metal bins included: 40-hole
Grade 8 hex, 1/4–1/2-in. dia. Part No. PM15475 Sizes in assortment: 70 Metal bins included: 72-hole	Grade 10.9 fange, M6–M12 dia. Part No. PM15480 Sizes in assortment: 40 Metal bins included: 40-hole
Grade 8 hex, ⁵ / ₈ – ³ / ₄ -in. dia. Part No. PM15476 Sizes in assortment: 25 Metal bins included: 40-hole	Grade 10.9 hex, M6–M12 dia. Part No. PM15481 Sizes in assortment: 58 Metal bins included: 72-hole
	Grade 10.9 hex, M16–M20 dia. Part No. PM15482 Sizes in assortment: 32 Metal bins included: 40-hole

See us for pricing.





When you buy a safe, you're buying peace of mind. You want to know your valuables are protected. That's why we partner with America's #1 safe manufacturer: Liberty Safe.

Our Liberty Safes offer certified fire protection, UL-listed security, flexible interiors, and Liberty's exclusive military-style locking bar technology. And this year, we have brand new designs that let you show off your John Deere style.









ANY MACHINE. ANY AGE. ANY BUDGET.

It doesn't matter if you own a new John Deere 5075E, a classic 8110, or even equipment that's not green and yellow. With our industry-exclusive selection of parts, your John Deere dealer has the Right Part to fit your needs.*

Get exactly The Right Part at the Right Price — for as long as you own your machine — no matter its color, or your budget.

That's the value of choice. And you'll only find it at
John Deere. See your dealer today.

The Right Part at the Right Pric

Only from John Deere.



OR CURRENT RESIDENT

