

# Commercial Mowers

ZTraks™ | QuikTraks™ | Walk-Behinds | Uptime Solutions



Keep Mowing.



We're in the business of supporting your business.



Z915B



Z930M Propane with MOD  
(US only)



Z997R Diesel with MOD



Z950M with MOD and  
MICHELIN® X® TWEEL® TURF™

We have a full line of commercial mowers that go the distance – and stand the test of time.

✓ ZTraks™  
52 models

✓ QuikTraks™  
16 models

✓ Walk-Behinds  
17 models



652B



WHP48A



652R with MOD



636M



WH61A

WG32A

# You never stop. So why should we?

You've got places to be, lawns to mow, jobs to finish. And John Deere is right there with you every step of the way, with a full line of commercial mowing equipment that we believe can handle any need you have.

And no matter which mowers you get, your local John Deere dealer stands at the ready with a full suite of Uptime Solutions – from equipment and financing to parts and service to exclusive product partnerships and special customer rewards.

Yep, we've thought of pretty much everything. Because we've all got a job to do. And ours is making sure you have exactly the tools you need to do your job right, the first time and every time.

**ZTraks**  
p. 6-19



**QuikTraks**  
p. 22-25



**Walk-Behinds**  
p. 26-27



- ✓ Go from zero turn to infinite possibilities in no time flat, with the expanded lineup of **ZTrak** 900 Series Mowers. Thanks to the Power of 3, there's a Z9 made especially for you, whether you're in the market for a single workhorse or a fleet of thoroughbreds.
- ✓ Stand head and shoulders above the competition, with the **QuikTrak** 600 Series Mowers. They raise the bar for what to expect, incorporating exclusive stand-on technology. And they come from dealers who'll always stand behind them.
- ✓ Run, don't walk, to take advantage of our full line of **Walk-Behind** Mowers, including 61" models with pistol grips or twin loop controls. Count on all of them for the perfect balance of performance, productivity, value and control.

Equipment, service, support.  
All in one place.



[JohnDeere.com/MowPro](http://JohnDeere.com/MowPro)  
[JohnDeere.ca/MowPro](http://JohnDeere.ca/MowPro)

## Contents

|                                      |       |
|--------------------------------------|-------|
| ZTrak Overview.....                  | 6-7   |
| ZTrak 7-Iron™/Mulch On Demand™ ..... | 8-9   |
| MICHELIN® X® TWEEL® TURF™ .....      | 10-11 |
| ZTrak B Series.....                  | 12-13 |
| ZTrak M Series.....                  | 14-15 |
| ZTrak R Series.....                  | 16-17 |
| ZTrak R Diesel Series .....          | 18-19 |
| ZTrak Accessories .....              | 20-21 |
| QuikTrak Overview.....               | 22    |
| QuikTrak B Series .....              | 23    |
| QuikTrak M Series .....              | 24    |
| QuikTrak R Series .....              | 25    |
| Walk-Behinds .....                   | 26-27 |
| Uptime Solutions.....                | 28-43 |
| ZTrak Specs .....                    | 44-47 |
| QuikTrak Specs .....                 | 48-50 |
| Walk-Behind Specs .....              | 52    |

### The TWEEL® by MICHELIN®.

Get ready for the next revolution in commercial mowing.  
p. 10-11



# ZTrak™ Mowers

## B SERIES

Z915B



## M SERIES

Z920M

Z925M EFI

Z925M Flex Fuel

Z930M

Z930M EFI

Z930M Propane\*

Z950M

Z950M Propane\*



## R SERIES

Z920R

Z930R

Z930R Propane\*

Z950R

Z950R Propane\*

Z960R

Z970R



## R DIESEL SERIES

Z997R



## Feel at home with our family of ZTrak™ mowers.



It's all about you. And you. And you.

Our ZTrak™ 900 Series zero-turn mowers were designed with our commercial mowing customers in mind. And since you all have different needs, we came up with different ways to help you meet them.

It starts with the Z900 B Series, a mower that perfectly balances performance and value. It gives you the essential features – including excellent weight distribution, professional-grade seats, and a mow-all-day fuel tank – at a price that's essentially ideal.

With the M Series, we focused on those of you who have a lot to look after – and a big need for efficiency – with EFI and Flex Fuel options, Mulch On Demand™ decks, and Dump From Seat (DFS) Material Collection System (MCS) capability. There's even a propane conversion kit available (it can be used on the R Series, too).

The Z900 R Series was created for contractors who demand the best and want the ultimate feature set. You can see the attention to detail in everything from the Comfort & Convenience controls and Hydraulic Cross-Porting System to the Brake-N-Go foot pedal start. Not to mention the 3-year, 1500-hour warranty.<sup>1</sup>

## Key Features

| B SERIES  | M SERIES   | R SERIES   | R DIESEL  |
|---|--|--|---|
| <ul style="list-style-type: none"> <li>• Commercial-grade components</li> <li>• Large rear tires</li> <li>• Professional-grade seats</li> <li>• Warranty: 36 months or 1200 hours, whichever comes first; first 24 months, no hour limitation<sup>1</sup></li> <li>• NeverStop™ Loaner Guarantee available</li> </ul> | <ul style="list-style-type: none"> <li>• 7-Iron™ PRO decks with optional Mulch On Demand™</li> <li>• Flat Free front tires</li> <li>• Tuff Torq® heavy-duty integrated transmission</li> <li>• Warranty: 36 months or 1200 hours, whichever comes first; first 24 months, no hour limitation<sup>1</sup></li> <li>• NeverStop™ Loaner Guarantee available</li> </ul> | <ul style="list-style-type: none"> <li>• Cross-Porting Hydraulic Transmission</li> <li>• Comfort &amp; Convenience Package</li> <li>• Brake-N-Go starting</li> <li>• Warranty: 36 months or 1500 hours, whichever comes first; first 24 months, no hour limitation<sup>1</sup></li> <li>• NeverStop™ Loaner Guarantee available</li> </ul> | <ul style="list-style-type: none"> <li>• Powerful 37.4HP (27.9kW) diesel engine</li> <li>• 7-Iron™ PRO decks with optional Mulch On Demand™</li> <li>• Shaft-driven mower decks with heavy duty gear box</li> <li>• Warranty: 36 months or 1500 hours, whichever comes first; first 24 months, no hour limitation<sup>1</sup></li> <li>• NeverStop™ Loaner Guarantee available</li> </ul> |

\* Propane conversion kit available in the US only.



We know mowers.  
And we understand what  
our customers need.

**Easy to operate**, with increased height-of-cut range,  
better maneuverability and best-in-class serviceability.

# 7-Iron™ Deck

## Stamped to perfection: The 7-Iron™ Deck

|                            | 7-Iron™ II  | 7-Iron™ PRO   | 7-Iron™ Mulch On Demand™  |
|----------------------------|---|---|---|
| <b>7-Iron™ Comparison</b>  |  |  |  |
| 7-gauge stamped deck       | ✓   | ✓   | ✓   |
| 18,000 fpm blade tip speed | ✓   | ✓   | ✓   |
| Deck step                  |   | ✓   | ✓   |
| Redesigned front baffle    |   | ✓   | ✓   |
| Rear anti-scalp wheels     |   | ✓   | ✓   |
| Mulch On Demand            |   |   | ✓   |


**7-Iron decks** are .275 inches (7 mm) thick, and stamped using 4,000,000 lbs. of force. No wonder they can handle the pressure of sustained daily use.

John Deere's exclusive 7-Iron™ decks are 5.5 inches (13.9 cm) deep and 7-gauge sturdy. Which helps explain why they're the strongest, most durable mowing decks in the industry.

But it's not all about brute force. It's also about giving you incredible cut quality. That's why the 7-Iron PRO and 7-Iron II are designed front-to-back and top-to-bottom with your results in mind.



- **Stamped from a single sheet**, there are no welds or corners on the underside – and no place for clippings to collect and clump.
- **One-inch steel bar** welded to the front and trim side further protects the deck from damage.
- **Round corners** help distribute impact stress – which can reduce damage from contact with trees or curbs.
- **The deep deck** provides excellent airflow, so material can be processed quickly and efficiently.
- **One-inch cold-forged spindles** are heat-treated for strength and supported by ball bearing, providing reliability and performance.
- **The strong cast aluminum spindle** housing is webbed to dissipate heat.
- **The front edge is raised** on the above-the-blade plane for superior airflow and even cutting of tall grass.
- **Anti-scalp wheels**, dual captured and reinforced, float the deck above the ground to reduce turf damage.
- **The reinforced spindle pockets** won't bend, providing additional structural durability.
- **An 18-in. (45.72 cm) wide discharge chute** allows for even clipping dispersal and an excellent finished appearance in all conditions.



## Get a handle on clippings: Mulch On Demand™


Nothing can touch our Mulch On Demand™ deck. Because no other mower puts the power to choose mulching or side-discharge at your fingertips.

You get to decide when you want to mulch your clippings. And when you don't. So you can save time, increase efficiency and keep every surface – from driveways to sidewalks to flowerbeds – looking neat and clean.

- The foundation of the Mulch On Demand deck is the legendary 7-Iron™ deck. Enough said.
- It's simple: with the Mulch On Demand System, you can switch from side discharge to mulching without ever leaving your seat – or pulling out any tools. You can't say that about any other zero turn mower, or deck.
- Just switch the handy lever into mulch position. The moveable gate closes off the discharge chute, the smooth-moving baffles close off the cutting chambers, and you're mulching.
- And when you get to a spot where side discharge is okay? Just switch the lever back.



You won't need to use your blowers nearly as much. And you won't have to worry about clippings sticking to cars, windows or anything else you care about.



### It's not just a chute blocker, it's a true mulcher.

By shifting the lever to mulch position, the movable gate closes off the discharge chute. The adjustable baffles create individual cutting chambers, and let you set openings just the right size to maximize airflow no matter what conditions you're facing. So sit back and say goodbye to recuts.



# MICHELIN® X® TWEEL® TURF™

## Unique Construction

The outer portion of the X TWEEL TURF is a strong yet flexible beam called a shear beam, which is connected to the inner hub by thin, yet very strong deformable spokes.



## Enhanced Control

The MICHELIN X TWEEL TURF performs like a pneumatic tire, but without the risk and costly downtime associated with flat tires and unseated beads. Plus there's no air pressure to maintain, so there's no maintenance.



## Consistent Height

The X TWEEL TURF has a consistent hub height which ensures the mower deck produces an even cut. And the full-width poly-resin spokes provide excellent lateral stability for outstanding side-hill performance.



## Steady Ride

The unique design of the spokes helps dampen the ride for enhanced operator comfort – even when navigating over curbs and other bumps. And High performance compounds and an efficient contact patch offer a long wear life.




# It's not a tire. It's not a wheel. It's unlike anything you've ever seen.

The MICHELIN® X® TWEEL® TURF™

Exclusively on John Deere ZTrak™ 900 B, M, R Series Mowers\*

The next revolution in commercial mowing has arrived. The MICHELIN X TWEEL TURF has all the qualities you want in a pneumatic tire – but it never needs air. Which means no more flats, downtime, patch kits or spare tires. With its unique construction, the X TWEEL TURF navigates easily over curbs and other bumps. And when it comes to durability? It has a wear life that's up to three times that of a pneumatic. So for less than \$1 a day\*\*, you can say hello to the new MICHELIN X TWEEL TURF. And goodbye to flat tires and bumpy rides.

See it in action at [JohnDeere.com/Tweel](http://JohnDeere.com/Tweel)



\* Approved for John Deere ZTrak 900 B, M, R Series gas powered zero-turn mowers.

\*\* Less than \$1 a day cost is based upon the upgraded cost of the Tweels and a two year use period of 500 hours per year.



# ZTrak™ B Series

Z915B

Get the basics. So you can do basically anything.



**Forget the bells and whistles; there's work to be done.** When time is tight (isn't it always?) and money's not growing on trees, get down to business with the, reliable B Series. Rest assured – "affordably priced" does not mean "cheaply made." The truth is, the Z915B comes with more features and quality Deere components as standard equipment than any zero turn mower we've ever offered in this class.

That includes things like a larger fuel tank, so you can power through large jobs. Professional-grade seats, so operators can stay more comfortable from start to finish. Superb weight distribution for enhanced maneuverability. And large rear tires for a balanced ride.

But wait – there's more:

- 25.0 HP (18.6 kW)<sup>3</sup> gas engines
- 7-Iron™ II decks, available in 48"/54"/60" (121.9/137.2/152.4 cm) widths
- 10 mph (16.1 km/h) maximum ground speed
- Pneumatic front tires
- Hand brake
- Material Collection System capability (2 & 3 bag)
- Warranty: 36 months or 1200 hours, whichever comes first; first 24 months, no hour limitation<sup>1</sup>
- NeverStop™ Loaner Guarantee available



**Heavy-duty C-channel frame.**  
Built like a truck, for greater durability.



**Cast-iron front forks.** Molded to perfection, for superior strength.



**Stamped under pressure.** To stand up under pressure.



**The TWEEL® by MICHELIN®.**  
Only on the John Deere ZTrak™ Mowers.\*

\* Approved for John Deere ZTrak 900 B, M, R Series gas powered zero-turn mowers.

# ZTrak™ M Series

Z920M | Z925M EFI | Z925M Flex Fuel  
Z930M | Z930M EFI | Z930M Propane™  
Z950M | Z950M Propane™

Efficiency? Value?  
This is where the rubber  
meets the road.



When you've got a lot to manage, you don't have a lot of time for babysitting fussy, hard-to-maintain mowers. You probably don't have a lot of money to throw at them, either. You need equipment that's rugged and dependable; zero-turn mowers that are efficient out in the field and easy to manage back in the garage.

Sounds to us like you need to meet the Z900 M Series.


The Z920M, Z925M, Z930M and Z950M hit the sweet spot where value-driven performance and day-in, day-out driving durability come together. They deliver all the power you need, the effortless Mulch On Demand™ you want – and build quality that ensures years of reliable operation at every turn.

Features include:


- Engine options
  - 23.5, 25.5, 27.0 HP (17.5, 19.0, 20.1 kW)<sup>2</sup> gas engines
  - 25.0, 26.5 HP (18.6, 19.7 kW)<sup>3</sup> electronic fuel injection
  - 25.0 HP (18.6 kW)<sup>2</sup> Flex Fuel
  - Propane conversion kit available\*
- 7-Iron™ PRO decks available in 48"/54"/60"/72" (121.9/137.2/152.4/182.9 cm) widths
- Mulch On Demand™ available
- Brake-N-Go hand brake
- 36 months or 1200 hours, whichever comes first; first 24 months, no hour limitation<sup>1</sup>
- NeverStop™ Loaner Guarantee available
- 3 Seat options to choose from
- 10 mph (16.1 km/h) maximum ground speed
- X\* TWEEL® TURF™ available



Flat Free front tires keep things rolling right along.



Transmission with heavy-duty unitized pump and wheel motor improves cooling and access.



Easy to adjust height-of-cut



**Available Electronic Fuel Injection** gives you the option of turning your commercial-grade mower into a fuel-sipping dynamo. The closed-loop system allows just the right amount of fuel and spark to the engine, at just the right time – not only delivering fuel savings, but optimizing power, performance and efficiency across all mowing conditions as well. Choose the Z925M Flex Fuel model, and you get the added benefit of mowers that can run on any blend up to E85.

\* Propane conversion kit available in the US only.

# ZTrak™ R Series

Z920R | Z930R | Z930R Propane\* | Z950R  
Z950R Propane\* | Z960R | Z970R

For those who want everything  
in a zero-turn mower.






**The Brake-N-Go System** makes it a snap to get started: just set the parking brake and turn the key.



**The Comfort & Convenience Package** features padded, ergonomically angled control levers – complete with electronic controls that let you raise and lower the deck, or disengage the mower blades, at the push of a button.



**The unique Cross-Porting System** routes the coolest hydraulic fluid to the hydraulic pump that's doing the most work – increasing the life of the transmission.



When you're out there cutting the big jobs down to size, you deserve the best: power, proven reliability, the newest time-and-money-saving options, and a comfortable ride that makes it easy to keep going all day long.

Fortunately, we've made the choice an easy one. Our Z900 R Series comes with everything you need to keep working your best from start to finish, including available Mulch On Demand™, Flat Free front tires and a power deck lift. The only hard part? Picking the perfect package among the Z920R, Z930R, Z950R, Z960R and Z970R.

\* Propane conversion kit available in the US only.

- Engine options
  - 23.5, 25.5, 27.0, 31.0, 35.0 HP (17.5, 19.0, 20.1, 23.1, 26.1 kW)<sup>2</sup> gas engines
  - Propane conversion kit available\*
- 3 seat options to choose from
- 7-Iron™ PRO decks available in 48"/54"/60"/72" (121.9/137.2/152.4/182.9 cm) widths
- Mulch On Demand™
- 12 mph (19.3 km/h) maximum ground speed
- 36 months or 1500 hours, whichever comes first; first 24 months, no hour limitation<sup>1</sup>
- NeverStop™ Loaner Guarantee available
- X® TWEEL® TURF™ available

# ZTrak™ R Diesel Series

Z997R (Biodiesel compatible)

## Muscle your way through the tough stuff.

Sometimes the job calls for sheer power. That's when you call on the new ZTrak™ R Diesel Series. The heavy-duty, large-capacity R Series gives you front-mower-like power in a zero-turn mower – along with the ZTrak productivity and dependability you count on and a 36-month, 1500-hour warranty (with no hour limitations in the first 24 months).<sup>1</sup> And whether you're using side-discharge, rear-discharge, or a mulching deck, the R Series excels in the toughest mowing conditions.

Power is plentiful, thanks to the 37.4 HP (27.5 kW) Tier 4 diesel engine<sup>4</sup> diesel engine. (Biodiesel compatible, capable of handling concentrations up to B20.) It provides more displacement, torque reserve and peak torque than most competitive mowers, which means you can maximize acres mowed per hour. Shaft-driven mower decks are available in 60- or 72-in. (152.4- or 182.9-cm) 7-Iron™ PRO side-discharge decks, 60" MOD (152.4 cm), or a 60-in. (152.4-cm) rear-discharge deck.


**NEVERSTOP™**  
LOANER GUARANTEE

The NeverStop™ Loaner Guarantee keeps you going even if a mower stops. Find out more on page 43.



### Sit better. Work smarter.

Enhance productivity with a Deluxe Comfort Seat or a Comfort Adjust Suspension Seat with Armrests. Boost convenience by adding a new 14-bushel capacity Material Collection System (MCS) with electric Dump From Seat (DFS).




### **Powerful Engine. Strong design.**

The Tier 4 diesel engine is liquid cooled, and features direct fuel injection for efficient combustion and improved starting. The steel oil cooler eliminates potential fin damage from pressure washing and cleaning, and easily flips out for cleaning and radiator access.



### **Easy Service and Maintenance**

An open engine compartment allows full access to components and service points. The flip-up seat allows easy access to the hydraulic system, and a flip-out panel allows easy entry to the deck spindles.




### **Deck Height Adjustment**

This innovative, low effort dial height of cut adjustment has fifteen positions from 1.5 inches to 5 inches (3.8 cm to 12.7 cm) in 1/4-inch (6.35 mm) increments, letting you change the height without ever leaving your seat.



### **Heavy-Duty Spindles**

When the going gets really tough, these spindles – designed specifically for the demands of commercial mowing – are perfect for surviving high temperatures and frequent blade impacts.



### **Dual-Unitized Hydraulic Pump**

The hydrostatic drive features a Kanzaki dual-unitized hydraulic pump. This dual pump in a single housing provides longer life and less maintenance than competitive units. The pump features a shaft-driven fan for added cooling and longer component life.

# ZTrak™ Accessories



**B M R**

## The TWEEL® by MICHELIN®.\*

All the qualities you want in a pneumatic tire, but none of the air – so flats, downtime and patch kits will be a thing of the past.

See page 10 for more information, or visit [JohnDeere.com/Tweel](http://JohnDeere.com/Tweel) or [JohnDeere.ca/Tweel](http://JohnDeere.ca/Tweel)

*Supplies are limited.*

### Deluxe Comfort Seat

### Deluxe Comfort Seat with Isolation Package

### 3-way Adjustable Suspension Seat

| Seat Comparison                | Deluxe Comfort Seat | Deluxe Comfort Seat with Isolation Package | 3-way Adjustable Suspension Seat |
|--------------------------------|---------------------|--|----------------------------------|
| Professional grade seat        | ✓                   | ✓  | ✓                                |
| Standard armrests              | ✓                   | ✓  | ✓                                |
| Vibration reduction            |                     | ✓  | ✓                                |
| Adjustable back angle          |                     |  | ✓                                |
| Adjustable lumbar              |                     |  | ✓                                |
| Adjustable for operator weight |                     |  | ✓                                |



**Propane Kit.** Get it as an option with a new machine, or retrofit your current lineup.



**Jack Stand Kit.** Gain easy access for maintenance and blade changes.

**Striping Kit.** Give every lawn that premium ballpark after-cut look.



B M R D

**Front Light Kit.** Keep working from sunup to sundown. And maybe a little longer.



B M R D

## Do with it what you will.

With a full range of available implements, you can configure your ZTrak™ mowers to be exactly the machines you need for every job you face – so you can be more productive any way you look at it.


ZTrak Model  
Compatibility

B B Series    M M Series  
R R Series    D R Diesel Series

**Mulch Kit.** convert mowers with side-discharge mower decks to mulch.



B M R D



B M R

**Rear Hitch.** Bolt one on and pull even more than your weight.

**D Electric DFS Material Collection System (MCS)**  
is available on Z997R



B M R



B M R

**Canopy.** Stay out of the sun while you remain out on the job.



M R

**Dump From Seat (DFS) Material Collection System (MCS).**  
This 14-bushel, large-capacity hopper allows for longer mowing between dumpings.



B M R

**Material Collection System Hopper Bundle.** Featuring Quik-Tatch mounting for easy installation.



B M R

**Trash Receptacle Kit.**  
Police the grounds, without leaving your seat.

# QuikTrak™ Mowers

## B SERIES

652B  
652B Propane\*



## M SERIES

636M  
648M  
652M



## R SERIES

648R  
648R Propane\*  
652R  
652R EFI  
652R Propane\*  
661R  
661R EFI  
661R Propane\*



## Stand on a mower that'll help you stand apart.

When it came to making sure you had the best stand-on, we didn't sit down on the job. We focused on giving you machines that would fit your needs, whether you wanted something brawny and basic, or one with a floating deck.

And that road led right to the QuikTrak 600 Series Mowers.

These mowers deliver the best of both worlds: industry exclusive stand-on technology, combined with John Deere quality, durability, and support. The result is a stand-on experience like no other: Best-in-class stability, even on tricky hills and mounds. Excellent operator positioning, including an adjustable spring step and angled pad. A compact design for better sightlines and tighter spaces. And John Deere controls for superior maneuverability.

All of which means you can get more done, without spending more than you should. And QuikTrak™ mowers are backed by a 24 month, unlimited hour warranty.<sup>1</sup> Not to mention the unsurpassed support and expertise of your John Deere dealer.

### Key Features

| B SERIES  | M SERIES  | R SERIES   |
|---|---|--|
| <ul style="list-style-type: none"> <li>• Commercial-grade components</li> <li>• Intuitive ergonomic controls</li> <li>• Sealed front caster bearings</li> <li>• Fixed 7-gauge steel deck</li> <li>• Warranty: 24 months</li> <li>• NeverStop™ Loaner Guarantee available</li> </ul> | <ul style="list-style-type: none"> <li>• Available 36" deck</li> <li>• Compact Size</li> <li>• Quick height-of-cut adjustment</li> <li>• Floating 7-gauge steel deck</li> <li>• Warranty: 24 months</li> <li>• NeverStop™ Loaner Guarantee available</li> </ul> | <ul style="list-style-type: none"> <li>• Flat Free front tires</li> <li>• Floating 7-gauge steel deck</li> <li>• Electronic Mulch On Demand™ (652R only)</li> <li>• Propane Conversion Kit available*</li> <li>• Warranty: 24 months</li> <li>• NeverStop™ Loaner Guarantee available</li> </ul> |

\* Propane conversion kit available in the US only.

# QuikTrak™ B Series

652B | 652B Propane\*

The QuikTrak 652B is built to save time and boost productivity, with an easy-to-learn hydrostatic transmission drive and a design that allows for quicker loading and unloading.



## Cut costs. Save time.

The QuikTrak 652B mower features a commercial-grade 22.0 HP (16.4 kW)<sup>2</sup> gas engine and Flat Free front tires that keep you going strong all day, and sealed front caster bearings for longer life. It also comes with a fixed, 7-gauge steel deck, giving you the ideal balance of performance and value.



**Even Weight Distribution,** thanks to an operator platform centered over the rear axle, ensures hillside stability.



**Greater Maneuverability** is the result of responsive, ergonomic controls. And the result of that is superior productivity.

# QuikTrak™ M Series

636M | 648M | 652M

## The new way to make all the right moves.

One of the most productive and maneuverable commercial mowers in the market, the QuikTrak 600 M Series delivers unsurpassed performance with a low cost of ownership. With available 36", 48", or 52" (91.4, 121.9, or 132.1 cm) widths of cut, and 18.5 and 22.0 HP engines (13.8 and 16.4 kW)<sup>2</sup>, the M Series 636M, 648M and 652M are the ultimate mowing machines for maneuverability and hillside stability.



With everything they can do, and all the space they can free up, the M Series can give you more flexibility with a smaller fleet.

**Adjustable height-of-cut**  
Get exactly the cut you want, in easy-to-adjust ¼" increments.



### 36" deck

The M Series is available with our smallest deck. It's one of the shortest mowers on the market, lighter than a zero-turn, and takes up less space on a trailer, so there's room for an extra mower – helping you save even more time and money.

# QuikTrak™ R Series

648R | 648R Propane\* | 652R | 652R EFI  
 652R Propane\* | 661R | 661R EFI  
 661R Propane\*



Whether you go for the solid, dependable B Series, compact M Series or the full-featured R Series (seen here), count on getting your work done more efficiently than ever before.

## Stands up to whatever comes your way.

With the QuikTrak 600 R Series you get your choice of 22.0 & 23.5 HP (16.4 & 17.5 kW)<sup>2</sup>; an available propane conversion kit\*; 48, 52, or 61-in. (121.9, 132.1, or 154.9 cm) 7-gauge steel floating decks; and Mulch On Demand™ at the touch of a button. Plus the reliability, performance and long life that come with a heavy-duty Hydro-Gear pump.



**A quick adjustment pin** lets you change cutting heights from 1.5 to 5 inches (3.8 cm to 12.7 cm).

**Simplified maintenance** Open it up, and all the service points are within easy reach.

**The floating mower deck** with lift-assist springs raises the mower over obstacles on the fly, right from the operator's station.

\* Propane conversion kit available in the US only.

**Mulch On Demand™**  
 Cut consistently. Control your clippings. Save cleanup time. At the touch of a button.



# Walk-Behinds

## WG SERIES

WG32A  
WG36A  
WG48A



## WH SERIES

WH36A  
WH48A  
WH52A  
WH61A



## WHP SERIES

WHP36A  
WHP48A  
WHP52A  
WHP61A



## In step with everything you do.

You're always on the go – pushing to get more done, working your way through tight spaces, taking care of the details that can make all the difference.

Have we got the mowers for you: 11 models of commercial Walk-Behind Mowers with the quality, performance and durability you expect from John Deere. Plus features that help you take everything in stride, including easy-to-use controls and great maneuverability, even on hills.



24 month, Single Source Commercial warranty<sup>1</sup>

Designed to make walking easier.



**WG Series**  
Gear Drive with Pistol Grip



**WH Series**  
Hydro with Twin Loop Controls offers 6-position hydro adjustment to maximize operator control and comfort.



**WHP Series**  
Hydro with Pistol Grip Controls features easily adjustable tracking.

# What's behind every ZTrak™? Just about everything.



When you buy a new ZTrak zero-turn mower, or any other John Deere commercial mower, you get more than just a great machine. You also get Uptime Solutions, a package of unique offerings made especially for commercial customers like you.

There's genuine John Deere Parts. Our exclusive NeverStop™ Loaner Program.\*\*

Great discounts from GreenFleet Loyalty Rewards. Partners like STIHL.® The expertise of John Deere Financial.

And so much more. There's more to our support than meets the eye. Visit [JohnDeere.com/UptimeSolutions](http://JohnDeere.com/UptimeSolutions) or [JohnDeere.ca/UptimeSolutions](http://JohnDeere.ca/UptimeSolutions) and get up to speed right away.

## Products

We offer a full line of innovative commercial equipment to handle your toughest jobs, along with a full range of fuel solutions – including Flex Fuel, biodiesel and propane models – so you can take it easy on the environment and your bottom line.



## Parts

We'll keep you up and running with everything from Genuine John Deere parts to aftermarket alternatives. Combine that with features such as our Parts OnSite™ program and Next Day Parts Guarantee\*, and you can count on uptime, productivity and profits.

\* (US only)



## Partners

Get products from John Deere partners such as STIHL®, Honda®\* and Frontier, direct from your John Deere dealer.

\* (US only)



## Finance

Cash-flow management, low-rate financing, leasing, insurance\* – who better to trust for financing than the company who built the equipment?

\* (US only)



## Rewards

Make yourself eligible for exclusive discounts on equipment, member-only promotions and personalized factory tours from John Deere employees.



## Support

The leading loaner program in the industry, along with extended warranties, mobile maintenance, loaners, service agreements, operator training, and a team of people dedicated to your success – we take care of everything.



### One of the best – in its class, in the field, for your business.

Uptime Solutions is all about keeping your team up and running and getting every job done. Which is why, in addition to the mowers you can read all about in these pages, John Deere offers a full line of turf-tough and field-tested commercial equipment to meet just about every landscaping challenge – everything from TX Gators™ and XUVs to backhoes and mini-excavators.

Which means that whatever kind of task you face, and whatever kind of conditions you find yourself in, you can count on John Deere to have just that right machine for the job – from mowing grass and grading lots to hauling fertilizer and carting work crews to digging trenches and loading dump trucks. When you've got a John Deere fleet, you're ready for just about anything.

So whether your immediate need is a perfectly manicured lawn, or a perfectly placed pile of dirt, we've got you covered.



Utility Vehicles



Backhoe Loaders



Utility Tractors



## These flexible mowers also come with flexible fuel options.

When it comes to John Deere Commercial mowing equipment, you get more than a full-line of innovative equipment; you also get a wide range of fuel options.

You can choose electronic fuel-injected engines; flex fuel engines compatible with ethanol blends up to E85; biodiesel-driven units that can handle concentrations up to B20; even propane conversion kits that can turn your existing equipment into a fleet of fuel-sipping machines.



### EFI

Available on select ZTrak and QuikTrak models



### Flex Fuel

Available on select ZTrak models



### Propane\*

Available on select ZTrak and QuikTrak models



### Biodiesel

Available on select ZTrak, Front Mower and Wide-Area Mower models



\* Propane conversion kit available in the US only.

## Having an Uptime Solution means not letting a missing piece slow you down.

From our Parts OnSite™ program to our extensive selection of aftermarket alternative parts, you can count on John Deere to provide you with all the tools you need to stay on the job.

Read on to learn how we keep you running.



JDParts.Deere.com  
Order parts online 24/7

### Next Day Parts Guarantee\*

Whether you're looking to simply restock, or you have a parts emergency, our Next Day Parts Guarantee is our promise to you that you'll have the part you need by the next day, or it's FREE. With the most extensive parts distribution network and the industry's highest fill rate, we'll make sure that you get the parts you need, when you need them.

### Parts for All Makes and Models

Regardless of the color of your machine, John Deere has all makes of parts for all kinds of equipment. From genuine John Deere parts to aftermarket alternatives, we have the right part to fit your yellow, green, red or orange needs. The value of choice, from John Deere Parts.

### Get the parts you need now, pay later

We make it easy for you to get the parts you need when you need them with flexible payment options, including buy now, pay later programs.\*\* Ask your local John Deere dealer about special finance offers when you use your multi-use account.

\* Next Day Parts Guarantee available in the US only.

\*\* Financing on approved John Deere Financial credit only. See your multi-use account merchant for complete details. John Deere Financial multi-use account is a service of John Deere Financial, f.s.b.





# PARTS OnSite™

JOHN DEERE

**Strategy. Convenience. Partnership.** With our Parts OnSite program, you get all these benefits through the support of your John Deere dealer. Working together, you can develop the best stocking strategy to ensure you have all the maintenance parts you need, and stock them at YOUR shop so they're on-hand when you actually need them. Your dealer also helps maintain the inventory and takes care of the restocking when you're ready. It's that simple. We like to think of it as a common-sense approach to saving time and increasing productivity.

### Expand your equipment options, right from here.

You can find more than you might expect at your John Deere dealer. Parts and equipment made by leading companies like STIHL®, Honda®\* and Frontier, for instance. So you can get the extra pieces you need to fill out your toolbox, no extra trips or additional steps required.

\*US only)



## FRONTIER.

With an expansive line of more than 600 implements and attachments – and counting – Frontier Equipment has just the right products for getting the job done. From heavy-duty land leveling to athletic field grooming, parking lot snow removal to turf renovation and right-of-way maintenance, these rugged implements can handle just about any need. And they're available exclusively at your local John Deere dealer.

For more information, including detailed features and specs, visit [JohnDeere.com/Frontier](http://JohnDeere.com/Frontier) or [JohnDeere.ca/Frontier](http://JohnDeere.ca/Frontier).



SB2176 Snow Blower



SS1035B Broadcast Spreader



BB5072 Box Blade

# HONDA

Round out your fleet with mowers from one of the biggest names in the industry. (Available at US dealers only.) Honda's 21" rear bagging and mulching commercial-grade mowers, available in push or self-propelled configurations, feature easy-to-start 160cc engines and rugged, durable steel decks with front bumpers and edge guards.

For more information, including detailed features and specs, please visit [Honda.com](http://Honda.com).



**HRC216PDA Push Mower**

- 21" commercial rear bagger/mulcher
- Push type
- Easy to start commercial 160cc engine
- Rugged, durable steel deck with front bumper and edge guards



**HRC216HXA Self-Propelled Mower**

- 21" commercial rear bagger/mulcher
- Self-propelled, hydrostatic, commercial grade transmission
- Easy to start commercial GXV160 Honda engine
- Rugged, durable steel deck with front bumper and edge guards

(US only)

# STIHL®

The #1-selling brand of gas-powered handheld outdoor power equipment in the US,\* STIHL is only sold by independent dealers – like the professionals at John Deere, who understand the value of these legendary chain saws, dependable trimmers, powerful blowers, convenient backpack sprayers and handy edgers for businesses like yours.

For more information, including detailed features and specs, visit [STIHLUSA.com](http://STIHLUSA.com) or [STIHL.ca](http://STIHL.ca).

**BR 600 MAGNUM®**  
Backpack blower



**SG 71 Backpack Sprayer**



**FS 94 R Trimmer**



**MS 261 CM Chainsaw**

\* "Number one selling brand" is based on syndicated Irwin Broh Research as well as independent consumer research of 2009-2012 U.S. sales and market share data for the gasoline-powered handheld outdoor power equipment category combined sales to consumers and commercial landscapers.

## We can help you make sure it all adds up.

A key part of growing your business is being able to build your fleet – quickly, cost effectively and without any extra hassle. Well, you’ve come to the right place – because John Deere Financial creates finance tools just for your type of business.

- **Flexible leasing programs**, so you can preserve capital, adapt to changing workloads and maintain access to the latest Deere equipment.
- **Fast financing, with seasonal payment plans** so you can conserve cash by paying as little as 1% of the amount financed during your individual business off-season.
- **A payment date you choose**, so you can make sure it’s convenient for your business.
- **One simple payment** when you add STIHL handheld, walk-behind equipment and even a trailer to your equipment package – with the same low incentive rate. (some restrictions apply)
- **Maintenance part packages** to make sure you have what you need throughout the loan term, like blades & air and oil filters – saving you interest, and saving your service technician trips to the dealership. Plus, your payments more closely represent the cost to operate the equipment.
- **Revolving credit** that makes it a snap to get small equipment, parts and service at any John Deere dealer.

Find out more at [JohnDeereFinancial.com](http://JohnDeereFinancial.com) or [JohnDeereFinancial.ca](http://JohnDeereFinancial.ca). And read about everything that makes John Deere Financial your ideal business partner.



## Your equipment. Your plan.

Here’s just one example of how you can take advantage of our Seasonal Payment Plans.

**Amount Financed: \$7559**

**Rate: 0%\***

**Term: 36 months**

|                  | Regular Payments | Adjusted Seasonal Payments |
|------------------|------------------|----------------------------|
| November - March | \$210            | \$76                       |
| April - October  | \$210            | \$306                      |

\* Note: This rate and term are for illustrative purposes only. See your local dealer for current rates and terms.



## Discover the advantage of a John Deere Lease.

These days, the smart money is often on leasing from John Deere. Why? Because loyalty pays – as the advantages add up, the short- and long-term costs can actually go down.

### Hours Forgiveness

If you exceed your hour limit, you can have half of the excess hours forgiven if you lease another Commercial Mowing unit from us.

### Rollover Hours

If you end up using fewer hours, we'll give you a credit for the unused hours toward your next Commercial Mowing Lease.

### Damage waiver

We'll forgive up to \$250 of any damage or excessive wear and tear if you lease another Commercial mower from us.

In addition, you'll:

- Enjoy lower monthly payments
- Reduce equipment downtime by using the newest, most efficient equipment available.
- Maintain fixed operating costs by running equipment under warranty



### ILLUSTRATIVE EXAMPLE 36 Month Option on a Z915B 48" ZTrak


|                                | 0% Lease Rate Option*<br>1500 hrs total (500 hrs/yr) | Finance Option<br>0% for 36 Months* |
|--------------------------------|--|-------------------------------------|
| List Price                     | \$8,259  | \$8,259                             |
| GreenFleet™ Bonus**            | \$700  | \$700                               |
| MSRP less discounts            | \$7,559  | \$7,559                             |
| Term in Months                 | 36   | 36                                  |
| Rate for Example:              | 0.00%  | 0.00%                               |
| Hours Per Year                 | 500  | 500                                 |
| <b>Monthly Payment</b>         | <b>\$146.98</b>                                      | <b>\$209.97</b>                     |
| <b>Equipment Cost Per Hour</b> | <b>\$3.53</b>  | <b>\$5.04</b>                       |
| <b>Cash Flow Savings</b>       | <b>\$2,268</b>                                       |                                     |

\* Rates and terms are for illustrative purposes only. Example based on US dollars and US pricing. Financing on approved John Deere Financial credit only. See JohnDeere.com or JohnDeere.ca or your dealer for complete details, current programs, rates and other financing options. See your tax advisor for advice on tax impacts. Lease option is for Commercial Use Only.

\*\* To be eligible for the offer, purchaser must be or become a GreenFleet member and meet qualifying purchase levels. Amounts shown above are based on level 3 savings. Qualifying levels and savings will vary depending on the quantity and combination of equipment purchased. See complete membership information and discount details at JohnDeere.com/GreenFleet or a participating John Deere dealer.

## Rewards, Right This Way.

Along with valuable equipment discounts, GreenFleet™ Loyalty Rewards Platinum membership gives you special financing options, workshop products discounts, and other exclusive members-only benefits. And the more John Deere equipment you buy over time, the greater your savings.



### Everything Counts.

Earning Platinum membership is easy: Just purchase any 2 pieces of John Deere equipment within 12 months.\* You'll enjoy your membership for 2 full years from the date of your first purchase. Better yet, purchase 2 units every 2 years and we'll renew your membership. That's right, everything you buy – from large Agricultural tractors to small lawn tractors to Commercial Mowing Equipment – can count towards your GreenFleet membership level.\*\*

The chart on the next page shows you everything that GreenFleet offers. And the one next to that shows the full list of equipment that's eligible for discounts – with three Platinum levels, the more you purchase the more you can save.

### No Purchase? No Worries.

You can always sign up for a Silver level membership at [GreenFleetLoyaltyRewards.com](https://www.GreenFleetLoyaltyRewards.com) or [GreenFleetLoyaltyRewards.ca](https://www.GreenFleetLoyaltyRewards.ca). While you won't be entitled to all of the GreenFleet benefits, you can still receive valuable John Deere coupons and offers, and be among the first to know about new John Deere products and events. And you can upgrade your status at any time by purchasing eligible John Deere equipment.



\* GreenFleet Equipment is defined as self-propelled, ride-on equipment. All attachments and implements are excluded. See GreenFleet Terms & Conditions at [JohnDeere.com/GreenFleet](https://www.JohnDeere.com/GreenFleet) or [JohnDeere.ca/GreenFleet](https://www.JohnDeere.ca/GreenFleet).

\*\* GreenFleet membership begins on the date of the 1st qualifying unit purchase, and if purchased at Lowe's or Home Depot, the purchaser must register the equipment warranty in order to meet program requirements.

## Platinum Benefits.

### Equipment Discounts\*

As a GreenFleet Loyalty Rewards Platinum member, you'll get extra savings on everything from mowers to tractors to Gator™ Utility Vehicles purchased at your authorized John Deere dealer.

### Special Member Financing

To make expanding your fleet even more attractive, you'll also qualify for money-saving financing, available year 'round to Platinum members.

### Workshop Discounts

In addition, you'll get discounts on eligible John Deere tools and workshop equipment – air compressors, generators, pressure washers, and more.

### Exclusive Member Promotions\*\*

Once you activate your Platinum member card, you'll receive new exclusive offers every month in your GreenFleet email – along with insider tips and great ideas for enhancing your equipment experience.

| Membership Level                           | Silver | Gold  | Platinum 1* | Platinum 2* | Platinum 3* |
|--|--------|-------|-------------|-------------|-------------|
| Units Purchased                            | 0      | 1     | 2-4         | 5-7         | 8+          |
| Length of Membership                       | 1 yr.  | 1 yr. | 2 yrs.      | 2 yrs.      | 2 yrs.      |
| Quarterly GreenFleet Email**               | ✓      | ✓     |             |             |             |
| Coupons via email**                        | 4/yr.  | 4/yr. | 12/yr.      | 12/yr.      | 12/yr.      |
| Equipment Discounts*                       |        |       | \$          | \$\$        | \$\$\$      |
| Monthly GreenFleet Email**                 |        |       | ✓           | ✓           | ✓           |
| Welcome Kit including Member Card          |        |       | ✓           | ✓           | ✓           |
| Special low rate financing                 |        |       | ✓           | ✓           | ✓           |
| 10% off JohnDeereGifts.com (US only)       |        |       | ✓           | ✓           | ✓           |
| 10% off Workshop Products                  |        |       | ✓           | ✓           | ✓           |
| Homestead magazine subscription (1 year)** |        |       | ✓           | ✓           | ✓           |

\* GreenFleet Equipment is defined as self-propelled, ride-on equipment. All attachments and implements are excluded. See GreenFleet Terms & Conditions at [JohnDeere.com/GreenFleet](http://JohnDeere.com/GreenFleet) or [JohnDeere.ca/GreenFleet](http://JohnDeere.ca/GreenFleet). \*\* Must activate member card or provide valid email address to your dealer to receive benefit. \* Level savings are based on total units purchased. Members will receive the per unit discount based on the highest accumulated qualifying equipment purchased. GreenFleet discounts cannot be combined with other national discounts or offers. GreenFleet discounts are only available on products purchased at an authorized John Deere dealer.



You depend on your equipment day after day. So it's good to know you can rely on GreenFleet as well, to help you make the most of your investment – and increase your savings – as your equipment needs change.



## GreenFleet Equipment Savings

| Category                      | Eligible Equipment   | Silver<br>0 Units | Gold<br>1 Unit | Platinum 1 <sup>+</sup><br>2-4 Units | Platinum 2 <sup>+</sup><br>5-7 Units | Platinum 3 <sup>+</sup><br>8+ Units |
|-------------------------------|--|-------------------|----------------|--------------------------------------|--------------------------------------|-------------------------------------|
| <b>CM</b> Commercial Mowing   | WG, WH, WHP  | -                 | -              | \$350/ea                             | \$450/ea                             | \$550/ea                            |
|                               | 600B, 600M, 600R, Z900B  | -                 | -              | \$500/ea                             | \$600/ea                             | \$700/ea                            |
|                               | Z900M, Z900R   | -                 | -              | \$650/ea                             | \$800/ea                             | \$1,000/ea                          |
|                               | 997, Z997R, 1420, 1435, 1445, 1550   | -                 | -              | \$1,300/ea                           | \$1,600/ea                           | \$1,900/ea                          |
|                               | 1545, 1565, 1570, 1580   | -                 | -              | \$1,300/ea                           | \$1,800/ea                           | \$2,300/ea                          |
|                               | 1575, 1585   | -                 | -              | \$1,700/ea                           | \$2,400/ea                           | \$3,100/ea                          |
|                               | 1600   | -                 | -              | \$2,500/ea                           | \$3,500/ea                           | \$4,500/ea                          |
| <b>UV</b> Utility Vehicles    | CX, TS, TX   | -                 | -              | \$300/ea                             | \$500/ea                             | \$800/ea                            |
|                               | 550, 550 S4  | -                 | -              | \$500/ea                             | \$650/ea                             | \$800/ea                            |
|                               | 625i, HPX, TH, TE  | -                 | -              | \$500/ea                             | \$700/ea                             | \$1,000/ea                          |
|                               | 825i, 825i S4, RSX, 855D, 855D S4  | -                 | -              | \$700/ea                             | \$900/ea                             | \$1,200/ea                          |
| <b>TR</b> Tractors            | 1023E, 1025R, 2025R  | -                 | -              | \$500/ea                             | \$700/ea                             | \$900/ea                            |
|                               | 2032R, 3032E, 3038E  | -                 | -              | \$600/ea                             | \$900/ea                             | \$1,200/ea                          |
|                               | 3033R, 3039R, 4105   | -                 | -              | \$900/ea                             | \$1,300/ea                           | \$1,700/ea                          |
|                               | 3046R, 4044M, 4044R, 4052M, 4052R, 4120, 4320  | -                 | -              | \$1,200/ea                           | \$1,600/ea                           | \$2,000/ea                          |
|                               | 4066M, 4066R, 4520, 4720   | -                 | -              | \$1,400/ea                           | \$1,900/ea                           | \$2,400/ea                          |
|                               | 5045D, 5055D, 5045E, 5055E, 5065E, 5075E   | -                 | -              | \$0/ea                               | \$700/ea                             | \$700/ea                            |
|                               | 5085E, 5100E   | -                 | -              | \$0/ea                               | \$1,400/ea                           | \$1,400/ea                          |
|                               | 5075M, 5085M, 5100M, 5115M, 5100MH, 5100ML, 5115ML, 5083EN, 5093EN, 5101EN               | -                 | -              | \$0/ea                               | \$1,700/ea                           | \$1,700/ea                          |
| <b>RM</b> Residential Mowing  | S240, X300, X300R, X304, X310, X320, X324, X360, Z235, Z255, Z425, Z445, Z465            | -                 | -              | \$50/ea                              | \$50/ea                              | \$50/ea                             |
|                               | X500, Z600   | -                 | -              | \$200/ea                             | \$300/ea                             | \$400/ea                            |
|                               | X700   | -                 | -              | \$300/ea                             | \$450/ea                             | \$600/ea                            |
| <b>GS</b> Golf & Sports Turf  | TX Turf, TD100   | -                 | -              | \$400/ea                             | \$500/ea                             | \$600/ea                            |
|                               | 180 E-Cut, 180SL, 220 E-Cut, 220SL, 260SL, Aercore 1000                                  | -                 | -              | \$400/ea                             | \$550/ea                             | \$700/ea                            |
|                               | 1200A, 1200H, HD200, HD300, TC125  | -                 | -              | \$500/ea                             | \$700/ea                             | \$900/ea                            |
|                               | 2020A, 2030A, Aercore 800  | -                 | -              | \$925/ea                             | \$1,275/ea                           | \$1,625/ea                          |
|                               | 2653B, Aercore 1500  | -                 | -              | \$1,150/ea                           | \$1,550/ea                           | \$1,950/ea                          |
|                               | 2500B Gas, 2500B Diesel, 2500E Gas, 2500E Diesel, 7200, 7200A, 7400, 7400A, Aercore 2000 | -                 | -              | \$1,700/ea                           | \$2,250/ea                           | \$2,800/ea                          |
|                               | 7500, 7500A, 7500 E-Cut, 7700, 8000 E-Cut, 8000A E-Cut, 8500, 8500 E-Cut, 8700, 8800     | -                 | -              | \$2,600/ea                           | \$3,475/ea                           | \$4,350/ea                          |
|                               | 7500A E-Cut, 7700A, 8700A, 8800A   | -                 | -              | \$2,925/ea                           | \$3,925/ea                           | \$4,925/ea                          |
| <b>CW</b> Commercial Worksite | 313, 315, 318D, 318E, 320D, 320E, 326D, 326E, 328D, 328E, 332D, 332E                     | -                 | -              | 15% Off MSRP                         | 17% Off MSRP                         | 20% Off MSRP                        |
|                               | CT315, 319D, 319E, 323D, 323E, 329D, 329E, 333D, 333E                                    | -                 | -              | 15% Off MSRP                         | 17% Off MSRP                         | 20% Off MSRP                        |
|                               | 17D, 27D, 35D, 35G, 50D, 50G, 60D, 60G   | -                 | -              | 15% Off MSRP                         | 17% Off MSRP                         | 20% Off MSRP                        |
|                               | 204K, 244J, 304K, 324J   | -                 | -              | 15% Off MSRP                         | 17% Off MSRP                         | 20% Off MSRP                        |

\* Level savings are based on total units purchased. Members will receive the per unit discount based on the highest accumulated qualifying equipment purchased. GreenFleet discounts cannot be combined with other national discounts or offers. GreenFleet discounts are only available on products purchased at an authorized John Deere dealer.

## Make sure your fleet is ready to take the field.

There's one team that cares as much about keeping your equipment running as you do: the one at your John Deere dealer. We stand at the ready, able to provide repairs, answer questions, offer support and do whatever it takes to keep downtime to a minimum.

So you can count on working with knowledgeable technicians. Having access to a comprehensive parts inventory. And knowing that your commercial mowing needs are understood clearly, taken seriously and always met with skill and precision.

And from mobile maintenance that brings the repair right to you, to extended warranties that keep you covered, to loaner equipment and training programs that keep up with your every move, we've got everything you need to plan for the future, and deal with the unexpected.

That's what your business demands. And what Uptime Solutions is all about.

### Confidence has never been so affordable.

| PowerGard Extended Warranty* | US Dollars and Pricing** |
|------------------------------|--------------------------|
| ZTraks™                      | as low as \$333          |
| QuikTraks™                   | as low as \$133          |
| Walk-Behind Mowers           | as low as \$70           |
| Utility Vehicles             | as low as \$81           |
| Compact Utility Tractors     | as low as \$335          |

\* PowerGard Protection Plan extended warranty covers failures due to defective materials or original workmanship of covered components. Customers have a choice between either the Limited (engine & powertrain) coverage form or the Comprehensive (full-machine) coverage form. See your dealer, [www.JohnDeere.com](http://www.JohnDeere.com) or [www.JohnDeere.ca](http://www.JohnDeere.ca) for details.

\*\* See Dealer for Canadian Pricing of PowerGard Extended Warranty Programs.



# NEVERSTOP™

LOANER GUARANTEE

## No-cost 24-hour loaner guarantee

Just because a machine goes down, that doesn't mean your work can come to a halt. That's why we're introducing a first-of-its-kind loaner program, designed to keep you working – and keep you from worrying.

Here's how it works: If one of your ZTraks™, QuikTraks™ or Walk-Behinds needs a warrantable repair, your dealer will provide you a loaner machine at no charge – and make sure it's available for commercial use within 24 hours.\*

Talk to your dealer to get all the details. And find out how John Deere can get you back up and running sooner than you ever thought possible.

**\$249<sup>USD</sup> RETAIL VALUE.**  
**FREE TO YOU.\***

\* Program available only at participating dealers and dealer participation will vary. Loaners used for residential purposes provided within 72 hours. Some conditions and restrictions apply. Additional program offerings available for an added cost. See participating dealer for complete details and program offerings.



# ZTrak™ Specifications

## B SERIES

## M SERIES

### Z915B

### Z920M

| Engine                            | Z915B  | Z920M  |
|-----------------------------------|--|--|
| Certified Horsepower              | 25.0 HP (18.6 kW) <sup>2</sup> @ 3600 RPM  | 23.5 HP (17.5 kW) <sup>2</sup> @ 3600 RPM  |
| Engine Model                      | CV742  | FX730V   |
| Displacement                      | 747 cc   | 726 cc   |
| Cylinders                         | Two  | Two  |
| Oil Filter                        | Full flow, replaceable   | Full flow, replaceable   |
| Lubrication                       | Full pressure  | Full pressure  |
| Cooling                           | Air  | Air  |
| Air Cleaner                       | Heavy-duty canister type with safety element   | Heavy-duty canister type with safety element   |
| Fuel System                       |  |  |
| Fuel Type                         | Gas  | Gas  |
| Fuel Tank Capacity                | 11.5 U.S. gallons (43.5 L)   | 11.5 U.S. gallons (43.5 L)   |
| Electrical System                 |  |  |
| Charge System                     | 15 amp   | 20 amp   |
| Battery Voltage                   | 12 Volt  | 12 Volt  |
| Hour Meter                        | Standard, digital  | Standard, digital  |
| Operator Presence Starting System | Brake-N-Go (hand)  | Brake-N-Go (hand)  |
| Drive Train                       |  |  |
| Hydraulic Pumps                   | Tuff Torq heavy-duty integrated piston pump  | Tuff Torq heavy-duty integrated piston pump  |
| Wheel Motors                      | Tuff Torq heavy-duty integrated piston wheel motor   | Tuff Torq heavy-duty integrated piston wheel motor   |
| Hydraulic Capacity                | 5.9 U.S. qt (5.58 L)   | 5.9 U.S. qt (5.58 L)   |
| Travel Speed Forward              | 0 - 10 mph (0-16.1 km/h)   | 0 - 10 mph (0-16.1 km/h)   |
| Travel Speed Reverse              | 0 - 4.5 mph (0-7.2 km/h)   | 0 - 4.5 mph (0-7.2 km/h)   |
| PTO                               |  |  |
| Type                              | Electro-magnetic (200 lb. ft.)   | Electro-magnetic (200 lb. ft.)   |
| Drive                             | V-belt   | V-belt   |
| Brakes                            |  |  |
| Park Brake                        | Internal wet disk integrated in the transmisson  | Internal wet disk integrated in the transmisson  |
| Park Brake Actuation              | Hand brake   | Hand brake   |
| Mower Decks                       |  |  |
| Available Widths / Type           | 48, 54, 60 in. (121.9, 137.2, 152.4 cm)  | 48, 48 MOD, 54, 60 in. (121.9, 121.9 MOD, 137.2, 152.4 cm)                                 |
| Deck construction                 | 7-Iron II (One-piece stamped steel with reinforcements)                                    | 7-Iron PRO (One-piece stamped steel with reinforcements)                                   |
| Deck thickness                    | 7-gauge (0.177 in.)  | 7-gauge (0.177 in.)  |
| Height-of-Cut Range / Increment   | 1.0 in. to 5.5 in. (2.5 cm - 13.9 cm) / 0.25 in. (.6 cm)                                   | 1.0 in. to 5.5 in. (2.5 cm - 13.9 cm) / 0.25 in. .6 cm)                                    |
| Blades                            |  |  |
| Tip Speed                         | Approximately 18,000 fpm   | Approximately 18,000 fpm   |
| Number                            | Three  | Three  |
| Wheels and Tires                  |  |  |
| Drive (Rear) Tires                | 24x9.5-12 Turf (48"), 24x12-12 Turf (54", 60"); 24x12-12 X TWEEL TURF                      | 24x9.5-12 Turf (48"), 24x12-12 Turf (54", 60"); 24x12-12 X TWEEL TURF                      |
| Caster Wheel Type                 | Pneumatic  | Flat Free  |
| Caster Wheel Size                 | 13x5-6   | 13x6-5-6   |
| Dimensions                        |  |  |
| Overall Length                    | 84 in. (213.4 cm)  | 84 in. (213.4 cm)  |
| Overall Width (chute down)        | 62, 68, 74 in. (157.5, 172.7, 188 cm) with chute down                                      | 62, 68, 74 in. (157.5, 172.7, 188 cm) with chute down                                      |
| Height                            | 73 in. (185.4 cm) with ROPS up; 47 in. (119.4 cm) with ROPS down                           | 73 in. (185.4 cm) with ROPS up; 47 in. (119.4 cm) with ROPS down                           |
| Weight (with Fluids)              | 1178 lb (534.3 kg) - Z915B 60" ISO seat  | 1283 lb (582 kg) - Z920M 60"   |
| Warranty <sup>1</sup>             |  |  |
| Duration                          | 36 months or 1200 hours, whichever comes first, no hour limitation for the first 24 months | 36 months or 1200 hours, whichever comes first, no hour limitation for the first 24 months |
| Type                              | Single Source Commercial   | Single Source Commercial   |

## Z925M EFI

25.0 HP (18.6 kW)<sup>3</sup> @ 3600 RPM

ECV740

747 cc

Two

Full flow, replaceable

Full pressure

Air

Heavy-duty canister type with safety element

Gas

11.5 U.S. gallons (43.5 L)

20 amp

12 Volt

Standard, digital

Brake-N-Go (hand)

Tuff Torq heavy-duty integrated piston pump

Tuff Torq heavy-duty integrated piston wheel motor

5.9 U.S. qt (5.58 L)

0 - 10 mph (0-16.1 km/h)

0 - 4.5 mph (0-7.2 km/h)

Electro-magnetic (225 lb. ft.)

V-belt

Internal wet disk integrated in the transmisson

Hand brake

54, 54 MOD, 60 in. (137.2, 137.2 MOD, 152.4 cm)

7-Iron PRO (One-piece stamped steel with reinforcements)

7-gauge (0.177 in.)

1.0 in. to 5.5 in. (2.5 cm - 13.9 cm) / 0.25 in. (.6 cm)

Approximately 18,000 fpm

Three

24x12-12 Turf; 24x12-12 X TWEEL TURF

Flat Free

13x6.5-6

84 in. (213.4 cm)

68, 74 in. (172.7, 188 cm) with chute down

73 in. (185.4 cm) with ROPS up; 47 in. (119.4 cm) with ROPS down

1300 lb (589.7 kg) - Z925M EFI 54" MOD

36 months or 1200 hours, whichever comes first, no hour limitation for the first 24 months

Single Source Commercial

## Z925M Flex Fuel

25.0 HP (18.6 kW)<sup>3</sup> @ 3600 RPM

FCV740

747 cc

Two

Full flow, replaceable

Full pressure

Air

Heavy-duty canister type with safety element

Gas or ethanol blends up to E85

11.5 U.S. gallons (43.5 L)

20 amp

12 Volt

Standard, digital

Brake-N-Go (hand)

Tuff Torq heavy-duty integrated piston pump

Tuff Torq heavy-duty integrated piston wheel motor

5.9 U.S. qt (5.58 L)

0 - 10 mph (0-16.1 km/h)

0 - 4.5 mph (0-7.2 km/h)

Electro-magnetic (225 lb. ft.)

V-belt

Internal wet disk integrated in the transmisson

Hand brake

54, 60 in.(137.2, 152.4 cm)

7-Iron PRO (One-piece stamped steel with reinforcements)

7-gauge (0.177 in.)

1.0 in. to 5.5 in. (2.5 cm - 13.9 cm) / 0.25 in. (.6 cm)

Approximately 18,000 fpm

Three

24x12-12 Turf; 24x12-12 X TWEEL TURF

Flat Free

13x6.5-6

84 in. (213.4 cm)

68, 74 in. (172.7, 188 cm) with chute down

73 in. (185.4 cm) with ROPS up; 47 in. (119.4 cm) with ROPS down

1291 lb (585.6 kg) - Z925M Flex Fuel 54"

36 months or 1200 hours, whichever comes first, no hour limitation for the first 24 months

Single Source Commercial

## Z930M / Z930M EFI

25.5 HP (19.0 kW)<sup>2</sup> / 26.5 HP (19.7 kW)<sup>3</sup> @ 3600 RPM

F801V / ECV749

852 cc / 747 cc

Two

Full flow, replaceable

Full pressure

Air

Heavy-duty canister type with safety element

Gas

11.5 U.S. gallons (43.5 L)

20 amp

12 Volt

Standard, digital

Brake-N-Go (hand)

Tuff Torq heavy-duty integrated piston pump

Tuff Torq heavy-duty integrated piston wheel motor

5.9 U.S. qt (5.58 L)

0 - 10 mph (0-16.1 km/h)

0 - 4.5 mph (0-7.2 km/h)

Electro-magnetic (225 lb. ft.)

V-belt

Internal wet disk integrated in the transmisson

Hand brake

54, 54 in. MOD (137.2, 137.2 MOD cm) / 60, 60 in. MOD (152.4, 152.4 MOD)

7-Iron PRO (One-piece stamped steel with reinforcements)

7-gauge (0.177 in.)

1.0 in. to 5.5 in. (2.5 cm - 13.9 cm) / 0.25 in. (.6 cm)

Approximately 18,000 fpm

Three

24x12-12 Turf; 24x12-12 X TWEEL TURF

Flat Free

13x6.5-6

84 in. (213.4 cm)

74, 86 in. (188, 218.4 cm ) with chute down

73 in. (185.4 cm) with ROPS up; 47 in. (119.4 cm) with ROPS down

1365 lb (619.2 kg) - Z930M 72"

36 months or 1200 hours, whichever comes first, no hour limitation for the first 24 months

Single Source Commercial

## Z950M

27.0 HP (20.1 kW)<sup>2</sup> @ 3600 RPM

FX850V

852 cc

Two

Full flow, replaceable

Full pressure

Air

Heavy-duty canister type with safety element

Gas

11.5 U.S. gallons (43.5 L)

20 amp

12 Volt

Standard, digital

Brake-N-Go (hand)

Tuff Torq heavy-duty integrated piston pump

Tuff Torq heavy-duty integrated piston wheel motor

5.9 U.S. qt (5.58 L)

0 - 10 mph (0-16.1 km/h)

0 - 4.5 mph (0-7.2 km/h)

Electro-magnetic (225 lb. ft.)

V-belt

Internal wet disk integrated in the transmisson

Hand brake

60, 60 MOD, 72 in.(152.4, 152.4 MOD, 182.9 cm)

7-Iron PRO (One-piece stamped steel with reinforcements)

7-gauge (0.177 in.)

1.0 in. to 5.5 in. (2.5 cm - 13.9 cm) / 0.25 in. (.6 cm)

Approximately 18,000 fpm

Three

24x12-12 Turf; 24x12-12 X TWEEL TURF

Flat Free

13x6.5-6

84 in. (213.4 cm)

74, 86 in. (188, 218.4 cm ) with chute down

73 in. (185.4 cm) with ROPS up; 47 in. (119.4 cm) with ROPS down

1365 lb (619.2 kg) - Z930M 72"

36 months or 1200 hours, whichever comes first, no hour limitation for the first 24 months

Single Source Commercial

|                                   | Z920R  | Z930R  | Z950R  |
|-----------------------------------|--|--|--|
| <b>Engine</b>                     |  |  |  |
| Certified Horsepower              | 23.5 HP (17.5 kW) <sup>2</sup> @ 3600 RPM  | 25.5 HP (19.0 kW) <sup>2</sup> @ 3600 RPM  | 27.0 HP (20.1 kW) <sup>2</sup> @ 3600 RPM  |
| Engine Model                      | FX730V   | FX801V   | FX850V   |
| Displacement                      | 726 cc   | 852 cc   | 852 cc   |
| Cylinders                         | Two  | Two  | Two  |
| Oil Filter                        | Full flow, replaceable   | Full flow, replaceable   | Full flow, replaceable   |
| Lubrication                       | Full pressure  | Full pressure  | Full pressure  |
| Cooling                           | Air  | Air  | Air  |
| Air Cleaner                       | Heavy-duty canister type with safety element   | Heavy-duty canister type with safety element   | Heavy-duty canister type with safety element   |
| <b>Fuel System</b>                |  |  |  |
| Fuel Type                         | Gas  | Gas  | Gas  |
| Fuel Tank Capacity                | 11.5 U.S. gallons (43.5 L)   | 11.5 U.S. gallons (43.5 L)   | 11.5 U.S. gallons (43.5 L)   |
| <b>Electrical System</b>          |  |  |  |
| Charge System                     | 20 amp   | 20 amp   | 20 amp   |
| Battery Voltage                   | 12 Volt  | 12 Volt  | 12 Volt  |
| Hour Meter                        | Standard, digital  | Standard, digital  | Standard, digital  |
| Operator Presence Starting System | Brake-N-Go (foot)  | Brake-N-Go (foot)  | Brake-N-Go (foot)  |
| <b>Drive Train</b>                |  |  |  |
| Hydraulic Pumps                   | Tuff Torq heavy-duty integrated piston pump  | Tuff Torq heavy-duty integrated piston pump  | Tuff Torq heavy-duty integrated piston pump  |
| Wheel Motors                      | Tuff Torq heavy-duty integrated piston wheel motor   | Tuff Torq heavy-duty integrated piston wheel motor   | Tuff Torq heavy-duty integrated piston wheel motor   |
| Hydraulic Capacity                | 5.9 U.S. qt (5.58 L)   | 5.9 U.S. qt (5.58 L)   | 5.9 U.S. qt (5.58 L)   |
| Travel Speed Forward              | 0 - 12 mph (0-19.3 km/h)   | 0 - 12 mph (0-19.3 km/h)   | 0 - 12 mph (0-19.3 km/h)   |
| Travel Speed Reverse              | 0 -4.5 mph (0-7.2 km/h)  | 0 -4.5 mph (0-7.2 km/h)  | 0 -4.5 mph (0-7.2 km/h)  |
| <b>PTO</b>                        |  |  |  |
| Type                              | Electro-magnetic (200 lb. ft.)   | Electro-magnetic (225 lb. ft.)   | Electro-magnetic (225 lb. ft.)   |
| Drive                             | V-belt   | V-belt   | V-belt   |
| <b>Brakes</b>                     |  |  |  |
| Park Brake                        | Internal wet disk integrated in the transmisson  | Internal wet disk integrated in the transmisson  | Internal wet disk integrated in the transmisson  |
| Park Brake Actuation              | Foot Brake   | Foot Brake   | Foot Brake   |
| <b>Mower Decks</b>                |  |  |  |
| Available Widths / Type           | 48, 54 in. (121.9, 152.4 cm, )   | 54, 54 MOD, 60 in. (137.2, 137.2 MOD, 152.4 cm)  | 60, 60 MOD, 72 in. (152.4, 152.4 MOD, 182.9 cm)  |
| Deck construction                 | 7-Iron PRO (One-piece stamped steel with reinforcements)                                   | 7-Iron PRO (One-piece stamped steel with reinforcements)                                   | 7-Iron PRO (One-piece stamped steel with reinforcements)                                   |
| Deck thickness                    | 7-gauge (0.177 in.)  | 7-gauge (0.177 in.)  | 7-gauge (0.177 in.)  |
| Height-of-Cut Range / Increment   | 1.0 in. to 5.5 in. (2.5 cm - 13.9 cm) / 0.25 in. (.6 cm)                                   | 1.0 in. to 5.5 in. (2.5 cm - 13.9 cm) / 0.25 in. (.6 cm)                                   | 1.0 in. to 5.5 in. (2.5 cm - 13.9 cm) / 0.25 in. (.6 cm)                                   |
| <b>Blades</b>                     |  |  |  |
| Tip Speed                         | Approximately 18,000 fpm   | Approximately 18,000 fpm   | Approximately 18,000 fpm   |
| Number                            | Three  | Three  | Three  |
| <b>Wheels and Tires</b>           |  |  |  |
| Drive (Rear) Tires                | 24x9.5-12 Turf (48"), 24x12-12 Turf (54", 60"); 24x12-12 X TWEEL TURF                      | 24x12-12 Turf; 24x12-12 X TWEEL TURF   | 24x12-12 Turf; 24x12-12 X TWEEL TURF   |
| Caster Wheel Type                 | Flat Free  | Flat Free  | Flat Free  |
| Caster Wheel Size                 | 13x6.5-6   | 13x6.5-6   | 13x6.5-6   |
| <b>Dimensions</b>                 |  |  |  |
| Overall Length                    | 84 in. (213.4 cm)  | 84 in. (213.4 cm)  | 84 in. (213.4 cm)  |
| Overall Width (chute down)        | 62, 68 in. (157.5, 172.7 cm) with chute down   | 68, 74 in. (172.7, 188 cm) with chute down   | 74, 86 in. (188, 218.4 cm) with chute down   |
| Height                            | 73 in. (185.4 cm) with ROPS up; 47 in. (119.4 cm) with ROPS down                           | 73 in. (185.4 cm) with ROPS up; 47 in. (119.4 cm) with ROPS down                           | 73 in. (185.4 cm) with ROPS up; 47 in. (119.4 cm) with ROPS down                           |
| Weight (with Fluids)              | 1260 lb (571.5 kg) - Z920R 54"   | Not available at time of printing  | 1340 lb (607.8 kg)- Z930R 54" MOD  |
| <b>Warranty<sup>1</sup></b>       |  |  |  |
| Duration                          | 36 months or 1500 hours, whichever comes first, no hour limitation for the first 24 months | 36 months or 1500 hours, whichever comes first, no hour limitation for the first 24 months | 36 months or 1500 hours, whichever comes first, no hour limitation for the first 24 months |
| Type                              | Single Source Commercial   | Single Source Commercial   | Single Source Commercial   |

## DIESEL SERIES

### Z960R

31.0 HP (23.1 kW)<sup>2</sup> @ 3600 RPM

FX921V

999 cc

Two

Full flow, replaceable

Full pressure

Air

Heavy-duty canister type with safety element

Gas

11.5 U.S. gallons (43.5 L)

20 amp

12 Volt

Standard, digital

Brake-N-Go (foot)

Tuff Torq heavy-duty integrated piston pump

Tuff Torq heavy-duty integrated piston wheel motor

5.9 U.S. qt (5.58 L)

0 - 12 mph (0-19.3 km/h)

0 -4.5 mph (0-7.2 km/h)

Electro-magnetic (225 lb. ft.)

V-belt

Internal wet disk integrated in the transmisson

Foot Brake

60, 60 MOD, 72 in. (152.4, 152.4 MOD, 182.9 cm)

7-Iron PRO (One-piece stamped steel with reinforcements)

7-gauge (0.177 in.)

1.0 in. to 5.5 in. (2.5 cm - 13.9 cm) / 0.25 in. (.6 cm)

Approximately 18,000 fpm

Three

24x12-12 Turf; 24x12-12 X Tweel Turf

Flat Free

13x6.5-6

84 in. (213.4 cm)

74, 86 in. (188, 218.4 cm) with chute down

73 in. (185.4 cm) with ROPS up; 47 in. (119.4 cm) with ROPS down

1340 lb (607.8 kg) - Z960R 72"

36 months or 1500 hours, whichever comes first, no hour limitation for the first 24 months

Single Source Commercial

### Z970R

35.0 HP (26.1 kW)<sup>2</sup> @ 3600 RPM

FX1000V

999 cc

Two

Full flow, replaceable

Full pressure

Air

Heavy-duty canister type with safety element

Gas

11.5 U.S. gallons (43.5 L)

20 amp

12 Volt

Standard, digital

Brake-N-Go (foot)

Tuff Torq heavy-duty integrated piston pump

Tuff Torq heavy-duty integrated piston wheel motor

5.9 U.S. qt (5.58 L)

0 - 12 mph (0-19.3 km/h)

0 -4.5 mph (0-7.2 km/h)

Electro-magnetic (225 lb. ft.)

V-belt

Internal wet disk integrated in the transmisson

Foot Brake

72 in. (182.9 cm)

7-Iron PRO (One-piece stamped steel with reinforcements)

7-gauge (0.177 in.)

1.0 in. to 5.5 in. (2.5 cm - 13.9 cm) / 0.25 in. (.6 cm)

Approximately 18,000 fpm

Three

24x12-12 Turf; 24x12-12 X TWEEL TURF

Flat Free

13x6.5-6

84 in. (213.4 cm)

74, 86 in. (188, 218.4 cm) with chute down

73 in. (185.4 cm) with ROPS up; 47 in. (119.4 cm) with ROPS down

1336 lb (606 kg) - Z970R 72"

36 months or 1500 hours, whichever comes first, no hour limitation for the first 24 months

Single Source Commercial

### Z997R

37.4 HP (27.5 kW), @ 3000 rpm, PS

3TNV88C

100.2 cu.in. (1.64 L)

Three

Full flow, replaceable, Spin-on type

Full pressure

Liquid

Dry-type, replaceable

Diesel or Biodiesel (up to B20)

11.5 U.S. gallons (43.5 L)

75 amp

12 Volt

Standard multi-function display

Standard

Kanzaki dual-unitized pumps

Parker Ross

3.2 U.S. gal (12.1 L) (tank capacity)

0-11.5 mph (0-18.5 km/h)

0-5 mph (0-8.1 km/h)

Hydraulic clutch

Internal wet disk clutch

Caliper disc brake

Hand lever

60, 60 MOD, 72 in. (152.4, 152.4 MOD & 182.9 cm), and 60 in. (152.4 cm) rear discharge

7-Iron PRO (One-piece stamped steel with reinforcements) - (except for 60" rear discharge)

7-gauge (.177 in., 4.6mm) stamped steel

1.5-5.0 in. (3.8-12.7 cm) / 0.25 in. (.6 ccm)

60 in. deck 17,480 fpm (88.8 m/s); 72 in. deck 17,500 fpm (88.9 m/s)

Three

26x12-12

Flat Free

15-6-6

60 in. side discharge 96 in. (244 cm)

60 in. side discharge and MOD 74 in. (188 cm); 72 in. deck 86 in. (218.4 cm)

ROPS up 85 in. (216 cm)

60 in. side discharge 1,774 (805 kg); 60 in. rear discharge 1,827 lb (829 kg); 72 in. side discharge 1,841 lb (835 kg)

36 months or 1500 hours, whichever comes first, no hour limitation for the first 24 months

Single Source Commercial

# QuikTrak™ Specifications

## B SERIES

## M SERIES

|                                  | 652B  | 636M  |
|----------------------------------|---|---|
| <b>Engine</b>                    |   |   |
| Certified Horsepower             | 22.0 HP (16.4 kW) <sup>2</sup> @ 3600 RPM   | 18.5HP (13.8 kW) <sup>2</sup> @ 3600 RPM  |
| Engine Model                     | FX691V  | FS600V-AS28-R   |
| Displacement                     | 726 cc  | 603 cc  |
| Cylinders                        | Two   | Two   |
| Oil Filter                       | Spin on Full Flow - Cartridge type  | Spin on Full Flow - Cartridge type  |
| Lubrication                      | Full Pressure   | Full Pressure   |
| Cooling                          | Air   | Air   |
| Air Cleaner                      | Heavy-duty canister type with safety element  | Dry Type - Dual Stage   |
| <b>Fuel System</b>               |   |   |
| Fuel Type                        | Gas   | Gas   |
| Fuel Tank Capacity               | 5.6 U.S. gallons (21.2L)  | 5.6 U.S. gallons (21.2L)  |
| <b>Electrical System</b>         |   |   |
| Charge System                    | 12V - 20 amp @ 3600RPM  | 12V - 15 amp @ 3600RPM  |
| Battery Voltage                  | 12 Volt   | 12 Volt   |
| Hour Meter                       | Standard, digital   | Standard, digital   |
| Operator Presence Control System | Mechanical Over Electrical  | Mechanical Over Electrical  |
| <b>Drive Train</b>               |   |   |
| Hydraulic Pumps                  | Dual Variable Displacement BiDirectional Axial Piston - Hydro Gear PK Series 12 cm <sup>3</sup> /rev (0.73 cu in./rev) with Fan | Dual Variable Displacement BiDirectional Axial Piston - Hydro Gear PG Series 10cm <sup>3</sup> /rev (0.61 cu in./rev) |
| Wheel Motors                     | Hydro-Gear HGM-P Series, 245 cm <sup>3</sup> /rev. (15.0cu in/rev.)   | Hydro-Gear HGM-P Series, 196 cm <sup>3</sup> /rev. (12.0cu in/rev.)   |
| Hydraulic Capacity               | 5.0 qt (4.7 L)  | 5.0 qt (4.7 L)  |
| Travel Speed Forward             | 0 - 9.6 mph (15.4 km/h)   | 0 - 8.2mph (13.2 km/h)  |
| Travel Speed Reverse             | 0 - 4.8 to 5.5 mph (7.7 to 8.85 km/h)   | 0 - 3.5 mph (5.6 km/h)  |
| <b>PTO</b>                       |   |   |
| Type                             | Electro-Magnetic (200 lb. ft.) w/Brake  | Electro-Magnetic-ccw (125 lb. ft.) w/Brake  |
| Deck Drive                       | Dual B-Section V-belt w/Kevelar Cord  | Dual B-Section V-belt w/Kevelar Cord  |
| <b>Brakes</b>                    |   |   |
| Park Brake                       | Twin Motion Control Levers / Hydrostatic  | Mechanical Lever / Tire Engagement  |
| Park Brake Actuation             | Mechanical Lever / Tire Engagement  | Over Center Hand Lever  |
| <b>Mower Deck</b>                |   |   |
| Available Width / Type           | 52 in. (132.1 cm) Side Discharge  | 36 in. (91.44 cm) Side Discharge  |
| Deck construction                | 7-gauge (0.177 in.) 4.5mm fabricated steel  | 7-gauge (0.177 in.) 4.5mm fabricated steel  |
| Style                            | Fixed   | Floating  |
| Height-of-Cut Range / Increment  | 1.5 in. to 5.0 in. (3.8 cm - 12.7 cm) / 0.25 in. (.6 cm)  | 1.5 in. to 5.0 in. (3.8 cm. to 12.7 cm.) / 0.25 in. (.6 cm)   |
| <b>Deck Blades</b>               |   |   |
| Tip Speed                        | Approximately 18,900 fpm  | 18,900 fpm  |
| Number                           | Three   | Two   |
| <b>Wheels and Tires</b>          |   |   |
| Drive (Rear) Tires               | 20 x 10.00-8 4PR Turf Master  | 18 X 8.50 - 10 4PR Turf Master  |
| Caster Wheel Type                | Flat Free   | Flat Free   |
| Caster Wheel Size                | 13 x 6.5 - 6  | 13 x 6.5 - 6  |
| <b>Dimensions</b>                |   |   |
| Overall Length                   | 66 in. (167.6 cm.)  | 62 in. (157.5 cm.)  |
| Overall Width (chute down)       | 66 in. (167.6 cm.) with Chute Down  | 49.5 in. (125.7 cm.) with Chute Down  |
| Height                           | 47 in. (119 cm.)  | 46 in. (117 cm.)  |
| Weight (with Fluids)             | 927 lbs (420.5 kg)  | 731lbs (332 kg)   |
| <b>Warranty<sup>1</sup></b>      |   |   |
| Duration                         | 24 months   | 24 months   |
| Type                             | Single Source Commercial  | Single Source Commercial  |

**648M**

|   |
|---|
| 22.0 HP (16.4 kW) <sup>2</sup> @ 3600 RPM   |
| FX691V  |
| 726 cc  |
| Two   |
| Spin on Full Flow - Cartridge type  |
| Full Pressure   |
| Air   |
| Dry Type - Dual Stage   |
| Gas   |
| 5.6 U.S. gallons (21.2L)  |
| 12V - 15 amp @ 3600RPM  |
| 12 Volt   |
| Standard, digital   |
| Mechanical Over Electrical  |
| Dual Variable Displacement BiDirectional Axial Piston - Hydro Gear PG Series 10cm/rev (0.61 cu in./rev) |
| Hydro-Gear HGM-P Series, 196 cm <sup>3</sup> /rev. (12.0cu in/rev.)                                     |
| 5.0 qt (4.7 L)  |
| 0 - 8.2mph (13.2 km/h)  |
| 0 - 3.5 mph (5.6 km/h)  |
| Electro-Magnetic-ccw (125 lb. ft.) w/Brake  |
| Dual B-Section V-belt w/Kevelar Cord  |
| Mechanical Lever / Tire Engagement  |
| Over Center Hand Lever  |
| 48 in. (121.9 cm) Side Discharge  |
| 7-gauge (0.177 in.) 4.5mm fabricated steel  |
| Floating  |
| 1.5 in. to 5.0 in. (3.8 cm. to 12.7 cm.) / 0.25 in. (.6 cm)   |
| 18,900 fpm  |
| Three   |
| 18 X 10.50 - 10 4PR Turf Master   |
| Flat Free   |
| 13 x 6.5 - 6  |
| 59.75 in. (151.8 cm.)   |
| 62 in. (157.4 cm.) with Chute Down  |
| 46 in. (117 cm.)  |
| 820 lbs (372kg)   |
| 24 months   |
| Single Source Commercial  |

**652M**

|   |
|---|
| 22.0 HP (16.4 kW) <sup>2</sup> @ 3600 RPM   |
| FX691V  |
| 726 cc  |
| Two   |
| Spin on Full Flow - Cartridge type  |
| Full Pressure   |
| Air   |
| Dry Type - Dual Stage   |
| Gas   |
| 5.6 U.S. gallons (21.2L)  |
| 12V - 15 amp @ 3600RPM  |
| 12 Volt   |
| Standard, digital   |
| Mechanical Over Electrical  |
| Dual Variable Displacement BiDirectional Axial Piston - Hydro Gear PG Series 10cm/rev (0.61 cu in./rev) |
| Hydro-Gear HGM-P Series, 196 cm <sup>3</sup> /rev. (12.0cu in/rev.)                                     |
| 5.0 qt (4.7 L)  |
| 0 - 8.2mph (13.2 km/h)  |
| 0 - 3.5 mph (5.6 km/h)  |
| Electro-Magnetic-ccw (125 lb. ft.) w/Brake  |
| Dual B-Section V-belt w/Kevelar Cord  |
| Mechanical Lever / Tire Engagement  |
| Over Center Hand Lever  |
| 52 in. (132.1 cm) Side Discharge  |
| 7-gauge (0.177 in.) 4.5mm fabricated steel  |
| Floating  |
| 1.5 in. to 5.0 in. (3.8 cm. to 12.7 cm.) / 0.25 in. (.6 cm)   |
| 18,900 fpm  |
| Three   |
| 18 X 10.50 - 10 4PR Turf Master   |
| Flat Free   |
| 13 x 6.5 - 6  |
| 59.75 in. (151.8 cm.)   |
| 66 in. (167.6 cm.) with Chute Down  |
| 46 in. (119 cm.)  |
| 828lbs (375 kg)   |
| 24 months   |
| Single Source Commercial  |

**648R**

|   |
|---|
| 22.0 HP (16.4 kW) <sup>2</sup> @ 3600 RPM   |
| FX691V  |
| 726 cc  |
| Two   |
| Spin on Full Flow - Cartridge type  |
| Full Pressure   |
| Air   |
| Heavy-duty canister type with safety element  |
| Gas   |
| 5.6 U.S. gallons (21.2L)  |
| 12V - 20 amp @ 3600RPM  |
| 12 Volt   |
| Standard, digital   |
| Mechanical Over Electrical  |
| Dual Variable Displacement BiDirectional Axial Piston - Hydro Gear PK Series 12 cm <sup>3</sup> /rev (0.73 cu in./rev) with Fan |
| Hydro-Gear HGM-P Series, 245 cm <sup>3</sup> /rev. (15.0cu in/rev.)   |
| 5.0 qt (4.7 L)  |
| 0 - 9.6 mph (15.4 km/h)   |
| 0 - 4.8 to 5.5 mph (7.7 to 8.85 km/h)   |
| Electro-Magnetic (200 lb. ft.) w/Brake  |
| Dual B-Section V-belt w/Kevelar Cord  |
| Twin Motion Control Levers / Hydrostatic  |
| Mechanical Lever / Tire Engagement  |
| 48 in. (121.9 cm) Side Discharge  |
| 7-gauge (0.177 in.) 4.5mm fabricated steel  |
| Floating  |
| 1.5 in. to 5.0 in. (3.8 cm - 12.7 cm) / 0.25 in. (.6 cm)  |
| Approximately 18,900 fpm  |
| Three   |
| 20 x 10.00-8 4PR Turf Master  |
| Flat Free   |
| 13 x 6.5 - 6 No Flat - Semi Pneumatic w/Sealed Bearings   |
| 66 in. (167.6 cm.)  |
| 62 in. (157.4 cm.) with Chute Down  |
| 47 in. (119 cm.)  |
| 910 lbs (412.8kg)   |
| 24 months   |
| Single Source Commercial  |

**652R**

|   |
|---|
| 23.5 HP (17.5 kW) <sup>2</sup> @ 3600 RPM   |
| FX730V  |
| 726 cc  |
| Two   |
| Spin on Full Flow - Cartridge type  |
| Full Pressure   |
| Air   |
| Heavy-duty canister type with safety element  |
| Gas   |
| 5.6 U.S. gallons (21.2L)  |
| 12V - 20 amp @ 3600RPM  |
| 12 Volt   |
| Standard, digital   |
| Mechanical Over Electrical  |
| Dual Variable Displacement BiDirectional Axial Piston - Hydro Gear PK Series 12 cm <sup>3</sup> /rev (0.73 cu in./rev) with Fan |
| Hydro-Gear HGM-P Series, 245 cm <sup>3</sup> /rev. (15.0cu in/rev.)   |
| 5.0 qt (4.7 L)  |
| 0 - 9.6 mph (15.4 km/h)   |
| 0 - 4.8 to 5.5 mph (7.7 to 8.85 km/h)   |
| Electro-Magnetic (200 lb. ft.)  |
| Dual B-Section V-belt w/Kevelar Cord  |
| Twin Motion Control Levers / Hydrostatic  |
| Mechanical Lever / Tire Engagement  |
| 52 in. (132.1 cm) Side Discharge and MOD option   |
| 7-gauge (0.177 in.) 4.5mm fabricated steel  |
| Floating  |
| 1.5 in. to 5.0 in. (3.8 cm - 12.7 cm) / 0.25 in. (.6 cm)  |
| Approximately 18,900 fpm  |
| Three   |
| 20 x 10.00-8 4PR Turf Master  |
| Flat Free   |
| 13 x 6.5 - 6 No Flat - Semi Pneumatic w/Sealed Bearings   |
| 66 in. (167.6 cm.)  |
| 66 in. (167.6 cm.) with Chute Down  |
| 47 in. (119 cm.)  |
| 927 lbs (420.5 kg)  |
| 24 months   |
| Single Source Commercial  |

|                                  | 652R EFI  | 661R  | 661R EFI  |
|----------------------------------|---|---|---|
| <b>Engine</b>                    |   |   |   |
| Certified Horsepower             | 25.0 HP (18.6 kW) <sup>2</sup> @ 3600 RPM   | 23.5 HP (17.5 kW) <sup>2</sup> @ 3600 RPM   | 25.0 HP (18.6 kW) <sup>2</sup> @ 3600 RPM   |
| Engine Model                     | ECV740  | FX730V  | ECV740  |
| Displacement                     | 747 cc  | 726 cc  | 747 cc  |
| Cylinders                        | Two   | Two   | Two   |
| Oil Filter                       | Full flow, replaceable  | Full flow, replaceable  | Full flow, replaceable  |
| Lubrication                      | Full Pressure   | Full Pressure   | Full Pressure   |
| Cooling                          | Air   | Air   | Air   |
| Air Cleaner                      | Heavy-duty canister type with safety element  | Heavy-duty canister type with safety element  | Heavy-duty canister type with safety element  |
| <b>Fuel System</b>               |   |   |   |
| Fuel Type                        | Gas   | Gas   | Gas   |
| Fuel Tank Capacity               | 5.6 U.S. gallons (21.2L)  | 5.6 U.S. gallons (21.2L)  | 5.6 U.S. gallons (21.2L)  |
| <b>Electrical System</b>         |   |   |   |
| Charge System                    | 12V - 20 amp @ 3600RPM  | 12V - 20 amp @ 3600RPM  | 12V - 20 amp @ 3600RPM  |
| Battery Voltage                  | 12 Volt   | 12 Volt   | 12 Volt   |
| Hour Meter                       | Standard, digital   | Standard, digital   | Standard, digital   |
| Operator Presence Control System | Mechanical Over Electrical  | Mechanical Over Electrical  | Mechanical Over Electrical  |
| <b>Drive Train</b>               |   |   |   |
| Hydraulic Pumps                  | Dual Variable Displacement BiDirectional Axial Piston - Hydro Gear PK Series 12 cm <sup>3</sup> /rev (0.73 cu in./rev) with Fan | Dual Variable Displacement BiDirectional Axial Piston - Hydro Gear PK Series 12 cm <sup>3</sup> /rev (0.73 cu in./rev) with Fan | Dual Variable Displacement BiDirectional Axial Piston - Hydro Gear PK Series 12 cm <sup>3</sup> /rev (0.73 cu in./rev) with Fan |
| Wheel Motors                     | Hydro-Gear HGM-P Series, 245 cm <sup>3</sup> /rev. (15.0cu in/rev.)   | Hydro-Gear HGM-P Series, 245 cm <sup>3</sup> /rev. (15.0cu in/rev.)   | Hydro-Gear HGM-P Series, 245 cm <sup>3</sup> /rev. (15.0cu in/rev.)   |
| Hydraulic Capacity               | 5.0 qt (4.7 L)  | 5.0 qt (4.7 L)  | 5.0 qt (4.7 L)  |
| Travel Speed Forward             | 0 - 9.6 mph (15.4 km/h)   | 0 - 9.6 mph (15.4 km/h)   | 0 - 9.6 mph (15.4 km/h)   |
| Travel Speed Reverse             | 0 - 4.8 to 5.5 mph (7.7 to 8.85 km/h)   | 0 - 4.8 to 5.5 mph (7.7 to 8.85 km/h)   | 0 - 4.8 to 5.5 mph (7.7 to 8.85 km/h)   |
| <b>PTO</b>                       |   |   |   |
| Type                             | Electro-Magnetic (200 lb. ft.)  | Electro-Magnetic (200 lb. ft.)  | Electro-Magnetic (200 lb. ft.)  |
| Deck Drive                       | Dual B-Section V-belt w/Kevelar Cord  | Dual B-Section V-belt w/Kevelar Cord  | Dual B-Section V-belt w/Kevelar Cord  |
| <b>Brakes</b>                    |   |   |   |
| Park Brake                       | Twin Motion Control Levers / Hydrostatic  | Twin Motion Control Levers / Hydrostatic  | Twin Motion Control Levers / Hydrostatic  |
| Park Brake Actuation             | Mechanical Lever / Tire Engagement  | Mechanical Lever / Tire Engagement  | Mechanical Lever / Tire Engagement  |
| <b>Mower Deck</b>                |   |   |   |
| Available Width / Type           | 52 in. (132.1 cm) Side Discharge and MOD option   | 61 in. (154.9 cm) Side discharge  | 61 in. (154.9 cm) Side discharge  |
| Deck construction                | 7 Gauge (0.177 in.) 4.5mm fabricated steel  | 7 Gauge (0.177 in.) 4.5mm fabricated steel  | 7 Gauge (0.177 in.) 4.5mm fabricated steel  |
| Style                            | Floating  | Floating  | Floating  |
| Height-of-Cut Range / Increment  | 1.5 in. to 5.0 in. (3.8 cm - 12.7 cm) / 0.25 in. (.6 cm)  | 1.5 in. to 5.0 in. (3.8 cm - 12.7 cm) / 0.25 in. (.6 cm)  | 1.5 in. to 5.0 in. (3.8 cm - 12.7 cm) / 0.25 in. (.6 cm)  |
| <b>Deck Blades</b>               |   |   |   |
| Tip Speed                        | Approximately 18,900 fpm  | Approximately 18,900 fpm  | Approximately 18,900 fpm  |
| Number                           | Three   | Three   | Three   |
| <b>Wheels and Tires</b>          |   |   |   |
| Drive (Rear) Tires               | 20 x 10.00-8 4PR Turf Master  | 20 x 10.00-8 4PR Turf Master  | 20 x 10.00-8 4PR Turf Master  |
| Caster Wheel Type                | Flat Free   | Flat Free   | Flat Free   |
| Caster Wheel Size                | 13 x 6.5 - 6 No Flat - Semi Pneumatic w/Sealed Bearings   | 13 x 6.5 - 6 No Flat - Semi Pneumatic w/Sealed Bearings   | 13 x 6.5 - 6 No Flat - Semi Pneumatic w/Sealed Bearings   |
| <b>Dimensions</b>                |   |   |   |
| Overall Length                   | 66 in. (167.6 cm.)  | 68 in. (172.7 cm.)  | 68 in. (172.7 cm.)  |
| Overall Width (chute down)       | 66 in. (167.6 cm.) with Chute Down  | 75 in. (190.5 cm.) with Chute Down  | 75 in. (190.5 cm.) with Chute Down  |
| Height                           | 47 in. (119 cm.)  | 47 in. (119 cm.)  | 47 in. (119 cm.)  |
| Weight (with Fluids)             | 927 lbs (420.5 kg)  | 998 lbs (452.7kg)   | 998 lbs (452.7kg)   |
| <b>Warranty<sup>1</sup></b>      |   |   |   |
| Duration                         | 24 months   | 24 months   | 24 months   |
| Type                             | Single Source Commercial  | Single Source Commercial  | Single Source Commercial  |



**The QuikTrak 652R** offers quicker loading and unloading between job sites, and controls your clippings to decrease clean up time with Mulch On Demand.

# Walk-Behind Specs.

## WG SERIES

## WH SERIES

## WHP SERIES

### WG32A / WG36A / WG48A

### WH36A / WH48A / WH52A / WH61A

### WHP36A / WHP48A / WHP52A / WHP61A

| Engine                            | WG32A / WG36A / WG48A                                       | WH36A / WH48A / WH52A / WH61A   | WHP36A / WHP48A / WHP52A / WHP61A  |
|-----------------------------------|---|---|--|
| Certified Horsepower              | 14.5 HP (10.8 kW) <sup>2</sup>                              | 14.5 HP (10.8 kW) <sup>2</sup> / 18.5 HP (13.8 kW) <sup>2</sup> / 18.5 HP (13.8 kW) <sup>2</sup> / 23.0 HP (17.2 kW) <sup>2</sup> | 14.5 HP (10.8 kW) <sup>2</sup> / 18.5 HP (13.8 kW) <sup>2</sup> / 18.5HP (13.8 kW) <sup>2</sup> / 23.0 HP (17.2 kW) <sup>2</sup> |
| Engine Model                      | FS481V  | FS481V / FS600V / FS600V  | FS481V / FS600V / FS600V   |
| Displacement                      | 603 cc (36.8 cu. in.)                                       | 603 cc (36.8 cu. in.) / 726 cc - WH61A only   | 603 cc (36.8 cu. in.) / 726 cc - WHP61A only   |
| Cylinders                         | 2   | 2   | 2  |
| Oil Filter                        | Standard  | Standard  | Standard   |
| Lubrication                       | Full pressure   | Full pressure   | Full pressure  |
| Cooling                           | Air   | Air   | Air  |
| Air Cleaner                       | Dual element  | Dual element  | Dual element   |
| Fuel System                       |   |   |  |
| Fuel Type                         | Gas   | Gas   | Gas  |
| Fuel Tank Capacity                | 5.4 U.S. gal (20.5 L)                                       | 5.4 U.S. gal (20.5 L)   | 5.4 U.S. gal (20.5 L)  |
| Electrical System                 |   |   |  |
| Ignition / Starter                | Recoil  | Electric start  | Electric start   |
| Battery Voltage                   | 12 Volt   | 12 Volt   | 12 Volt  |
| Hour Meter                        | Standard, digital   | Standard, digital   | Standard, digital  |
| Operator Presence Starting System | Standard  | Standard  | Standard   |
| Drive Train                       |   |   |  |
| Hydraulic Pumps                   | NA (Gear drive)   | 10cc  | 10cc   |
| Wheel Motors                      | NA  | Hydraulic   | Hydraulic  |
| Travel Speed Forward              | 5.4 mph (8.7 km/h)  | 7 mph (11.3 km/h)   | 7 mph (11.3 km/h)  |
| Travel Speed Reverse              | Reverse assist  | 3 mph (4.83 km/h)   | 3 mph (4.83 km/h)  |
| PTO                               |   |   |  |
| Type                              | Electric  | Electric  | Electric   |
| Drive                             | Belt  | Belt  | Belt   |
| Brakes                            |   |   |  |
| Park Brake                        | NA  | Standard  | Standard   |
| Park Brake Actuation              | NA  | Lever   | Lever  |
| Mower Decks                       |   |   |  |
| Available Widths / Type           | 32-in. (81.2 cm)/ 36-in. (91.4 cm)/ 48-in. (121.9 cm)       | 36-in. (91.4 cm)/ 48-in. (121.9 cm)/ 52-in. (132.1 cm) / 61-in. (154.9 cm)  | 36-in. (91.4 cm)/ 48-in. (121.9 cm)/ 52-in. (132.1 cm) / 61-in. (154.9 cm)   |
| Deck construction                 | 7-gauge fabricated steel                                    | 7-gauge fabricated steel  | 7-gauge fabricated steel   |
| Style                             | Floating  | Floating  | Floating   |
| Height-of-Cut Range / Increment   | 1.5-4.75 in. (3.8-12.1 cm)                                  | 1.5-5 in. (3.8 - 12.7 cm)   | 1.5-5 in. (3.8 - 12.7 cm)  |
| Blades                            |   |   |  |
| Tip Speed                         | Approximately 18,000 fpm                                    | Approximately 18,000 fpm  | Approximately 18,000 fpm   |
| Number                            | 2 / 2 / 3   | 2 / 3 / 3   | 2 / 3 / 3  |
| Wheels and Tires                  |   |   |  |
| Drive (Rear) Tires                | 13X5-6 (32 in.), 13X6.5-6 (36 in. & 48 in.)                 | 16X6.5-8 (36 in.), 16X7.5-8 (48 in. & 52 in.)   | 16X6.5-8 (36 in.), 16X7.5-8 (48 in. & 52 in.)  |
| Caster Wheel Type                 | Flat Free   | Flat Free   | Flat Free  |
| Caster Wheel Size                 | 9 X 3.5 -4  | 9 X 3.5 -4  | 9 X 3.5 -4   |
| Dimensions                        |   |   |  |
| Overall Length                    | 74 in. (188 cm)/ 75 in. (191 cm)/ 71 in. (180.3 cm)         | 74.5 in. (189.2 cm)/ 75 in. (191 cm)/ 74.5 in. (189.2 cm)   | 79.5 in. (202cm)/ 80 in. (203cm)/ 79.5 in. (202cm)   |
| Overall Width (chute down)        | 45.7 in. (116 cm)/ 48.4 in. (123 cm) / 60.8 in. (154.4 cm)  | 48.4 in. (123cm) / 60.8 in. (154.4) / 65 in. (165.1 cm)   | 48.4 in. (123 cm) / 60.8 in. (154.4) / 65 in. (165.1 cm)   |
| Height                            | 43 in. (109.2 cm)   | 43 in. (109.2 cm)   | 43 in. (109.2 cm)  |
| Weight (with Fluids)              | 475 lb. (215.5 kg)/ 475 lb. (215.5 kg) / 558 lb. (253.1 kg) | 558 lb. (253.1 kg) / 670 lb. (303.9 kg) / 696 lb. (315.7 kg)  | 558 lb. (253.1 kg) / 670 lb. (303.9 kg) / 696 lb. (315.7 kg)   |
| Warranty <sup>1</sup>             |   |   |  |
| Duration                          | 24 months   | 24 months   | 24 months  |
| Type                              | Single Source Commercial                                    | Single Source Commercial  | Single Source Commercial   |



With a commercial-grade engine for durability, low noise and reduced operating temperatures, the **WH48A Commercial Walk-Behind Mower** performs superbly in all conditions.

# GreenFleet™

## LOYALTY REWARDS



**GreenFleet Loyalty Rewards** can help you manage your fleet, keep a handle on your bottom line and get the rewards you deserve. With your Platinum membership, you'll receive valuable equipment discounts, special financing options, workshop products discounts, and other exclusive members-only benefits. Best of all, it's free with the purchase of any 2 pieces of John Deere equipment within 12 months.\*

In short, GreenFleet is all about enhancing your ownership experience. Turn to page 38 to find out more, or get complete details at [JohnDeere.com/GreenFleet](http://JohnDeere.com/GreenFleet) or [JohnDeere.ca/GreenFleet](http://JohnDeere.ca/GreenFleet).

\* GreenFleet Equipment is defined as self-propelled, ride-on equipment. All attachments and implements are excluded. See GreenFleet Terms & Conditions at [JohnDeere.com/GreenFleet](http://JohnDeere.com/GreenFleet) or [JohnDeere.ca/GreenFleet](http://JohnDeere.ca/GreenFleet).



This literature has been compiled for worldwide circulation. While general information, pictures and descriptions are provided, some illustrations and text may include finance, credit, insurance, product options and accessories NOT AVAILABLE in all countries or regions, and in some countries products and accessories may require modifications or additions to ensure compliance with the local regulations of those countries. PLEASE CONTACT YOUR LOCAL DEALER FOR DETAILS. John Deere reserves the right to change specifications, design and price of products described in the literature without notice. John Deere, the leaping deer symbol, and John Deere's green and yellow trade dress are the trademarks of Deere & Company.

Tuff Torq is a trademark of the Tuff Torq Corporation. Kanzaki is a trademark of the Kanzaki Kokyukoki Mfg. Company. STIHL is a trademark of the STIHL Corporation. Honda is a trademark of the Honda Corporation. Michelin is a trademark of the Michelin Corporation.

GAS engines - The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

<sup>1</sup> Hour and/or usage limitations apply and vary by model. See the WARRANTY FOR NEW JOHNDEERE TURF AND UTILITY EQUIPMENT at dealer for details. <sup>2</sup> @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information. <sup>3</sup> @ 3600 RPM engine manufacturer certified gross power per SAE J1940, tested in accordance with SAE J1995. \* Engine HP at gross SAE J1995, displacement 100.2 cu.in (1.64 L), rated @3000 RPM, PS.