

John Deere Catalog

Parts, Equipment, Supplies, and More



JOHN DEERE

Spring 2022



12-MONTH WARRANTY
on dealer-installed O.E.M. ag parts
See back cover for details.

DISCOUNTED PRICING
ON HUNDREDS OF ITEMS.
LIMITED-TIME
SUPER DISCOUNTS!

\$33.95 Heavy-Duty TruVee Planter Opener Blade

Heavy Duty 15"
3.5mm Diamond
Series opener blade
for XP, ME5, and EE
row units.
#AA65248



Page 11

50% Off

20 lumens battery
powered flashlight.
#ET-3909-J
Limit 1 per customer.



Page 110

NEW LED Flashlight



\$9.91 7" Tru-Width Sweep

7" Tru-Width Perma-Loc
Sweeps help maintain
cutting width, great soil
mixing, and self-scouring
in sticky conditions.
Quick-change.
#N238333



Page 37



Don takes pride in getting his hands dirty.

Like the farmers he serves, Don understands the meaning of a hard day's work. So do the experts at your John Deere dealer who can get you field ready with **offseason planter and tractor inspections**.

You can count on the best-trained technicians in the industry to test your meters and replace worn planter components to ensure correct population and accurate spacing for uniform emergence. And when it comes to your tractor, we'll identify and replace failing parts to prevent disastrous downtime in the narrow planting window – all while staying within your budget with Genuine John Deere, Reman and A&I parts. Plus, Genuine John Deere tractor parts now carry a 12-month warranty including labor.*

Schedule your offseason planter and tractor inspections today at your local John Deere dealer with an expert like Don.

*12 month/unlimited hour warranty on new agricultural parts installed by an authorized John Deere Dealer. See John Deere Service Repair & Parts Warranty for details at JohnDeere.com/PartsWarranty.

**HARVEST
TERMS**

PARTS, SERVICE, INSPECTIONS

- Buy Now, Pay November 15, 2022
- No Interest 0% APR** Financing Terms
- Better Cash Flow & Savings

 **JOHN DEERE**
FINANCIAL

Multi-Use Account



JOHN DEERE

JohnDeere.com

**Subject to approved credit on a Multi-Use Account, dealer participation, certain restrictions and conditions apply.



JOHN DEERE

SEIZE THE APPORTUNITY

Get a bigger and better picture of your tractor with the **FREE TractorPlus™ App**¹ from John Deere. Packed with tools that offer in-depth information, TractorPlus features a built-in barcode scanner to identify your equipment and unlock important details about your tractor. Our powerful app lets you:

- View operator's manuals
- Order maintenance parts
- Track equipment paths
- Search diagnostic trouble codes (DTCs)
- Watch Frontier™ Tips Notebook how-to videos



¹TractorPlus App is compatible with 1, 2, 3, 4 and 5 Series compact utility and utility tractors.



And with a **TractorPlus™ Smart Connector**², you can get even more functionality. This easy-to-install telematics device wirelessly connects the tractor's control area network

(CAN) via Bluetooth® to a user's mobile device and the TractorPlus App so you can receive:

- Live dashboard displaying tractor values
- Richer equipment tracking
- Automatic updates to engine hours
- Access to active and stored DTCs
- Fuel level and other values

²TractorPlus Smart Connector is compatible with select model year 2032R through 5R compact utility and utility tractors.

Get connected today by downloading the **FREE TractorPlus App** from the **App Store®** or **Google Play™**. To order a **Smart Connector Module Kit**, contact your local dealer.



JOHN DEERE

BRINGING BEST-IN-CLASS HOSES TO THE MARKETPLACE

Integrity, quality, commitment and innovation. These are the values at the heart of Swan hose.

Our hoses showcase the greatest advancements in garden hose technology to date, including Swan's CoreFUSION® Technology in the PVC line and powerful proprietary compound in the premium rubber line.



3/4 inch Premium



CoreFUSION



Rubber



The ultimate choice in kink-resistance and strength, for every watering need.

John Deere doesn't just stop at parts... we've got you covered!

Whether you're out in the field, hard at work in the shop, or hanging out in the house, you can count on the John Deere team to keep you stocked, locked, and ready, all year long.

From our friendly dealerships to our comprehensive catalogs, you'll find a complete lineup of quality gear. We carry everything you need from maintenance products to equipment attachments, clothing, tools, toys, and more.

So if you're preparing for next season or just looking for a unique gift idea, remember the John Deere team. We're here to help you get the job done right.



CONTENTS

| | |
|--------------------------------------------------|---------|
| Planter Parts & Attachments | 6-15 |
| Air Seeder & Drill Parts | 16-20 |
| Precision Ag | 21 |
| Sprayer Parts & Attachments | 22-31 |
| Tillage Parts | 34-40 |
| Nutrient Application Parts | 41-42 |
| Hay & Forage Parts & Attachments | 43-51 |
| Rotary Cutter Parts & Attachments | 52-54 |
| Engine & Reman Parts | 55 |
| Scraper Parts | 56 |
| Bearings | 57 |
| Forage Harvester Parts & Attachments | FH 1-8 |
| Combine Parts & Attachments | 59-64 |
| Tractor Parts & Attachments | 65-78 |
| Filters & Fleetguard | 79-81 |
| Oil & Lubricants | 82-87 |
| Batteries & Chargers | 88-90 |
| Hoses & Hydraulic Parts | 91-93 |
| Sunbelt Outdoor Products | 94 |
| Turf & Utility Vehicle Parts & Attachments | 95-101 |
| Accessories | 102-104 |
| Chemicals & Paint | 105-107 |
| Home & Workshop Products | 108-112 |
| Bulk Hardware | 113 |

To change your address, send your old address label along with your new address to:

John Deere
c/o Customer Mail
P.O. Box 417
Moline, IL 61266-0417

Prices are suggested retail prices only and are subject to change without notice at any time. Dealer may sell for less. Taxes, setup, delivery, freight, and preparation charges not included. See dealer for details.

**Manufacturer's limited warranty. Limitations apply and vary by model. See manufacturer for details.

††The engine horsepower information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower will be less.

*Trademark is third party used with permission.

John Deere, the leaping deer symbol and John Deere's green and yellow trade dress are the trademarks of Deere & Company.

WHAT ARE WORN PLANTER PARTS COSTING YOU?

Have you ever calculated your seed investment for a 10-hour day of planting?

Let's look at a hypothetical example: A corn grower with a seeding rate of 34,000 plants per acre on 30-inch rows with a 24R30 1775NT is planting nearly 1.3 million seeds per hour at 5.5 mph or 2.3 million seeds per hour at 10 mph.

Assuming a bag of seed costs \$274...

$$\begin{array}{l} \text{\$274} \\ \hline \text{bag of seed} \\ \text{(approximately \$0.0034 per seed)} \end{array} = \begin{array}{l} \text{\$3,033/hr planting} \\ \text{@ 5.5 mph} \\ \text{\$5,518/hr planting} \\ \text{@ 10 mph} \end{array}$$

Both figures calculated at an average field efficiency of 70%.

Either way ... in a 10-hour day of planting, that's a BIG investment.

With that many dollars in seed going through your planter meters each hour of the day, isn't it worth the cost of a meter inspection to ensure you get the most out of that investment?

Don't let worn parts wear on your bottom line.

Schedule your John Deere Certified Meter Inspection today!



JOHN DEERE

Talc and 80/20 Talc and Graphite Blend

Talc is specially designed for today's wide range of seed treatments to enhance seed flow in all weather conditions. Talc is highly recommended for use with vacuum seed meters; however, some meters require 80/20 talc and graphite blend. This high-grade product offers the benefit of seed coating (talc) and lubrication (graphite) for vacuum seed meters. The 80/20 talc and graphite blend is 97% pure and mined in the USA.

| NUMBER | DESCRIPTION | SIZE | LIST | NOW |
|---------|---------------------------|----------------|---------|----------------|
| A113710 | 80/20 Talc Graphite Blend | 2.5 gal./8 lb. | \$27.69 | \$26.03 |
| A113711 | 80/20 Talc Graphite Blend | 5 gal./20 lb. | \$47.46 | \$44.61 |
| A113712 | Talc | 2.5 gal./8 lb. | \$17.99 | \$16.91 |
| A113709 | Talc | 5 gal./20 lb. | \$39.11 | \$36.76 |
| TY26253 | Graphite Squeeze Bottle | 1 lb. | \$ 6.32 | \$ 5.94 |
| TY25255 | Powdered Graphite | 5 lb. | \$22.27 | \$20.93 |



Bayer Fluency Agent Advanced

Fluency Agent is a unique polyethylene wax-based seed lubricant for corn and soybeans. It is an alternative for talc and talc/graphite-blended planter seed lubricants and can be used in all makes and types of vacuum planters that recommend the use of a seed lubricant. Testing has confirmed Fluency Agent performs equal to or better than comparable talc seed lubricants while reducing the amount of dust in vacuum system exhaust.

| NUMBER | APPLICATION | PKG. QTY. | LIST | NOW |
|---------|-------------|-----------|----------|-----------------|
| A113862 | 4.5 lb./2kg | 4 | \$109.45 | \$102.88 |




Color Coded Hose Grips

New color coded aluminum hose handles make it easy to match up the hydraulic hoses on your implement with the correct function on the tractor. They also feature anti-slip design to make it easier to grip the hose and connect / disconnect from the back of the tractor. The color codes parts are laser engraved with the John Deere logo and the extend and retract icons to ensure proper matching up the proper function. The three hose grips below are now available for your planter.

| NUMBER | DESCRIPTION |
|---------|----------------------------------------------------|
| KK79550 | Power Beyond Supply – Extend – Red per JDS-G241 |
| KK79551 | Power Beyond Return – Retract – Black per JDS-G241 |
| KK79552 | Load Sense – Orange per JDS-G241 |



See us for pricing.



Brush Belt Tech Tip:

To prevent a BrushBelt™ malfunction, do not apply fertilizer directly in the seed furrow near the front of the BrushBelt™. To dry the BrushBelts™ before planting in wet conditions, perform a meter runoff. (See the SeedStar™ Application Help for the Runoff procedure.) Periodically clean the seed sensor area inside the BrushBelt™. Dusty conditions or heavily treated seeds cause an excessive buildup of dust and seed treatment inside the BrushBelt™, which blocks the seed sensor. When the seed sensor becomes blocked, false low population counts, or false low limit warnings appear.

Double Eliminator Tech Tip:

Degraded meter performance, like multiple seed placement, is an indicator of possible inner or outer double eliminator wear. Check the inner and outer double eliminators (A) for wear. Check the inner and outer tines for uniform length and diameter. If the length of the outer double eliminator measures less than 8 mm from the base Tine or Brush to the tip and the meter performance is degraded, replace it. If the diameters of inner adjustable double eliminator Tines are worn to less than 1/2 the original diameter and the meter performance is degraded, replace it.

ExactEmerg Wear Parts

| NUMBER | DESCRIPTION | LIST | NOW |
|---------|------------------------------------------------------------------------------|----------|-----------------|
| AA98668 | Meter Housing | \$263.70 | \$247.88 |
| A107427 | Ceramic Meter Wear Pads | \$ 3.87 | \$ 3.64 |
| A95817 | Seed Guide | \$ 6.06 | \$ 5.70 |
| AA92875 | Vibrational Strip | \$ 15.89 | \$ 14.94 |
| AA83215 | Smooth Strip | \$ 17.91 | \$ 16.84 |
| A95875 | Meter Housing Bearing | \$ 17.51 | |
| AA86138 | 5-Finger Polytine Double Eliminator | \$ 22.31 | \$ 20.97 |
| AA81457 | 5-Finger Brush Double Eliminator | \$ 43.45 | \$ 40.84 |
| AA85925 | Knockout Wheel – Black-Corn, Soybean, Cotton, Popcorn, Sunflower, Sweet Corn | \$ 39.13 | \$ 36.78 |
| AA88629 | Knockout Wheel – Yellow-Regular/Large Sugarbeets | \$ 44.75 | \$ 42.07 |
| AA89179 | Knockout Wheel – Green-Mini Sugarbeets, Sorghum | \$ 42.97 | \$ 40.39 |
| AA94227 | BrushBelt Gearbox | \$222.08 | \$208.76 |
| A98765 | BrushBelt – Black Bristles and Textured Belt | \$231.34 | \$217.46 |
| A119678 | BrushBelt – Green Bristles and Textured Belt | \$292.40 | \$274.86 |
| AA86173 | Seed Sensor | \$780.84 | \$733.99 |
| A92777 | Seed Bowl – Corn, Large Sweet Corn | \$ 54.93 | |
| A92778 | Seed Bowl – Soybean, Edible Bean (non-scalloped) | \$ 62.90 | |
| A103836 | Seed Bowl – Soybean (scalloped) | \$ 52.06 | |
| A95892 | Seed Bowl – Cotton, Popcorn | \$ 63.70 | |
| A95896 | Seed Bowl – Sweet Corn, Sunflowers | \$ 77.42 | |
| A43215 | Seed Bowl – Small Corn | \$ 28.42 | |
| A50617 | Seed Bowl – Standard Corn | \$ 29.84 | |
| A56251 | Seed Bowl – Acid-Delinted Cotton | \$ 38.84 | |
| A65622 | Seed Bowl – 4 Seed Hill-drop Cotton | \$ 38.84 | |
| A42586 | Seed Bowl – Soybean | \$ 28.42 | |
| A52391 | Seed Bowl – Corn, ProMax 40 | \$ 38.84 | |
| A52390 | Seed Bowl – Small Sweet Corn | \$ 38.84 | |

Inspection Guidelines for ExactEmerg Wear Parts

| Service/Inspection | As Needed | 50-hrs. | 100-hrs. | Annually |
|------------------------|-----------|---------|----------|----------|
| Seed Bowl | | | X | |
| Meter Housing | | | | X |
| Meter Wear Pads | | X | | |
| Seed Guide | | | | X |
| Agitation/Smooth Strip | | | X | |
| Meter Housing Bearing | X | | | |
| Double Eliminator | | | | X |
| Knockout Wheel | | | X | |
| Dome Seal | X | | | X |
| BrushBelt™ Conditioner | | | X | |
| BrushBelt™ Gearbox | | | X | X |
| BrushBelt™ | X | | | X |
| Seed Sensor | X | | | X |

New One-Piece Closing Wheel

One-piece Closing Wheel

Damage to closing wheel tires for produces planting in difficult conditions such as high residue or rocky fields is sometimes unavoidable. This one-piece closing wheel AA97549 is designed to significantly reduce component wear and allows for less soil disturbance and mud packing. Another significant benefit of maintenance, as service is not required when change out a tire.

Compatibility: MaxEmerge™ Plus, MaxEmerge™ XP, MaxEmerge™ 5, MaxEmerge™ 5E, ExactEmerge™



| NUMBER | DESCRIPTION | LIST | NOW |
|---------|-----------------------------------------------|---------|----------------|
| AA97549 | One-piece Closing Wheel with Standard Bearing | \$43.95 | \$41.31 |

New Seed Disks Available

Canola Disk

John Deere has introduced a new seed disk capable of planting canola with a row crop planter. The main features of the disk are: Agitator pockets for consistent seed pickup, shallow holes for a more uniform seed release, special static dissipative material to prevent seed from sticking to the disk, pre-applied graphite lubricant to reduce wear, flexible knockout wheel to reduce wear and breakage

Compatibility: MaxEmerge™ XP, MaxEmerge™ 5, and MaxEmerge™ 5e row units.



| NUMBER | DESCRIPTION | LIST | NOW |
|----------|-----------------------------------------------------|---------|----------------|
| A119979 | Canola Disk | \$41.61 | |
| A119983 | Canola Knockout Wheel | \$13.08 | \$12.30 |
| AA103137 | Knockout Wheel Assembly | \$39.36 | \$37.00 |
| A108275 | Small Seed Discharge Elbow for ME5 Row Units | \$21.57 | \$20.28 |
| A75165 | Small Seed Discharge Elbow for XP Row Units | \$21.76 | \$20.45 |
| A73214 | Central Commodity System (CCS) Restrictor | \$10.62 | \$ 9.98 |
| A51838 | Meter Baffle (for ME Plus, ME XP, ME5 & ME5E units) | \$15.28 | \$14.36 |
| AA46912 | Seed Tube Insert (optional) | \$26.73 | \$25.13 |

Single Row Soybean Disk

John Deere has introduced a new single row, 64-hole soybean disk. It allows for better seed spacing and singulation when compared to the current 108 cell three row disk when working on 15-inch spacing only, and up to approximately 50 seeds/second. For planting rates up to 50 seeds/second, the 64-holes soybean disk may reduce Seed Spacing Coefficient of Variation (COV) up to 50%. For planting rates higher than 50 seeds/second, the 108-cell disk, A42586, is still recommended.

Compatibility: MaxEmerge™ XP, MaxEmerge™ 5, and MaxEmerge™ 5e planters. Soybean disk A105848 should be paired with A106147 Knockout Wheel or AA89145 Knockout Wheel Assembly.



| NUMBER | DESCRIPTION | LIST | NOW |
|---------|-------------------------|---------|----------------|
| A105848 | 64-Hole Soybean Disk | \$36.99 | |
| A106147 | Knockout Wheel | \$ 4.70 | \$ 4.42 |
| AA89145 | Knockout Wheel Assembly | \$24.31 | \$22.85 |

ProMax 64 Flat Cotton Seed Disk

The benefits of ProMax seed disks are now also available for cotton growers. The advantages of the ProMax disks include: consistent singulation and spacing, flexibility with different seed sizes and shapes, seamless integration with John Deere meters, and Can be used on existing planters with little set up needed. The new flat cotton disk A121489 also offers the following benefits: Improved singulation over A56251 double-row cotton disk especially at lower rates and smaller seeds, works with a wider vacuum range

Compatibility: MaxEmerge™ XP, MaxEmerge™ 5, and MaxEmerge™ 5e



| NUMBER | DESCRIPTION | LIST | NOW |
|----------|--------------------------------------|---------|----------------|
| A121489 | ProMax 64 Flat Cotton Seed Disk Disk | \$36.99 | |
| AA103153 | Knockout Wheel for 64-hole Disk | \$50.06 | \$47.06 |

Whats New

Gauge Wheel Arm Kit

Consistent seed depth is one of the main factors influencing uniform emergence. Worn out gauge wheel arm components can impact the operation of the gauge wheel leading to less consistent seed depth and, as a result, non-uniform emergence.

Advantages of the kit:

- Cost savings with a kit compared to individual parts
- Ease of ordering with a kit
- Longer life with heavier duty material

Compatibility: MaxEmerge XP, MaxEmerge 5, MaxEmer.03ge 5E, and ExactEmerge

AA103998

LIST \$81.60



AA103998

New Heavy Duty Gauge Wheel Bearing

New Heavy Duty bearing option now available

- Better sealing
- Added protection against debris
- Better for growers in tough conditions and/or high-speed planting

AA97285 – Heavy Duty Bearing

LIST \$28.04

AN212132 – Regular Bearing

LIST \$13.87



AA97285

Notched Frame Mounted Fertilizer Opener Blade

In certain loose, sandy soil conditions, it is possible for the frame mounted fertilizer opener to plug with soil or pebbles between the scraper and the blade. Once this happens, the blade can no longer turn, causing it to bulldoze the soil, rather than to cut the furrow for the fertilizer to be placed. In this situation, a notched opener blade can help to overcome the issue. The notches in the blade help to create additional friction between the blade and soil, creating enough torque to keep the blade turning, even when soil or other debris has built up between the scraper and the blade.

Compatibility:

- Works with any planter with frame mounted fertilizer openers currently using the A72358 blade

A123932

LIST \$42.75

NOW \$40.19



AA123932

Yetter Twister™ Closing Wheel

To support a growing interest in Yetter Twister™ closing wheels from customers and to provide an avenue to purchase through your John Deere dealer, Deere is making the Yetter Twister wheel available through parts.

*parts shipped direct from Yetter

Advantages:

- Achieve seed trench closure and break up sidewall compaction
- Closes the disc opening in both wet and ideal conditions
- 5YT6200005 – Twister Poly Spike Closing Wheel Kit (1 row). Includes 2 wheels assembled with Twister Poly Spike rings.
- 5YT6200006 – Twister Wheel Insert Kit (1 row). Includes Twister Poly Spike rings for two wheels to install to exiting rubber closing wheels.

5YT6200005

LIST \$243.00

5YT6200006

LIST \$145.80



Tru-Vee™ Opener Assemblies

Tru-Vee Openers and blades are designed to cut a trench precisely to the selected depth. These OEM Diamond Series blades' special beveled edges make penetration easy, retain their sharp edge, and offer longer life compared to aftermarket alternatives.

| NUMBER | DESCRIPTION | LIST | NOW |
|---------|----------------------------------------------------------|---------|----------------|
| AA53860 | Tru-Vee Heavy-Duty, 3.5mm for ME+ and Pro Series | \$30.01 | \$28.21 |
| AA55927 | Tru-Vee Standard-Duty, 3mm for ME+ and Pro Series | \$29.92 | \$28.12 |
| AA65248 | Heavy-Duty, 3.5mm Double-Row Bearing for XP, ME5, and EE | \$36.91 | \$33.96 |
| AA65457 | Heavy-Duty, 3.5mm Double-Row Bearing for ME2 and ME+ | \$45.63 | |



Disk Openers and Coulter Blades

Our most popular openers and coulter blades are made from the same high quality Diamond-Series material used on new John Deere seeding equipment. They're not "just like" OEM, They are OEM.

25-wave (0.63-in.): Creates extremely fine tilth area in an area about 7/8-in. wide. Works well on wet, spongy soil that can be tight and difficult for proper furrow closing.

13-wave (0.7-in.): Tills an area about 1-in. wide at speeds under 6 mph. Gives more aggressive soil disruption at slower speeds. Fractures the soil more, opening a wider slot of fine tilth.

8-wave (1-in.): Offers less soil disturbance and a 1.25-in. wide trench at speeds above 5.5 mph.

Bubble: Tills more aggressively as bubbles enter the seedbed zone. Opens a 1-in. wide slot. Penetrates soil and cuts through residue well.

| NUMBER | DESCRIPTION | SIZE/TYPE | LIST | NOW |
|---------|------------------------------------------|------------|---------|----------------|
| AA57466 | Fertilizer Opener Assembly | 13 1/2-in. | \$43.83 | \$41.20 |
| AA57467 | Fertilizer Opener Assembly | 13 1/2-in. | \$43.83 | \$41.20 |
| A72358 | Fertilizer Opener | 13 1/2-in. | \$37.32 | \$35.08 |
| A72359 | Seed Opener | 13 1/2-in. | \$18.81 | \$17.68 |
| A33066 | Coulter, rippled | 20-in. | \$57.93 | \$54.45 |
| A73911 | Fluted Coulter | 8-wave | \$50.07 | \$47.07 |
| A73615 | Fluted Coulter | 8-wave | \$51.03 | \$47.97 |
| A73910 | Rippled Coulter – 6-Bolt | 36-ripple | \$44.71 | \$42.03 |
| A72360 | Rippled Coulter – 5-Bolt | 36-ripple | \$36.88 | \$34.67 |
| A72677 | Fluted Coulter – 6-Bolt | 13-wave | \$44.15 | \$41.50 |
| A72678 | Coulter Disk, 13-Flute, 7-in. diameter | 13-wave | \$39.24 | \$36.89 |
| A72679 | Fluted Coulter – 6-Bolt | 25-wave | \$45.59 | \$42.85 |
| A72680 | Fluted Coulter – 5-Bolt | 25-wave | \$44.64 | \$41.96 |
| A72361 | Marker Blade, notched | 17-in. | \$31.03 | \$29.17 |
| A72404 | Fertilizer Blade for Single-Disk Openers | | \$39.21 | \$36.86 |



Opener Blades Tech Tip:

Opener Blade Adjustment Recommended – Adjustment 1.5" to 2.25".
<1.5" causes a "W" shaped trench, >2.25" causes narrow trench.


Seed Tubes and Sensors

Seed tubes deliver the seed from the meter to the seed trench formed by the Tru-Vee™ openers. Large curved, regular curved, regular straight, and small straight seed tubes are available for all seed metering systems.







| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|----------------------------------------------------------|-----------------------------------------------|---------------------------------------|----------|----------|
| Seed Tubes: | | | | |
| AA67780 | Flush Face | MaxEmerge™ 2, MaxEmerge™ Plus, and XP | \$ 15.99 | \$ 15.03 |
| AA58293 | Regular Sensor | MaxEmerge 2, MaxEmerge Plus | \$ 69.37 | \$ 65.21 |
| A56786 | Large Curved | MaxEmerge 2, MaxEmerge Plus, and XP | \$ 53.77 | \$ 50.54 |
| Seed Tubes with Red Light-emitting Diode Sensors: | | | | |
| A74931 | Regular Curved | MaxEmerge | \$ 8.46 | \$ 7.95 |
| A26184 | Large Curved | MaxEmerge | \$ 10.82 | \$ 10.17 |
| Sensors and Seed Tubes: | | | | |
| AA58287 | Infrared Sensor with Regular Curved Seed Tube | MaxEmerge | \$126.76 | \$119.15 |
| AA58288 | Infrared Sensor with Large Curved Seed Tube | MaxEmerge | \$166.53 | \$156.54 |
| AA58285 | Large Curved – infrared sensor | MaxEmerge 2, MaxEmerge Plus | \$132.25 | \$124.32 |
| AA67779 | Flush Face – Accu-Count Sensor | MaxEmerge 5 | \$178.48 | \$167.77 |
| AA67778 | Flush Face – Regular Sensor | MaxEmerge XP, ProSeries XP | \$148.81 | \$139.88 |
| Seed Tube Guard: | | | | |
| A97107 | Curved Seed Tube Guard | ME5 | \$ 18.16 | \$ 17.07 |
| AA54755 | Curved Seed Tube Kit | ME+ and Pro Series | \$ 17.55 | \$ 16.50 |
| AA68468 | Curved Seed Tube Guard Kit | ME2, ME+, ME | \$ 23.46 | \$ 22.05 |
| A80203 | Curved Seed Tube Guard | XP Row Unit | \$ 14.27 | |
| Seed Sensors: | | | | |
| AA47936 | Threaded Sensor | | \$276.04 | \$259.48 |
| AA61909 | Accu-Count Sensor | | \$153.45 | \$144.24 |
| AA58295 | Accu-Count Seed Tube Sensor | ME+, Pro-Series | \$108.12 | \$101.63 |
| Small Straight Seed Tubes: | | | | |
| A75055 | Tube, Regular Curved w/o Holes | | \$ 22.96 | |
| A56791 | Tube, Seed Large, Curved w/o Holes | | \$ 52.40 | \$ 49.26 |
| A56789 | Tube, Regular Straight Seed | | \$ 42.00 | \$ 39.48 |
| A56787 | Tube, Sugarbeet Seed | | \$ 36.85 | \$ 34.64 |

Scrapers





| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|---------|----------------------------------------|-------------------|---------|---------|
| AA62808 | Tungsten-Carbide Scraper, Cmplt. Assy. | ME2, ME+, XP, Pro | \$40.79 | \$38.34 |
| AA62559 | Tungsten-Carbide, Scrapers Only | ME2, ME+, XP, Pro | \$27.04 | \$25.42 |
| AA26443 | Tru-Vee Scraper, RH, Riveted | ME | \$ 5.04 | \$ 4.74 |
| AA26444 | Tru-Vee Scraper, LH, Riveted | ME | \$ 5.10 | \$ 4.79 |
| AA37221 | Rotary Scraper | ME2, ME+, XP, Pro | \$ 5.46 | \$ 5.13 |
| A69140 | Rotary Scraper Arm (right) | ME2, ME+, XP, Pro | \$ 4.42 | \$ 4.15 |
| A69139 | Rotary Scraper Arm (left) | ME2, ME+, XP, Pro | \$ 4.42 | \$ 4.15 |
| AA54726 | Rotary Scraper Kit | ME2, XP | \$26.46 | \$24.87 |
| A98182 | Scraper Arm (right) | ME5, ME5E | \$ 8.43 | \$ 7.92 |
| A98183 | Scraper Arm (left) | ME5, ME5E | \$ 8.43 | \$ 7.92 |
| AA79993 | Scraper / Wiper Assembly | ME5, XP, ME+ | \$10.18 | \$ 9.57 |
| A41117 | Spring, LH Torsion | ME5, ME5E | \$ 7.70 | \$ 7.24 |
| A41116 | Spring, RH Torsion | ME5, ME5E | \$ 7.65 | \$ 7.19 |
| AA64034 | Scraper Kit – HD Scraper Blade | ME5, ME5E | \$34.42 | \$32.35 |




Gauge Wheel Tires (XP and newer)

| TIRE | PICTURE | NUMBER | COMMENTS | LIST |
|-----------------------------------------|-----------------------------------------------------------------------------------|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| Regular |  | A84062 | <ul style="list-style-type: none"> • Standard on most John Deere gauge wheels • Good option for most growers | \$41.54 |
| Heavy-Duty |  | A113507 | <ul style="list-style-type: none"> • 40% thicker in the semi-pneumatic region of the tire • Increased durability • Provides extended life in high/tough residue conditions | \$55.00 |
| Narrow |  | A85133 | <ul style="list-style-type: none"> • For narrow (3") gauge wheels | \$45.19 |
| Conservation (Reduced Inner Profile) |  | A84451 | <ul style="list-style-type: none"> • Reduces sidewall compaction in heavy, wet, no-till conditions • Not recommended for light, sandy soils or in conventionally tilled soils | \$46.75 |

Gauge Wheel Assemblies (XP and newer)

| GAUGE WHEEL | PICTURE | NUMBER | WIDTH | | BEARING | | TIRE | | | LIST |
|-------------|-------------------------------------------------------------------------------------|----------|-----------------------|-------------------|------------------|------------|--------------------|---------|-------------------------|----------|
| | | | Standard Width (4.5") | Narrow Width (3") | Standard Bearing | HD Bearing | Standard Duty Tire | HD Tire | Conservation (RIP) Tire | |
| Regular |  | AA66604 | X | | X | | X | | | \$104.51 |
| | | AA100853 | X | | | X | X | | | \$241.72 |
| | | AA71530 | | X | X | | X | | | \$ 88.34 |
| Spoked |  | AA98187 | X | | X | | X | | | \$166.46 |
| | | AA101970 | X | | | X | X | | | \$414.85 |
| | | AA101966 | X | | | X | | X | | \$595.13 |
| | | AA98189 | X | | X | | | | X | \$174.45 |
| | | AA98188 | | X | X | | X | | | \$163.19 |

Gauge Wheel Bearings (XP and newer)

| GAUGE WHEEL | PICTURE | NUMBER | COMMENTS | LIST |
|-------------|-------------------------------------------------------------------------------------|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| Value |  | A-AN212132 | <ul style="list-style-type: none"> • A&I quality bearing | \$ 7.58 |
| Standard |  | AN212132 | <ul style="list-style-type: none"> • Standard on most John Deere gauge wheels • Good option for most growers | \$13.87 |
| Heavy-Duty |  | AA97285 | <ul style="list-style-type: none"> • Better seal, or other technical information • Added protection against debris ingress • Better for growers in tough conditions and/or high speed planting | \$28.04 |

NEW!

New A&I Planter Parts

If you're looking for a quality offering at an economical price, we also now offer A&I parts for your planter needs. That's the value of choice.



A-AA55927



A-AA43898



A-AA37552



A-A92818

| NUMBER | DESCRIPTION | TYPE | LIST |
|-----------|-----------------------------|--------------|---------|
| AA79993 | Knocker | John Deere | \$10.18 |
| A-AA79993 | Knocker | A&I Products | \$ 8.72 |
| A55888 | Bushing, Closing Wheel | John Deere | \$ 6.60 |
| A-A55888 | Bushing, Closing Wheel | A&I Products | \$ 5.35 |
| AA55927 | Disc: Seed Opener | John Deere | \$29.92 |
| A-AA55927 | Disc: Seed Opener | A&I Products | \$27.91 |
| A80203 | Guard: Seed Tube | John Deere | \$14.27 |
| A-A80203 | Guard: Seed Tube | A&I Products | \$14.21 |
| AA43898 | Closing Wheel Assembly | John Deere | \$39.85 |
| A-AA43898 | Closing Wheel Assembly | A&I Products | \$38.62 |
| AA20978 | Chain: Seed Meter | John Deere | \$ 9.46 |
| A-AA20978 | Chain: Seed Meter | A&I Products | \$ 7.29 |
| AA26713 | Bowl | John Deere | \$19.45 |
| A-AA26713 | Bowl | A&I Products | \$14.78 |
| AA27100 | Adapter Fitting | John Deere | \$22.63 |
| A-AA27100 | Adapter Fitting | A&I Products | \$18.55 |
| AA30654 | Chain Sprocket | John Deere | \$26.20 |
| A-AA30654 | Chain Sprocket | A&I Products | \$21.67 |
| AA37552 | Arm, Closing Wheel Assembly | John Deere | \$61.73 |
| A-AA37552 | Arm, Closing Wheel Assembly | A&I Products | \$50.98 |
| AA89297 | Meter | John Deere | \$53.33 |
| A-AA89297 | Meter | A&I Products | \$29.38 |
| A55984 | Guide | John Deere | \$ 7.40 |
| A-A55984 | Guide | A&I Products | \$ 3.32 |
| A69032 | Cover | John Deere | \$17.25 |
| A-A69032 | Cover | A&I Products | \$ 8.79 |
| A75055 | Tube | John Deere | \$22.96 |
| A-A75055 | Tube | A&I Products | \$14.09 |
| A92818 | Bushing | John Deere | \$13.13 |
| A-A92818 | Bushing | A&I Products | \$10.82 |
| A94259 | Chamber | John Deere | \$24.90 |
| A-A94259 | Chamber | A&I Products | \$19.42 |
| A97866 | Arm | John Deere | \$26.66 |
| A-A97866 | Arm | A&I Products | \$28.42 |
| A97867 | Bushing | John Deere | \$13.19 |
| A-A97867 | Bushing | A&I Products | \$11.10 |

NOT READY TO TRADE? JUST UPGRADE.



You don't have to buy new to get better results, you can upgrade instead. With advanced technology now available for older planters, you can **increase yield potential** and **extend the life** of your **John Deere MaxEmerge™ planter** for years to come.





EASY ADJUST ROW CLEANERS

Reduce single-row adjustment time by 75%. Adjust your entire planter from the cab to accommodate for wet ground, waterways or end rows.

PNEUMATIC CLOSING WHEELS

Eliminate time-consuming manual adjustments. Change force settings on seed trenches from the comfort of the cab to improve emergence.



VARIABLE RATE DRIVE

Adjust your seeding rate on-the-go. Change seeding rate (manually or automatically) based on prescription maps to maximize profit per acre.


ROW COMMAND

Minimize overplanting and maximize seed placement. Reduce yield drag and improve harvest capabilities on Pro-Shaft™ and MaxEmerge™ 5 row units.



ACTIVE PNEUMATIC DOWNFORCE

Fully automate downforce control. Sync with SeedStar™ 3 HP and SeedStar XP systems to set row unit for precise soil penetration.



STAINLESS SINGLE SHOOT MANIFOLD

- Save on assembly time.
- No need to clean or repair old plastic parts.
- Strength and longevity from a stainless steel solution.

FITS: JOHN DEERE 1900 & 1910 AIR CARTS



A-SSH00TKIT Stainless Single Shoot Manifold Kit

Attaches to OEM or Air Seeder Parts stainless meter

Attaches to OEM or Air Seeder Parts stainless tubes

One-piece stainless construction


Bolt-on ready for easy installation

Huge cost & time savings

Universal to fit any run configuration

No assembly required

Includes clamps, gaskets, & hardware



STAINLESS METER HOUSINGS, RUN KITS, TUBES, & MUCH MORE

FITS: JOHN DEERE 1900 & 1910 AIR CARTS

CONTINU-RATE™ METER ROLLERS & TUNING RINGS

This spiraled design gives you a steady, continual flow of product which makes for a more consistent plant stand and product distribution.

FITS: JOHN DEERE 1900, 1910, C650, C850 AIR CARTS



A-CRYELLOW Low-Rate Flax, Canola, Alfalfa

A-CRBLACK Medium-Rate Wheat, Barley, Small Soybean, Medium Rate Fertilizer

A-CRGREEN High-Rate Soybean, High Rate Fertilizer

A-CRBLUE Very High-Rate Large Seeds, Barley, Oats, High Rate Fertilizer

A-CRORANGE Large Seeds Chick Pea, Field Pea, Large Soybean, NO Fertilizer

Matching Tuning Rings also available

Continu-Rate™ Meter Rollers eliminate the pulsation of dropping seed, inoculants, or fertilizer.

Bearings, inserts, and snap rings come pre-assembled.



**Air
Seeder
Parts**



Air Seeder Hose—Low Pressure

John Deere offers 1-in. through 2½-in.-diameter, clear with green or black helix hose for air seeder applications. This clear, smooth-core, PVC hose is recommended for heavy-duty suction and discharge of seed, as well as agricultural chemicals, marine, and liquid waste.




| NUMBER | ID. | OD | LIST | NOW |
|--------------------------|--------------------|--------------------|--------|---------------|
| Good | | | | |
| PM112BK100, PM112GR100 | 1.00-in. (25.4 mm) | 1.25-in. (31.8 mm) | \$1.16 | \$1.04 |
| PM112BK250, PM112GR250 | 2.50-in. (63.5 mm) | 2.84-in. (72.1 mm) | \$3.37 | \$3.03 |
| Better | | | | |
| PM113UVBK100 | 1.00-in. (25.4 mm) | 1.25-in. (31.8 mm) | \$1.93 | \$1.74 |
| PM113UVCLBK | 2.50-in. (63.5 mm) | 2.84-in. (72.1 mm) | \$5.52 | \$4.97 |
| Best | | | | |
| PM100ULBK100 | 1.00-in. (25.4 mm) | 1.25-in. (31.8 mm) | \$2.25 | \$2.03 |
| PM100ULGR100 | 1.00-in. (25.4 mm) | 1.25-in. (31.8 mm) | \$2.44 | \$2.20 |
| PM100UCLBK, PM100ULGR250 | 2.50-in. (63.5 mm) | 2.87-in. (72.9 mm) | \$5.48 | \$4.93 |

Price shown is per foot. BK = Clear w/ Black Helix, GR = Clear w/ Green Helix.

See dealer for other sizes and color combinations.

Meters, Rollers, and Tuning Rings for John Deere Air Seeders

Use the low meter roller for seeds such as flax, canola, and alfalfa. The medium roller is best when planting wheat, barley, canola, and small soybeans up to ¼ inch in diameter and with medium rates of fertilizer. The high rate roller is for high rates of fertilizer and large soybeans bigger than ¼ inch in diameter. The very high rate roller is best used when planting barley and oats with beards, large seeds such as garbanzo beans, and with very high fertilizer rates. Fine tuning rings reduce the amount of product available to meter for increased accuracy.



| NUMBER | METER TYPE | APPLICATION RATE | LIST | NOW |
|---------------------------|----------------|---------------------|----------|-----------------|
| Meter Roller Kits: | | | | |
| AA45605 | Low | 1–20 lb. per acre | \$ 80.26 | \$ 75.44 |
| AA45606 | Regular | 20–130 lb. per acre | \$110.74 | \$104.10 |
| AA45607 | High Rate | 30–220 lb. per acre | \$100.40 | \$ 94.38 |
| Meter Rollers: | | | | |
| A58874 | Low | 1–20 lb. per acre | \$ 71.27 | \$ 66.99 |
| A58473 | Regular | 20–130 lb. per acre | \$ 55.31 | \$ 51.99 |
| A58479 | High Rate | 30–220 lb. per acre | \$ 45.70 | \$ 42.96 |
| A69212 | Very High Rate | 50–265 lb. per acre | \$ 40.12 | \$ 37.71 |
| Fine-Tuning Rings: | | | | |
| A57192 | Low | | \$ 9.22 | \$ 8.67 |
| A57197 | Regular | | \$ 9.22 | \$ 8.67 |
| A57195 | High Rate | | \$ 9.22 | \$ 8.67 |
| A70069 | Very High Rate | | \$ 9.28 | \$ 8.72 |

Calibration Parts

Calibration is important to achieving desired seeding rates. Additional parts are available to have on hand. Compatible with C850, C650, and 1910 Carts.

| NUMBER | DESCRIPTION | LIST | NOW |
|---------|--------------------------|----------|-----------------|
| AA88948 | Calibration Bag Supports | \$111.98 | \$105.26 |
| AA76478 | Electronic Digital Scale | \$306.91 | \$288.50 |
| A106008 | Brackets (requires 2) | \$ 24.51 | \$ 23.04 |
| AA56659 | Calibration Bag | \$240.45 | \$226.02 |



ProSeries™ Seed Opener Performance Upgrade Kits for 60- and 90-Series Openers

The ProSeries Opener offers agronomic advantages and extended wear life compared to the current 90-Series openers. For 60-Series openers, to be compatible, seed tubes must also be upgraded to the 90-Series seed tubes.

Features include:

Seed Boot – A narrower, tighter fit to the disk results in less soil throw for better seed-to-soil contact and extended wear life.

Press Wheel – Narrower and more flexible press wheel improves overall seed-to-soil contact for more even emergence, plus upgraded double-row ball bearing extends service life.

Serrated Closing Wheel – Improved closing system when seeding in harder, drier conditions. The notches on the wheel break up the drier soil for better germination.

Seed Tab – Improved material for longer wear life, angled and more flexibility in the seed trench results in less seed bounce for more consistent seed placement.

Closing Spring – Easier adjustments.



| NUMBER | DESCRIPTION | APPLICATION | LIST |
|---------|-------------------------------------|-------------------------|------------|
| AA97392 | Seed Opener Performance Upgrade Kit | 8-rows (4 right/4 left) | \$1,995.00 |
| AA98693 | Seed Opener Performance Upgrade Kit | 2-rows (1 right/1 left) | \$ 525.00 |

Upgrade your 90-Series Openers with ProSeries Parts

| ORIGINAL 90-SERIES PART NUMBER | PROSERIES PART NUMBER | DESCRIPTION | PROSERIES LIST |
|--------------------------------|--------------------------|------------------------|----------------|
| N282110 | A105392 | Serrated Closing Wheel | \$ 80.96 |
| N219982 | A105410 | Seed Tab | \$ 3.45 |
| N284025 | A109344 | Seed Boot, RH | \$119.93 |
| N284024 | A109343 | Seed Boot, LH | \$119.93 |
| AN282296 | AA88056 | Press Wheel | \$ 50.81 |
| N283804 | N283804 (did not change) | Disk Blade | \$ 34.99 |
| N284024 | A109343 | Seed Boot, LH | \$119.93 |
| N282218 | A110308 | Closing Spring, RH | \$ 14.05 |
| N282219 | A110307 | Closing Spring, LH | \$ 14.05 |

Separate Fertilizer Placement Openers for 90-Series

Features include:


Separate Fertilizer Placement (SFP) sealing wing allows for better sealing of NH3 in the ground. Newly designed sealing plates and scrapers improve the NH3 sealing capabilities of the SFP opener when compared with older components. 457.2mm (18-in) opener blades operate at a 5-degree angle, resulting in a narrow trench with less soil disturbance.

Kit contents include: Scraper, Sealing Plate, Disk Opener, Hardware, (smooth or serrated closing wheel is not included).

| NUMBER | DESCRIPTION | APPLICATION | LIST |
|----------|------------------------------------|-------------------------|------------|
| AA102151 | SFP Opener Performance Upgrade Kit | 8-rows (4 right/4 left) | \$1,701.13 |
| AA102150 | SFP Opener Performance Upgrade Kit | 2-rows (1 right/1 left) | \$ 425.28 |

50, 60, and 90 Series Opener Parts

| NUMBER | DESCRIPTION | SERIES | LIST | NOW |
|------------------------|-------------------------------------------|------------|----------|----------|
| Gauge Wheels: | | | | |
| A84050 | Tire, Semi-Pneumatic, 4 1/2 x 16-in. | 50, 60, 90 | \$ 36.48 | |
| A84062 | Tire, Gauge Wheel, 4 1/2 x 16-in. | 60, 90 | \$ 41.54 | |
| AA66599 | Wheel, Steel Gauge | 60, 90 | \$ 86.40 | |
| AA66604 | Wheel and Tire Assembly, Offset Gauge | 60, 90 | \$104.51 | |
| A85133 | 3-in. x 16-in. Gauge Wheel Tire | 90 | \$ 45.19 | |
| AA66988 | 3-in. x 16-in. Gauge Wheel Assembly | 90 | \$ 87.40 | |
| AA92485 | Arm, Gauge Wheel Arm | 90 | \$ 63.18 | |
| AA98188 | Wheel, Narrow Gauge, Spoked | 90 | \$163.19 | |
| AA98187 | Wheel and Tire Assembly, Offset Gauge, SP | 90 | \$166.46 | |
| AA98189 | Wheel and Tire Assembly, Conservation, S | 90 | \$174.45 | |
| AN211864 | Gauge Wheel Assembly | 50 | \$ 92.07 | |
| A84451 | Tire – 4.5 x 16, Conservation, Large Lip | 60 | \$ 46.75 | |
| Closing Wheels: | | | | |
| N281706 | Wheel, 10-in. | 90 | \$ 21.36 | |
| N281714 | Tire, Semi-Pneumatic, 1 x 10-in. | 90 | \$ 9.64 | |
| N283866 | Wheel, Closing, SFP | 90 | \$ 68.28 | |
| AN213060 | Wheel Assembly, Closing | 50 | \$ 65.61 | |
| AN280248 | Arm, Assembly Closing Wheel, RH | 50 | \$319.09 | |
| AN280249 | Arm, Assembly Closing Wheel, LH | 50 | \$276.79 | |
| AN282190 | Arm Assembly, SFP Closing, RH | 90 | \$322.77 | |
| AN282191 | Arm Assembly, SFP Closing, LH | 90 | \$340.91 | |
| N282110 | Wheel, Closing | 60 | \$ 41.43 | |
| AN281359 | Tire and Wheel Assembly | 50 | \$ 31.13 | |
| Press Wheels: | | | | |
| N284110 | Tire, Press Wheel | 60, 90 | \$ 12.01 | |
| N284111 | Press Wheel | 60, 90 | \$ 20.51 | |
| A118432 | Spring, Press Wheel, RH | 90 | \$ 28.37 | |
| A118431 | Spring, Press Wheel, LH | 90 | \$ 28.37 | |
| Opener Blades: | | | | |
| N283804 | Disk opener, 18-in x 0.197-in. | 50, 60, 90 | \$ 34.99 | |
| AN281856 | Hub Assembly | 90 | \$ 73.57 | |
| N219700 | Hub, Coulter | 50 | \$ 61.87 | |
| Seed Boots: | | | | |
| N284024 | Seed Boot, Extra Wear, RH | 90 | \$ 95.03 | |
| N284025 | Seed Boot, Extra Wear, LH | 90 | \$ 95.03 | |
| N284044 | Seed Boot, One Piece, RH | 90 | \$ 44.56 | |
| N284045 | Seed Boot, One Piece, LH | 90 | \$ 44.56 | |
| N282788 | Seed Boot, RH, Upper | 60 | \$ 37.64 | |
| N282789 | Seed Boot, LH, Upper | 60 | \$ 37.64 | |
| N283432 | Seed Boot, RH, Lower, Chrome | 60 | \$ 35.64 | |
| N283433 | Seed Boot, LH, Lower, Chrome | 60 | \$ 35.64 | |
| Seed Tubes: | | | | |
| A54632 | Tube, Seed | 50 | \$ 60.62 | \$ 56.98 |
| A63630 | Tube, Straight | 60 | \$ 90.13 | \$ 84.72 |
| A63631 | Tube, Seed, LH | 60 | \$118.98 | \$111.84 |
| A63632 | Tube, Seed, RH | 60 | \$111.23 | \$104.56 |
| N282719 | Tube, Fertilizer | 60 | \$ 66.43 | \$ 62.44 |
| N282720 | Tube, Front Seed | 60 | \$ 65.64 | \$ 61.70 |
| N282817 | Tube, Rear Seed | 60 | \$ 64.68 | \$ 60.80 |

Spoke Gauge Wheel
AA98187Closing Wheel
N283866Opener Blades
N283804Seed Boot
N284045

Guaranteed to plant a smile on your face. **SectionCommand™**



"You don't have spots where it's double seeded and lodging," explains John. "At harvest, crops mature more evenly in the field. SectionCommand really improved our efficiencies."

- John Proulx / Crookston, Minnesota



Fewer skips. Less overlaps. That's what you get with SectionCommand from John Deere. This innovative, field-installed attachment diminishes your seed and fertilizer costs through efficient, uniform seeding to make you more profitable.

For use with John Deere 1910 Air Carts and all hydraulic carts, you can rely on SectionCommand to:

- **Boost emergence and growth consistency**
- **Enhance uniformed maturity at harvest**
- **Reduce input costs for seed and fertilizer**
- **Limit filling labor**

To learn more about SectionCommand, see us today.

It's the more profitable way to seed.

John Proulx sums up the performance of SectionCommand in three words, "picture-perfect fields." Owner of a soybean and wheat farm in Crookston, Minnesota, John has personally experienced the value of SectionCommand on his 8,000 acres.

According to John, SectionCommand improves efficiency by eliminating double seeding and lodging. Ultimately, that leads to greater profitability thanks to lower seed and fertilizer costs—in his case up to 10 percent on irregularly shaped fields and 4 percent everywhere else.

Invest in SectionCommand—like John—for picture-perfect fields.

On the straight and narrow.

Sure, with John Deere Precision Ag components installed on your equipment, you'll have straighter rows, lower input costs, and an easier time harvesting. But you know when our Precision Ag technology really shines? When your neighbor stops by to ask how you planted such a good-looking field. So, whatever equipment you're planting with, we have a solution to make your fields the envy of your neighbors.



Guidance & Machine Control

AutoTrac™ Integrated Machine Kits and GreenStar™ Ready Kits make it easy for you to be Precision Ag ready when the time arrives. The AutoTrac machine kits include the appropriate machine steering controller when necessary and AutoTrac Ready accessories. Display, receiver, and software to complete the system are sold separately. These field-installed kits are an integrated guidance solution for John Deere Tractors and are compatible with the GreenStar 3 or GreenStar 2 system components. Gain the edge and get the results you want and need with genuine John Deere Precision Ag components.



| NUMBER | DESCRIPTION | APPLICATION | LIST |
|----------|----------------------------------------------------|-------------------------------------------------------|------------|
| PF90875 | AutoTrac Combine Machine Kit | 60 Series | \$5,566.00 |
| PF90629 | AutoTrac Combine Machine Kit | 70 Series | \$5,566.00 |
| PF90633 | AutoTrac Sprayer Machine Kit | 4730 and 4830 | \$4,029.30 |
| BPF10387 | AutoTrac Tractor Machine Kit | 6140R/6150R with MFWD | \$4,514.29 |
| BPF10560 | AutoTrac Tractor King Pin Kit | 6140R/6150R with MFWD with a Non-suspended Front Axle | \$ 338.80 |
| BPF10345 | AutoTrac Tractor Machine Kit | 6170R/6190R/6210R with MFWD | \$4,514.40 |
| BPF10346 | GreenStar Ready Tractor Kit | 6R Series with MFWD | \$ 514.80 |
| PF90863 | AutoTrac Tractor Machine Kit | 8000 Series with MFWD (All Pins) | \$5,142.50 |
| PF90862 | AutoTrac Tractor Machine Kit | 8010 Series with MFWD (All Pins) | \$4,840.00 |
| PF90861 | AutoTrac Tractor Machine Kit | 8020 with MFWD with ILS | \$4,840.00 |
| PF90497 | AutoTrac Tractor Machine Kit | 8020 Series with MFWD (All Pins) | \$4,840.00 |
| BPF12231 | GreenStar Ready Universal Guidance Kit, Upgradable | John Deere and Other Makes Equipment | \$ 907.50 |
| PF90452 | AutoTrac Universal Horn Kit | John Deere and Other Makes Equipment | \$ 182.63 |
| PF90453 | AutoTrac Universal Auxiliary Resume Switch | John Deere and Other Makes Equipment | \$ 119.90 |
| PF90697 | AutoTrac RowSense Mechanical Feelers | 90/600 Series Cornheads (30" or 75cm spacing) | \$1,023.00 |



Pressure Recirculation and Product Reclaim

John Deere's Pressure Recirculation system with Product Reclaim helps get more done in less time. These new Performance Upgrade kits help minimize boom priming, enhance rinse efficacy, reduce separation and waste of chemicals while saving on input costs.

Features and Benefits:

- Increased suspension of product in solution system and boom plumbing to improve product efficacy
- Reduce time to clean out residual in solution system
- More uniform PSI and rate across boom
- Increased circulation of product in solution system reduces the potential for nozzle clogging
- Return product back to tank to reclaim expensive crop protection inputs between applications

Compatibility:

- Pressure Recirculation requires ExactApply and is compatible with MY18 to MY21 R4030–R4060 Sprayers with steel boom (not compatible with Carbon Fiber booms)
- Product Reclaim requires ExactApply, Pressure Recirculation, and Automated Solution Command system on MY18 and newer R4030–R4060 Sprayers
- Pressure Recirculation and Product Reclaim are not currently compatible with Direct Injection

| NUMBER | DESCRIPTION | LIST | NOW |
|----------|------------------------------------------------------------------------------------------------------------|-------------|--------------------|
| AON10281 | Kit for machines with Automated Solution Command System for 90-ft & 100-ft steel booms with 15-in. spacing | \$11,092.40 | \$10,426.86 |
| AON10282 | Kit for machines with Automated Solution Command System for 90-ft & 100-ft steel booms with 20-in. spacing | \$11,092.40 | \$10,426.86 |
| AON10277 | Kit on Automated Solution Command System for 120-ft steel boom with 15-in. spacing | \$11,092.40 | \$10,426.86 |
| AON10278 | Kit on Automated Solution Command System for 120-ft steel boom with 20-in. spacing | \$11,092.40 | \$10,426.86 |
| AON10283 | Kit on Manual Solution Command System for 90-ft & 100-ft steel booms with 15-in. spacing | \$ 8,311.60 | \$ 7,812.90 |
| AON10284 | Kit on Manual Solution Command System for 90-ft & 100-ft steel booms with 20-in. spacing | \$ 8,311.60 | \$ 7,812.90 |
| AON10279 | Kit on Manual Solution Command System for 120-ft steel boom with 15-in. spacing | \$ 8,311.60 | \$ 7,812.90 |
| AON10280 | Kit on Manual Solution Command System for 120-ft steel boom with 20-in. spacing | \$ 8,311.60 | \$ 7,812.90 |

BoomTrac Pro™ Height Control System



Increase application accuracy and minimize spray drift and skips with the help of this boom height-sensing software that responds to ground contour changes. Five-sensor system recommended for 120-foot (36.6 M) boom or severe applications. Three sensor system is for relatively flat to gently rolling terrain.

Applications: 4630, 4730, 4830, 4930, 4940, R4023, R4030, R4038, R4044, R4045, and R4060 Sprayers

| NUMBER | DESCRIPTION | MODEL | LIST | NOW |
|----------|----------------------|-------------------------|-------------|--------------------|
| BN202556 | 3-Sensor System | 4730, 4830 | \$15,558.40 | \$14,624.90 |
| BN202557 | 2 Additional Sensors | 4730, 4830 | \$ 2,910.60 | \$ 2,735.96 |
| BN202519 | 3-Sensor System | 4930, 4940 | \$15,558.40 | \$14,624.90 |
| BN202520 | 2 Additional Sensors | 4920, 4930, 4940 | \$ 2,910.60 | \$ 2,735.96 |
| BKK10019 | 5-Sensor System | R4030, R4038, and R4045 | \$17,845.30 | \$16,774.58 |
| BKK10306 | 3-Sensor System | R4023 | \$14,795.00 | \$13,907.30 |

Hit the Mark with ExactApply™

Available for

R4030
R4038
R4044
R4045
R4060

Features

Turn Compensation
Individual Nozzle Control
A/B Nozzle Switching
Pulse Width Modulation

Put an end to over-application, crop burn and off-target drift. Available as a performance upgrade for **R4030, R4038, R4044, R4045 and R4060** models, ExactApply features individual nozzle control for precise droplet sizing and consistent application management. Providing you with three times the pulsing frequency of competitive systems – and an **industry-exclusive A-B nozzle design** – ExactApply maintains your target rate and pressure over a wider range of speeds along with decreasing overlap, reducing input costs and elevating productivity.

Direct Injection

Isolate contamination, reduce risk, and be equipped for quicker chemical and crop changeover with Direct Injection. Available as a performance upgrade for R4030, R4038 and R4045 sprayer models, Direct Injection makes it easier for you to manage buffer zones to meet chemical requirements in addition to providing capacity for carrying up to 235 gallons and three different applications at once.

- Manage applications along drift sensitive areas
- Apply products in selected section of the field and not others
- Cover more acres during tight spray windows
- Quicker changeover between chemical and crops and less product waste

Note: kits listed below are not for ExactApply™ machines. For kits compatible with ExactApply machines, check with your local John Deere dealer.

| NUMBER | DESCRIPTION | LIST | NOW |
|-----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|-------------|--------------------|
| R4030, R4038, and R4045 Sprayer | | | |
| AON10442 | Direct-injection system with one high-volume pump and two 189-L (50-gal.) tanks | \$15,160.20 | \$14,250.59 |
| BKK10302 | Direct-injection system with one low-volume pump and one 132-L (35-gal.) tank | \$10,176.10 | \$9,565.53 |
| R4030 and R4038 (model year 2016 and newer, serial number 11,000 and higher) and R4045 | | | |
| AON10443 | Direct-injection system with one high-volume pump and four 189-L (50-gal.) tanks | \$17,993.80 | \$16,914.17 |
| AON10444 | Direct-injection system with two high-volume pumps and four 189-L (50-gal.) tanks | \$24,838.00 | \$23,347.72 |
| R4030, R4038, R4045 with ExactApply (includes pressure-relief valve) | | | |
| AON10445 | Direct Injection kit for machines with ExactApply. One high-volume pump and two 189-L (50-gal.) tanks | \$16,394.40 | \$15,410.74 |
| AON10446 | Direct Injection kit for machines with ExactApply. One high-volume pump and four 189-L (50-gal.) tanks | \$19,226.90 | \$18,073.29 |
| AON10447 | Direct Injection kit for machines with ExactApply. Two high-volume pumps and four 189-L (50-gal.) tanks | \$26,071.10 | \$24,506.83 |





Foot Rests for Sprayers and Nutrient Applicator

Adds two forward facing risers and foot rests to the cab (no drilling or welding required). These foot rests are helpful when operating on steep downhill grades, sidehills, or watching towed implements. These custom cast iron risers designed for the R series sprayer cab, bolt into existing locations used to mount the steering column to the cab frame and can support up to 400 lb/ft of total force. Complete kit includes all parts and hardware.

| NUMBER | DESCRIPTION | LIST | NOW |
|----------|------------------------------------------------------------------------------------------|----------|-----------------|
| BRE10471 | Foot Rest Support Kit - Fits R4030 to R4060 sprayer models and F4365 Nutrient Applicator | \$346.50 | \$311.85 |

Underframe Shields



Simply mount these shields to the underside of the chassis to help protect your crop from entanglement in vehicle components. Shields are mounted on hinges to allow quick, easy access to vehicle components.

| NUMBER | APPLICATION | LIST | NOW |
|----------|----------------------------------------------------------------|------------|-------------------|
| BN202453 | 4720, 4730 (s/n 4939 and below), and 4830 (s/n 3382 and below) | \$2,024.00 | \$1,902.56 |
| BN202593 | 4730 (s/n 4940–8000) and 4830 (s/n 3383–8000) | \$2,024.00 | \$1,902.56 |
| BN202613 | 4730 and 4830 (s/n 8001 and up) | \$2,024.00 | \$1,902.56 |
| BN400415 | 4940 (s/n 18001 and up) | \$2,024.00 | \$1,902.56 |
| BKK10284 | R4023 | \$1,972.30 | \$1,853.96 |
| BKK10017 | R4030, R4038, R4045 | \$2,024.00 | \$1,902.56 |

Load Command™ System



With the fully integrated solution, you can get back to the field faster and spray more acres per day. Load Command can be added to John Deere's 1,200 and 1,600 gallon sprayers.

| NUMBER | DESCRIPTION | LIST | NOW |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------|-------------|--------------------|
| BKK11090 | Load Command for R4045 and R4060 Sprayers with Educator NOTE: Does not include required nurse tender parts. | \$24,906.20 | \$23,411.83 |
| BKK11089 | Load Command R4045 and R4060 Sprayers Without an Educator NOTE: Does not include required nurse tender parts. | \$25,518.90 | \$23,987.77 |
| BN202580 | Load Command Tender Arm for 4940, R4045, and R4060 NOTE: Includes coupler compatible with Load Command machines and configurable mounting arm. | \$ 4,216.30 | \$ 3,963.32 |
| BN202616 | Vehicle Bracket Kit | \$ 1,193.50 | \$ 1,121.89 |

Eductor

Conveniently add chemicals to the tank from the ground.



| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|----------|-----------------------|------------------|------------|-------------------|
| BN202396 | Stainless Steel | 4720, 4730, 4830 | \$2,929.30 | \$2,753.54 |
| BN202492 | Stainless Steel | 4730, 4830 | \$4,163.50 | \$3,913.69 |
| BN400409 | Stainless Steel | 4940 | \$3,271.40 | \$3,075.12 |
| BN400410 | Large Stainless Steel | 4940 | \$4,508.90 | \$4,238.37 |
| BN202401 | Stainless Steel | 4920, 4930 | \$3,271.40 | \$3,075.12 |
| BN300005 | Large Stainless Steel | R4023 | \$2,817.10 | \$2,648.07 |



Hagie Sprayer Attachments

Looking to upgrade the performance of your Hagie Sprayer? The attachment kits listed below are available from John Deere, please see your local dealer for more information.



Rear Boom



Crop Dividers



Tall Crop Package



Modular Injection



Side Fill



Front Fill



Intake Scoop

| NUMBER | DESCRIPTION | LIST | NOW |
|-----------|-----------------------------------------------------------------------------|------------|------------|
| 5HGAMK001 | Rear Boom for STS, 15" | \$ 845.64 | \$ 794.90 |
| 5HGAMK015 | Tall Crop Option for STS 10/12, model years 2014 to 2016 | \$2,512.94 | \$2,362.16 |
| 5HGAMK047 | Tall Crop Option for STS 10/12, model years 2017 to 2018 | \$2,494.86 | \$2,345.17 |
| 5HGAMK063 | Tall Crop Option for DTS, model years 2016 to 2018 | \$ 849.40 | \$ 798.44 |
| 5HGAMK057 | Front Fill Option for STS 10/12/14/16, model years 2012 to 2013 | \$1,767.58 | \$1,661.53 |
| 5HGAMK056 | Front Fill Option for STS 10/12/14/16, model years 2014 to 2018 | \$1,037.86 | \$ 975.59 |
| 5HGAMK011 | STS Crop Divider, model years 2015 to 2017 | \$ 657.18 | \$ 617.75 |
| 5HGAMK007 | STS Crop Divider, STS 10/12/14/16, model years 2014 to 2015, Standard Leg | \$ 611.78 | \$ 575.07 |
| 5HGAMK036 | DTS Crop Divider, model years 2016 to 2018 | \$ 568.74 | \$ 534.62 |
| 5HGAMK105 | Intake Scoop for STS 10/12/14, model year 2017 – STS 10/12, model year 2018 | \$ 721.92 | \$ 678.60 |
| 5HGAMK107 | Intake Scoop for STS 16, model year 2017 – STS 14/16, model year 2017 | \$1,011.24 | \$ 950.57 |
| 5HGAMK053 | Foamer Option for STS 10/12/14/16, model years 2016 to 2018 | \$3,768.52 | \$3,542.41 |
| 5HGAMK102 | Night Spray Lights for STS 90/100' Boom, model years 2016 to 2018 | \$ 366.28 | \$ 344.30 |
| 5HGAMK104 | Night Spray Lights for STS 120' Hybrid Boom, model years 2017 to 2018 | \$ 356.88 | \$ 335.47 |



Choose the Right Nozzle Every Time

ApplyPlus is now EquipmentPlus App

It's hard knowing which nozzle to select and it can be intimidating selecting the right size. John Deere can help you choose the correct nozzle that best fits your application. The EquipmentPlus App has a nozzle selection tool and after answering just a few questions about desired speed, spacing and application rate – the app will give you nozzles that will best fit your job.



John Deere EquipmentPlus takes machine optimization to the next level. The EquipmentPlus app provides operators of Air Seeders, Balers, Cotton Harvesters, Forage Harvesters, Planters, Sprayers, Sugarcane Harvesters and Tillage equipment the ability to optimize their machine through proper machine and monitor setup, as well as maintenance and infield procedures.

All of this is done from one app, no need to go to multiple apps for this information. Customers who previously used, ApplyPlus will now use EquipmentPlus. This app is intended to provide a quick reference overview of key adjustments, maintenance, and procedures right at your fingertips.

Download the EquipmentPlus app today!



New Ceramic Nozzles

The John Deere ceramic spray nozzle line provides greater resistance against wear and corrosion from the application of abrasive products, extending the life of your spray nozzles. A full range of nozzle offerings provides a nozzle to meet the needs of most applications.

- Ceramic Nozzle line provides superior resistance to spray nozzle wear and corrosion, providing longer life compared to polyacetal, steel and brass nozzles
- The new ceramic nozzle line offers a nozzle for most applications, including the Ceramic Ultra-Low Drift and Asymmetric Ultra-Low Drift that provide up to 90% drift reduction, as well as nozzles like the GuardianAIR Twin, Low-Drift Air, Low-Drift and Extended Range ceramics capable of providing higher degrees of spray coverage
- Hollow Cone Ceramic and Air Induction Hollow Cone are ideal for use with air blast spraying in specialty crops such as vineyards, orchards, hops and other specialty crop systems.

| NUMBER | DESCRIPTION | LIST | NOW |
|--------------|--------------------------------------|---------|----------------|
| PSULDCQ2004 | Ultra Low Drift Ceramic - size 04 | \$11.23 | \$10.56 |
| PSULDCQ2005 | Ultra Low Drift Ceramic - size 05 | \$11.23 | \$10.56 |
| PSAULDCQ2005 | Asymmetric Ultra Low Drift - Size 05 | \$13.99 | \$13.15 |
| PSAULDCQ2006 | Asymmetric Ultra Low Drift - Size 06 | \$13.99 | \$13.15 |
| PSLDACQ2003 | Low Drift Air - Size 03 | \$12.41 | \$11.67 |
| PSLDACQ20025 | Low Drift Air - Size 025 | \$12.41 | \$11.67 |

Ultra-low drift Max – Post-Emerge Systemic Herbicides

- 130° spray angle allows lower boom heights to reduce drift and to prevent pattern collapse when using drift reduction adjuvants
- Air-induction droplets to reduce drift
- Delivers Extremely Coarse and Ultra Coarse droplets for 90–95% drift reduction compared to standard flat fan nozzle
- ExactApply™ compatible with AutoSelect A/B, and conventional spraying

List \$9.79/ea.

Now \$9.20/ea.



| Ultra Low-drift Max (ULD Max) 130° spray angle – ASABE droplet size classification chart | | | | | | |
|------------------------------------------------------------------------------------------|--------------|-------------|-------------|-------------|-------------|-------------|
| Tip size | 025 | 03 | 04 | 05 | 06 | 08 |
| Pressure (PSI) | PSULDMQ30025 | PSULDMQ3003 | PSULDMQ3004 | PSULDMQ3005 | PSULDMQ3006 | PSULDMQ3008 |
| 30 | UC | UC | UC | UC | UC | UC |
| 40 | UC | UC | UC | UC | UC | UC |
| 50 | UC | UC | UC | UC | UC | UC |
| 60 | UC | XC | UC | UC | UC | UC |
| 70 | UC | XC | UC | UC | UC | UC |
| 80 | UC | XC | UC | UC | UC | UC |
| 90 | XC | XC | UC | UC | UC | XC |
| 100 | XC | XC | XC | XC | XC | XC |

Droplet data sourced at Pentair Hypro in a steady state condition per ASABE S572.1 Standard.

Low-drift Max – Post-Emerge Systemic Applications

- 120° wide and 60° thick pattern provides optimum coverage while maintaining overlap at low boom heights
- Dual pre-orifice nozzle reduces drift with Coarse, Very Coarse and Extremely Coarse droplets
- ExactApply™ compatible with 15-Hz & 30-Hz PWM, AutoSelect A/B, and conventional spraying
- Industry exclusive from John Deere

List \$11.71/ea.

Now \$11.01/ea.



| Low-drift Max (LD Max) 120° spray angle – ASABE droplet size classification chart | | | | | | |
|-----------------------------------------------------------------------------------|------------|------------|------------|------------|------------|------------|
| Tip size | 03 | 04 | 05 | 06 | 08 | 10 |
| Pressure (PSI) | PSLDMQ2003 | PSLDMQ2004 | PSLDMQ2005 | PSLDMQ2006 | PSLDMQ2008 | PSLDMQ2010 |
| 20 | XC | XC | XC | n/a | n/a | n/a |
| 30 | VC | VC | XC | XC | XC | XC |
| 40 | VC | VC | VC | XC | XC | VC |
| 50 | VC | C | VC | VC | VC | VC |
| 60 | C | C | VC | VC | VC | VC |
| 70 | C | C | C | C | VC | C |
| 80 | C | C | C | C | C | M |

Droplet data sourced at Pentair Hypro in a steady state condition per ASABE S572.1 Standard.



3D – All-Purpose Coverage Nozzle

- Delivers up to 10% increase in weed control over conventional flat fans*
- 50–75% less drift compared to flat fan nozzles
- Tight, inclined spray pattern is designed to be installed alternating forward and backward to provide 3-dimensional coverage on hard-to-hit targets
- High-velocity droplets provide excellent canopy penetrations
- ExactApply compatible with 30-Hz PWM, AutoSelect A/B and conventional spraying

List \$7.06/ea.

Now \$6.64/ea.

| 3D 100° spray angle – ASABE droplet size classification chart | | | | | | | | | |
|---------------------------------------------------------------|------------|-----------|------------|-----------|------------|-----------|-----------|-----------|-----------|
| Tip size | 015 | 02 | 025 | 03 | 035 | 04 | 05 | 06 | 08 |
| Pressure (PSI) | PS3DQ00015 | PS3DQ0002 | PS3DQ00025 | PS3DQ0003 | PS3DQ00035 | PS3DQ0004 | PS3DQ0005 | PS3DQ0006 | PS3DQ0008 |
| 10 | C | M | C | VC | VC | XC | XC | XC | XC |
| 15 | M | M | M | C | C | VC | VC | VC | VC |
| 20 | M | M | M | M | C | C | C | C | VC |
| 30 | F | M | M | M | M | M | C | C | C |
| 40 | F | F | M | M | M | M | M | C | C |
| 50 | F | F | F | M | M | M | M | M | M |
| 60 | F | F | F | F | M | M | M | M | M |
| 70 | F | F | F | F | M | M | M | M | M |
| 80 | F | F | F | F | F | M | M | M | M |
| 85 | F | F | F | F | F | F | M | M | M |

Droplet data sourced at Silsoe Spray Applications Unit Ltd. in a steady state condition per ASABE S572.1 Standard. January 2016.

*Syngenta UK trials 0.6l/ha Liberator(diffufenican + flufenacet) + 4l/ha Defy(Prosulfacarb) applied November 2015. Conventional spraying.



Low-drift Twin – Plant Health and Contact Herbicides

- Twin 30° forward and rear facing dual angles for superior coverage
- Delivers Medium and Coarse droplets across wide operating range
- ExactApply™ compatible with 15-Hz & 30-Hz PWM and conventional spraying
- Industry exclusive from John Deere

List \$10.53/ea.

Now \$9.90/ea.

| Low-drift Twin (LDT) 110° spray angle – ASABE droplet size classification chart | | | | | | | | |
|---------------------------------------------------------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Tip size | 03 | 04 | 05 | 06 | 08 | 10 | 12 | 16 |
| Pressure (PSI) | PSLDTQ1003 | PSLDTQ1004 | PSLDTQ1005 | PSLDTQ1006 | PSLDTQ1008 | PSLDTQ1010 | PSLDTQ1012 | PSLDTQ1016 |
| 15 | M | C | C | C | C | C | VC | VC |
| 20 | M | M | M | C | C | C | VC | VC |
| 30 | M | M | M | C | C | C | C | C |
| 40 | M | M | M | M | M | C | C | C |
| 50 | M | M | M | M | M | C | C | C |
| 60 | M | M | M | M | M | M | C | C |
| 80 | C | M | M | M | M | M | M | C |

Droplet data sourced at Pentair Hypro in a steady state condition per ASABE S572.1 Standard.

GuardianAIR Twin™ – Post-Emerge Plant Health, Complex Canopies, and Contact Herbicides

- High-coverage forward- and rear-facing fans penetrate dense canopies
- Air-induced droplets for high-coverage applications where on-target delivery is important
- Perfect for low crops with complex canopies such as small grains and soybeans
- ExactApply compatible with AutoSelect A/B and conventional spraying

List \$9.34/ea.

Now \$8.78/ea.



GuardianAir Twin (GAT) 110° spray angle – ASABE droplet size classification chart

| Tip size | 02 | 025 | 03 | 035 | 04 | 05 | 06 | 08 |
|----------------|-----------|------------|-----------|------------|-----------|-----------|-----------|-----------|
| Pressure (PSI) | PSGAT1002 | PSGAT10025 | PSGAT1003 | PSGAT10035 | PSGAT1004 | PSGAT1005 | PSGAT1006 | PSGAT1008 |
| 20 | — | — | — | — | XC | XC | XC | XC |
| 30 | C | UC | VC | XC | VC | VC | XC | VC |
| 40 | M | VC | C | VC | C | C | VC | C |
| 50 | M | C | M | C | C | C | C | C |
| 60 | M | M | M | M | M | M | C | C |
| 70 | M | M | M | M | M | M | M | M |
| 80 | M | M | M | M | M | M | M | M |
| 85 | M | M | M | M | M | M | M | M |

Droplet data sourced at Silsoe Spray Applications Unit Ltd. in a steady state condition per ASABE S572.1 Standard. January 2016.

Ultra-low-drift – Pre- and Post-Emerge Systemic Herbicides

- Ideal for use when drift reduction is paramount (Included on Dicamba and 2,4-D chemical labels)
- Air-induced droplets provide precise droplet control to minimize drift potential without sacrificing coverage
- 60° thick spray pattern and 120° wide spray angle enables lower boom height
- ExactApply compatible with AutoSelect A/B and conventional spraying

List \$8.89/ea.

Now \$8.36/ea.



Ultra Low-drift (ULD) 120° spray angle – ASABE droplet size classification chart

| Tip size | 015 | 02 | 025 | 03 | 04 | 05 | 06 | 08 |
|----------------|-------------|------------|-------------|------------|------------|------------|------------|------------|
| Pressure (PSI) | PSULDQ20015 | PSULDQ2002 | PSULDQ20025 | PSULDQ2003 | PSULDQ2004 | PSULDQ2005 | PSULDQ2006 | PSULDQ2008 |
| 20 | UC | UC | UC | UC | UC | UC | UC | UC |
| 30 | XC | XC | VC | VC | UC | UC | UC | XC |
| 40 | VC | VC | C | C | UC | XC | XC | VC |
| 50 | VC | VC | C | C | XC | XC | XC | VC |
| 60 | C | C | M | C | XC | XC | VC | C |
| 70 | C | M | M | M | XC | VC | C | C |
| 80 | C | M | M | M | VC | VC | C | C |
| 90 | M | M | M | M | VC | VC | C | M |
| 100 | M | M | M | M | VC | C | C | M |
| 115 | M | M | M | M | C | C | M | M |

Droplet data sourced at Silsoe Spray Applications Unit Ltd. in a steady state condition per ASABE S572.1 Standard. January 2016.

Express End Caps, Flush Valves and Flange Adapters



Express Nozzle Body End Caps improve system hygiene by removing the dead zone on the end of the boom pipes, reducing air and residue buildup.

- Allows air to escape through the nozzle body, reducing turn-off/turn-on times by up to 85%
- Removable end plug allows easy access for boom cleanout

Express Flush Valves allow quick flushes of the entire boom section with a turn of a handle and no tools required to open.

- Reduces flush time by 5 seconds per valve compared to standard Express End Caps alone
- Compact design limits the length it extends beyond the last nozzle body to fit most booms

Flange Adapters enable the use of Express Nozzle Body End Caps on 4-Series Sprayer models R4023, R4030, R4038, and R4045.

| NUMBER | DESCRIPTION | LIST | NOW |
|------------|--------------------------------------------------------------------|---------|----------------|
| PM74333314 | 1-in. Express Cap Fitting w/ Nozzle Body End Cap (high flow) | \$38.91 | \$36.58 |
| PM74333316 | 1-in. Express Cap Fitting w/ Nozzle Body End Cap (standard) | \$38.91 | \$36.58 |
| PS24000152 | End Cap Flange Adapter – Standard Flow | \$10.14 | \$ 9.53 |
| PS24000153 | End Cap Flange Adapter – High Flow | \$10.14 | \$ 9.53 |
| PS74333318 | Express Flush Valve – High Flow | \$39.34 | \$36.98 |
| PS74333320 | Express End Cap with Express Flush Valve Installed – High Flow | \$57.93 | \$54.45 |
| PS74333319 | Express Flush Valve – Standard Flow | \$39.34 | \$36.98 |
| PS74333321 | Express End Cap with Express Flush Valve Installed – Standard Flow | \$57.93 | \$54.45 |

SpotOn® Calibrators

Avoid costly over and under application of chemicals with SpotOn Spray Nozzle Calibrators. These tools quickly identify worn spray nozzle tips and accurately measure true tip flow rate. All of this in a simple and fast operation with readings in 10 seconds or less per tip. Industry guidelines recommend spray tip replacement once flow rate exceeds that of a new tip by 10%. Today's high tech sprayers make this a must have tool.

- Simple waterproof design has no moving parts
- Easy one handed operation
- Compact for easy storage in cab or toolbox
- Clear design allows easy cleaning and troubleshooting



PM23890

| NUMBER | DESCRIPTION | LIST | NOW |
|---------|---------------------------------------------------------------------------------------------------------------------|----------|-----------------|
| PM23890 | Calibrator – Best for flow rates below 1 GPM | \$184.17 | \$173.12 |
| PM28170 | Sprayer tip tool kit, includes spray nozzle calibrator, air blast tip cleaner, tip multi-tool and output calibrator | \$325.19 | \$305.68 |


ForceField Centrifugal Pump

Superior wet-seal protection for today's most demanding spray conditions.

- Wet-seal technology protects the seals by using a barrier fluid to keep them cool and lubricated, even while the pump is running dry
- Actively maintains a positive pressure differential between the chamber barrier fluid and the pumping solution, which prevents chemical bonding of the seal faces, resulting in increased life and maintenance-free operation
- Protects seal against dry run failure
- Minimizes sprayer downtime and improves productivity

Ask us how the Forcefield pump provides worry-free sprayer operation.

| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|----------|-----------------------------------------------------------|----------------------------|------------|-------------------|
| AKK30367 | High-Flow Cast-Iron ForceField Pump | R4038, R4044, R4045, R4060 | \$5,739.09 | \$5,394.74 |
| AKK30366 | High Flow Cast Iron Forcefield Pump, less hydraulic motor | R4038, R4044, R4045, R4060 | \$4,458.94 | \$4,191.40 |




OEM Sprayer Pumps

John Deere's broad line of centrifugal pumps allows you to match the right pump to your equipment and task. The models include cast iron, stainless steel and polypropylene that stand up to strong chemical herbicides.

- Compatible with corrosive, abrasive and general use chemicals
- Models include high volume (440 gpm) and high pressure (190 psi) capabilities
- Nylon, polypropylene impellers on most models
- Life Guard® silicon carbide mechanical seals standard on all stainless steel pumps and available on select cast iron and polypropylene models

| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|----------|---------------------------------------------------------------------------------|------------------------|------------|-------------------|
| AN204470 | Cast-Iron Pedestal Pump – CW (clockwise) rotation | 6100, 6500, 6700 | \$ 957.83 | \$ 900.36 |
| AN204471 | Cast-Iron Pedestal Pump – CCW (counter clockwise) rotation | 6600, 6700 | \$ 976.99 | \$ 918.37 |
| AN208804 | Clutch Driven Cast-Iron Centrifugal Pump – CW (clockwise) rotation | 6700 | \$ 889.57 | \$ 836.20 |
| AN208805 | Clutch Driven Cast-Iron Centrifugal Pump – CCW (counter clockwise) rotation | 6700 | \$ 889.57 | \$ 836.20 |
| AKK36901 | Cast-Iron Centrifugal Pump – NPT | 4700, 4710 | \$1,204.96 | \$1,132.66 |
| AKK36903 | Cast-Iron Centrifugal Pump – NPT | 4710, 4720, 4830, 4730 | \$1,461.73 | \$1,374.03 |
| AKK36895 | Stainless Steel Centrifugal Pump – NPT | 4730, 4830 | \$2,445.41 | \$2,298.69 |
| AN206021 | Cast-Iron Centrifugal Pump – Universal Flange | 4920, 4930 | \$1,346.83 | \$1,266.02 |
| AN209114 | High-Flow Cast-Iron Centrifugal Pump – Less Motor | 4920, 4930 | \$3,851.59 | \$3,620.49 |
| AN400921 | High-Flow Cast-Iron Centrifugal Pump w/ speed sensor | 4940 | \$4,884.24 | \$4,591.19 |
| AN400923 | High-Flow Cast-Iron Centrifugal Pump w/ speed sensor – less motor | 4940 | \$3,611.71 | \$3,395.01 |
| AN401863 | Cast-Iron Universal Flange Centrifugal Pump w/ speed sensor | 4940 | \$1,592.19 | \$1,496.66 |
| AKK36899 | Cast-Iron Centrifugal Pump w/ speed sensor | 4630, R4023 | \$1,370.20 | \$1,287.99 |
| AKK36894 | Cast-Iron Universal Flange Centrifugal Pump w/ speed sensor, metric motor ports | R4030, R4045 | \$1,620.21 | \$1,523.00 |



BRING THE NEWEST TECHNOLOGY TO YOUR EXISTING EQUIPMENT.

Not ready to trade? Upgrade instead. Our Performance Upgrade Kits allow you and your dealer to fit your current equipment with the latest technology, to help you work smarter and faster to get the strongest return on your investment.

Contact your **John Deere dealer** and schedule an inspection to get started, or **search John Deere Performance Upgrades** to learn more.




**PERFORMANCE
UPGRADES**

- **No** Payments Until 2022
- **No** Money Down
- **Exclusive Financing** Available
- **See Your Dealer Today!**

Subject to approved credit by John Deere Financial, dealer participation, certain terms and conditions apply.



PERFORMANCE UPGRADE KITS FOR **PLANTERS**



ExactEmerge™



MaxEmerge™ 5E




ExactApply™

PERFORMANCE UPGRADE KITS FOR **SPRAYERS**



Individual Nozzle Control Pro




Pressure Recirculation

DOWNRIGHT DURABLE

PLUS SWEEPS

NEWLY IMPROVED



- TUNGSTEN-CARBIDE BLEND
- IMPACT-RESISTANT WELD MATRIX
- PERMANENTLY-FUSED METALLURGICAL BOND

Swap out your sweeps less often – and cover far more acres – with newly improved PLUS Sweeps. Manufactured with a uniquely formulated tungsten-carbide blend that's applied to the nose, wing and neck, PLUS Sweeps provide **extraordinary wear resistance** (lasting two to three times longer than uncoated sweeps¹). Now available on both **Perma-Loc™ High-Productivity** and **Tru-Width™ sweeps**, you'll be able to cultivate consistent seedbeds acre after acre.

Contact us for more information.

**HARVEST
TERMS**
PARTS, SERVICE, INSPECTIONS

- Buy Now, Pay November 15, 2022
- No Interest 0% APR² Financing Terms
- Better Cash Flow & Savings

 **JOHN DEERE
FINANCIAL**
Multi-Use Account



JOHN DEERE

¹Based on internal testing at John Deere.

²Subject to approved credit on a Multi-Use Account, dealer participation, certain restrictions and conditions apply.



New Plus Sweeps Now Last Even Longer

The new plus sweep is available in both the Tru-Width and the High Productivity versions. This expands the offering of these longer wear life sweeps as the previous version was only available as High Productivity. A Tungsten Carbide blend is robotically applied to the nose, underneath the wing and the neck of the Plus sweep. Internal testing has shown the newest version lasts 2 to 3 times longer than an uncoated sweep. This helps growers spend less time changing worn sweeps and more time preparing the seedbed to hit the critical planting window. By holding their original shape throughout the tillage season, Plus sweeps help to ensure a consistent, quality tillage job, from the first acre to the last.



| NUMBER | DESCRIPTION | LIST | NOW |
|--------------------------|----------------------------------|---------|----------------|
| Tru-Width | | | |
| KK79146 | 7" Tru-Width Plus Sweep | \$23.31 | \$21.91 |
| KK79147 | 9" Tru-Width Plus Sweep | \$25.04 | \$23.54 |
| KK79148 | 10" Tru-Width Plus Sweep | \$26.97 | \$25.35 |
| High Productivity | | | |
| KK79142 | 7" High Productivity Plus Sweep | \$25.00 | \$23.50 |
| KK79144 | 9" High Productivity Plus Sweep | \$26.77 | \$25.16 |
| KK79145 | 10" High Productivity Plus Sweep | \$27.92 | \$26.24 |

ACT QUICK To Secure A Great Deal

Get **FREE*** Quick-Change Adapters/Springs with the purchase of a set of Perma-Loc™ High Productivity or Tru-Width™ Sweeps.



*Offer valid on qualifying purchases of new John Deere Perma-Loc™ High Productivity or Tru-Width™ Sweeps during select months (as designated by your local dealer) from November 1 2020 thru October 31, 2021. Customer will receive free Quick-Change Adapters, valued between \$6.05 and \$8.00 USD. The John Deere dealer who sold the qualifying John Deere Perma-Loc™ High Productivity or Tru-Width™ Sweeps is responsible for ordering and fulfilling the Quick-Change Adapters. Free Quick-Change Adapters offer cannot be exchanged for cash, and no substitutions are permitted. Offer is in addition to eligible John Deere Rewards equipment discounts. Offer may be discontinued or modified at any time. Offer valid at participating John Deere dealers in the U.S. while supplies last. Exclusions: Governmental agencies, John Deere dealer purchases, John Deere dealer-owned companies, settlements to John Deere dealer-owned rental fleets, competitive equipment manufacturers, and competitive dealers are not eligible.



Which Tillage Sweep is Right for Your Application?

There are many factors that affect yield, some that are in your control and some that are not. Did you know that tillage practices play a crucial role in maximizing yield? Having a well-prepared seedbed paves the way for the planter to perform at it's best. John Deere tillage tools can help size and spread-out residue, setting the stage for a successful planting season. Make sure your tillage tool is ready for the season with new wear parts. Which parts are right for your application?



| | Conventional | Tru-Width | High Productivity |
|-----------------------------------|--------------|-----------|-------------------|
| Longest Wear Life | Good | Better | Best |
| Shape Retention | Good | Better | Best |
| Lower Draft | Good | Better | Best |
| Reduces Ridging | | Better | Best |
| Sticky Wet Soil Conditions | | Best | Better |
| Shallow Working Depths (<2") | Best | Best | Better |
| High Speed Capabilities (7–10mph) | | | X |
| Easy Perma-Loc™ Adapter | | X | X |
| Bolt-on Adapter | X | X | X |
| Xtra-Life Coating | X | X | |
| Plus Coating | | X | X |

See your local John Deere dealer who can help you choose the best parts for your needs.

Perma-Loc Adapters and Springs

Heavy-duty cast adapter with stainless steel locking spring ensures a tight fit and easy installation. Optional removal tool available for quick change of the sweep.



| NUMBER | DESCRIPTION | LIST | NOW |
|-------------------------|--------------------------|---------|---------|
| Adapters: | | | |
| N237614 | 47-Degree Curved Adapter | \$ 3.27 | \$ 3.07 |
| N237616 | 51-Degree Curved Adapter | \$ 4.37 | \$ 4.11 |
| N330001 | 47-Degree Flat for DMi | \$ 3.27 | \$ 3.07 |
| Locking Springs: | | | |
| N237620 | For 47-Degree Adapter | \$ 2.78 | \$ 2.61 |
| N237621 | For 51-Degree Adapter | \$ 3.63 | \$ 3.41 |
| Removal Tool: | | | |
| N237623 | Optional Removal Tool | \$42.00 | \$39.48 |

Poly Shank Protector

Poly shank protector is designed to improve material flow around the shank and eliminate large buildup of debris. Radius design helps shed roots and reduce horsepower needed to pull the tool through the field.



| NUMBER | DESCRIPTION | LIST | NOW |
|---------|----------------------------------------------------------------------------------------|--------|--------|
| TY15990 | 1 3/4" x 9" Fits Field and Row Crop Cultivators with Mounting Hole Center 1 5/8" to 2" | \$2.01 | \$1.89 |
| TY15991 | 2" x 10" Fits Standards with Mounting Centers 1 3/4" to 2 1/2" | \$2.01 | \$1.89 |

Field Cultivator Parts

High Productivity Sweeps

These sweeps deliver the ultimate in performance, productivity, wear life, and shape retention. Available in bolt-on and Perma-Loc versions and four wing widths.

- Designed for top performance at 7–10 mph
- Low wing profile creates less draft, leaves a level finish
- Sharp edge effortlessly cuts through residue

| NUMBER | SIZE | CROWN | STYLE | LIST | NOW |
|---------|--------|-------|-----------|---------|----------------|
| N331103 | 7-in. | Low | Bolt-On | \$10.89 | \$10.02 |
| N331104 | 9-in. | Low | Bolt-On | \$11.47 | \$10.55 |
| N331105 | 10-in. | Low | Bolt-On | \$12.05 | \$11.09 |
| N331106 | 12-in. | Low | Bolt-On | \$13.03 | \$11.99 |
| N331099 | 7-in. | Low | Perma-Loc | \$11.12 | \$10.23 |
| N331100 | 9-in. | Low | Perma-Loc | \$11.75 | \$10.81 |
| N331101 | 10-in. | Low | Perma-Loc | \$12.16 | \$11.19 |
| KK26370 | 12-in. | Low | Perma-Loc | \$12.73 | \$11.71 |



Tru-Width Sweeps

Available in both bolt-on and Perma-Loc™ styles, the Tru-Width sweeps help maintain cutting width throughout the life of the sweep. The wings are clipped for minimum soil side throw. With its wraparound design, Tru-Width sweeps provide even draft and maximum holding power. Compared to the conventional sweeps, Tru-Width sweeps are the choice for growers who require optimal scouring in sticky or wet soil.

| NUMBER | SIZE | CROWN | STYLE | LIST | NOW |
|---------|--------|--------|-----------|---------|----------------|
| N182039 | 7-in. | Medium | Bolt-On | \$10.57 | \$ 9.72 |
| N182040 | 9-in. | Medium | Bolt-On | \$11.12 | \$10.23 |
| N182041 | 10-in. | Medium | Bolt-On | \$11.67 | \$10.74 |
| N182042 | 11-in. | Medium | Bolt-On | \$11.17 | \$10.28 |
| N182043 | 12-in. | Medium | Bolt-On | \$12.73 | \$11.71 |
| N238333 | 7-in. | Medium | Perma-Loc | \$11.01 | \$ 9.91 |
| N238334 | 9-in. | Medium | Perma-Loc | \$11.56 | \$10.64 |
| N238335 | 10-in. | Medium | Perma-Loc | \$11.91 | \$10.96 |
| N238336 | 12-in. | Medium | Perma-Loc | \$12.95 | \$11.91 |



Conventional Wing Sweeps

These conventional wing sweeps provide excellent soil mixing and residue retention. The design provides an excellent option for the lowest cost investment.

| NUMBER | SIZE | CROWN | STYLE | LIST | NOW |
|---------|--------|--------|---------|---------|----------------|
| N130166 | 7-in. | Medium | Bolt-On | \$ 9.63 | \$ 9.05 |
| N130167 | 9-in. | Medium | Bolt-On | \$10.16 | \$ 9.55 |
| N130168 | 10-in. | Medium | Bolt-On | \$10.71 | \$10.07 |
| N973MN | 12-in. | Medium | Bolt-On | \$11.76 | \$11.05 |





Moldboards for John Deere

- High-carbon steel construction is perfect for abrasive or rocky soil
- Fits precisely with shins and other components to maintain proper soil flow

| NUMBER | DESCRIPTION | LIST | NOW |
|-----------------------|--------------------|----------|-----------------|
| NU Bottom: | | | |
| A15596 | 16 in., right-hand | \$177.40 | \$166.76 |
| A17432 | 18 in., left-hand | \$256.93 | \$241.51 |
| Metric Bottom: | | | |
| A32209 | 450 mm, right-hand | \$220.04 | \$206.84 |
| A32210 | 400 mm, right-hand | \$495.16 | \$465.45 |
| HS Bottom: | | | |
| A20700 | 14 in., right-hand | \$143.70 | \$135.08 |
| A20702 | 16 in., right-hand | \$154.54 | \$145.27 |



Plowshares for John Deere

- High-carbon, heat-tempered construction delivers long life in tough conditions
- Choose from several designs to fit the way you till

| NUMBER | DESCRIPTION | LIST | NOW |
|-----------------------------------------|-------------------------------------------------|----------|-----------------|
| NU Bottom: | | | |
| A51498 | 14 in., share, full-cut, right-hand | \$ 27.65 | \$ 25.99 |
| A51499 | 14 in., share, narrow-cut, right-hand | \$ 48.40 | \$ 45.50 |
| A51500 | 16 in., share, full-cut, right-hand | \$ 30.51 | \$ 28.68 |
| A51501 | 16 in., share, narrow-cut, right-hand | \$ 27.19 | \$ 25.56 |
| A51503 | 16 in., share, full-cut, left-hand | \$ 25.75 | \$ 24.21 |
| A51504 | 18 in., share, full-cut, right-hand | \$ 31.51 | \$ 29.62 |
| A51505 | 18 in., share, narrow-cut, right-hand | \$ 32.03 | \$ 30.11 |
| A51506 | 18 in., share, full-cut, left-hand | \$ 28.31 | \$ 26.61 |
| Metric Bottom: | | | |
| A42805 | 350 mm, heavy-duty, share, right-hand | \$ 43.52 | \$ 40.91 |
| A42806 | 400 mm, heavy-duty, share, right-hand | \$ 49.16 | \$ 46.21 |
| A42807 | 450 mm, heavy-duty, share, right-hand | \$ 28.59 | \$ 26.87 |
| Hard Faced: | | | |
| A42946 | 400 mm, hard faced, share, full-cut, right-hand | \$121.93 | \$114.61 |
| A42947 | 450 mm, hard faced, share, full-cut, right-hand | \$ 90.11 | \$ 84.70 |
| A51508 | 16 in., hard faced, share, full-cut, right-hand | \$ 72.96 | \$ 68.58 |
| A51509 | 16 in., hard faced, share, full-cut, left-hand | \$124.07 | \$116.63 |
| A51510 | 18 in., hard faced, share, full-cut, right-hand | \$ 77.99 | \$ 73.31 |
| A51511 | 18 in., hard faced, share, full-cut, left-hand | \$ 88.52 | \$ 83.21 |
| Reversible Point: | | | |
| A45243 | Share for reversible point | \$163.75 | \$153.93 |
| A45244 | Share for reversible point | \$ 38.88 | \$ 36.55 |
| Hard Faced Gumbo-extended Point: | | | |
| A44851 | 450 mm, hard faced, share, gumbo | \$199.09 | \$187.14 |

Renew your disk harrow with genuine OEM parts

Managing crop residue and distribution in any field condition is vital for optimal yield. Inspect your disk harrow today and replace worn components with John Deere genuine OEM parts to ensure performance.

- **Disk Blades** – John Deere Diamond Series disk blades are made of micro-alloy steel and heat treated to maximize wear resistance while ensuring flexibility and impact absorption
- **Scrapers** – high-strength, heat-treated steel for longer life and to help prevent wear on the blade
- **Bearings** – manufactured and tested to stand up to extreme use
- **Spools** – OEM designed to handle constant hammering to the gang and prevent flexing when an obstacle is struck
- **Sleeves** – made of high-carbon seamless tubing for long wear life
- **Gang Bolts** – made of high-carbon, heat-treated steel to prevent bending and boxing

See us today so we can help you keep your disk harrow in top shape.

Disk Maintenance Parts

Make sure you maintain your disk with John Deere OEM parts to be able to get the longest life out of your equipment. John Deere gang bolts, scrapers, spools, and sleeves can help keep your machine running so you can manage tough crop residue and even distribution in any field condition.

| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|--------------------------------------------------|------------------------------|---------------------------------------------------------------------------------|----------|----------|
| Gang Bolts – See us for Specific Lengths: | | | | |
| A20616 | Gang Bolt (1 1/8" x 77.7") | Disk: 110, 111, 115, 210, 215, 230, 621, 627, 630, 637 | \$ 88.49 | \$ 83.18 |
| A20134 | Gang Bolt (1 1/8" x 59.7") | Disk: 110, 111, 115, 210, 215, 230, 621, 627, 630, 637 | \$ 78.28 | \$ 73.58 |
| A20615 | Gang Bolt (1 1/8" x 68.7") | Disk: 110, 111, 115, 210, 215, 230, 621, 627, 630, 637 | \$ 83.54 | \$ 78.53 |
| A40826 | Gang Bolt (1 1/8" x 95.7") | Disk: 215, 235, 630, 637 | \$117.25 | \$110.22 |
| A20617 | Gang Bolt (1 1/8" x 86.7") | Disk: 110, 111, 115, 210, 215, 230, 621, 627, 630, 637 | \$103.94 | \$ 97.70 |
| A20133 | Gang Bolt (1 1/8" x 50.7") | Disk: 110, 111, 115, 210, 215, 230, 621, 627, 630, 637 | \$ 69.67 | \$ 65.49 |
| B34226 | Gang Bolt (1 1/8" x 78.84") | Disk: 310, 315, 330, 331, 335, 340, 355, 360, 635, 650, 670 | \$161.18 | \$151.51 |
| A40827 | Gang Bolt (1 1/8" x 107.7") | Disk: 215, 235, 630, 637 | \$149.54 | \$140.57 |
| Sleeves & Spools: | | | | |
| A20648 | Sleeve (9" spacing) | Disk: 210, 215, 220, 225, 230, 235, 621, 627, 630, 655, 660, 630, 637 | \$ 9.39 | \$ 8.83 |
| KK14510 | Sleeve (9" spacing) | Disk: 2620, 2623, 2625, 2630, 2633, 2635 | \$ 15.73 | \$ 14.79 |
| A20647 | Sleeve (7 1/4" spacing) | Disk: 210, 215, 235, 621, 627, 637 | \$ 8.72 | \$ 8.20 |
| B34203 | Sleeve (9" spacing) | Disk: 210, 215, 235, 621, 627, 630, 637 | \$ 52.13 | \$ 49.00 |
| B34204 | Sleeve (11" spacing) | Disk: 310, 315, 330, 331, 335, 340, 350, 355, 370, 375, 510, 512, 637, 640, 670 | \$ 55.36 | \$ 52.04 |
| KK14512 | Sleeve (11" spacing) | Disk: 2620, 2623, 2625, 2630, 2633, 2635, 2720, 2730 | \$ 17.87 | \$ 16.80 |
| KK53324 | Sleeve (7 1/4" spacing) | Disk: 2620, 2623, 2625, 2623VT, 2630, 2633, 2635, 2633VT | \$ 21.69 | \$ 20.39 |
| N241315 | Spool (7 1/4" or 9" spacing) | Disk: 220, 225, 621, 627, 630, 655, 660, 637 | \$ 16.22 | \$ 15.25 |
| N241314 | Spool (9" spacing) | Disk: 220, 225, 621, 627, 630, 655, 660, 637 | \$ 30.31 | \$ 28.49 |
| AN183629 | Spool (9" spacing) | Disk: 220, 621, 627, 630, 637 | \$ 36.13 | \$ 33.96 |
| N240970 | Spool (9" or 11" spacing) | Disk: 355, 425, 510, 512, 635, 637, 640, 650, 670 | \$ 56.54 | \$ 53.15 |
| KK14362 | Spool (9" spacing) | Disk: 2620, 2630, 2625, 2630, 2633, 2635, 425, 637, 650, 670 | \$ 89.25 | \$ 83.90 |
| AN183748 | Spool (7 1/4" spacing) | Disk: 621, 627, 630, 637 | \$ 34.46 | \$ 32.39 |

Adjust depth and pressure in seconds with TruSet™

With advanced TruSet Tillage technology you can independently adjust settings for depth and pressure (while on the go) in just seconds. **That's up to 200 times faster than manual field adjustments.**

With just a few simple touches you can command TruSet to respond to changing field conditions. Go from lighter soil to highly compacted areas with $\frac{1}{10}$ -in. (2.5mm) accuracy. Also at your fingertips is **real-time data for actual tillage settings**, in addition to tillage pass documentation for later review and analysis.

Available for most newer John Deere implements and tractors—and compatible with competitive tractors—TruSet enhances your entire tillage operation by:

- Maximizing yield potential
- Increasing fuel efficiency
- Lowering operating costs
- Providing documentation and prescription functionality



Compatible equipment for TruSet

2230 Field Cultivator
2330 Mulch Finisher
2510H High-Speed Applicator
2620 and 2630 Series Disks
2720 Disk Ripper
2730 Combination Ripper
2623VT, 2633VT, and 2660VT Vertical Tillage

Go to <https://www.deere.com/en/tillage/truset/> to learn more.



Exclusive **Nutrient Knife** has *replaceable points* for easy customization

Cut down on the time and labor costs associated with replacing nutrient knives. With John Deere's knife series, replacement or removal is as simple as removing a roll pin.

With superior wear protection against demanding conditions, the Nutrient Knives' soil-shattering surfaces and parting fins lift and fracture without actual soil inversion and blowout.

Heavy-Duty Nutrient Applicator Knives

- Provide consistent nutrient placement along with superior compaction shattering
- Cast-chrome, pin-on point provides excellent lifting and fracturing without soil inversion or blowout
- Exclusive 5/8-in. x 23-in. tall size for improved trash flow and greater durability

Conventional Applicator Knives

- Chrome-carbide point for excellent wear
- Available as a standard knife or with vapor tube
- Universal mounting hole for All-Makes applications
- Shank is high-strength steel



| NUMBER | DESCRIPTION | LIST |
|---------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 2410C, 2430C, and 2510C Points and Knives: | | |
| Conventional Application Knives: | | |
| AN401419 | Conventional Knife | \$ 35.40 |
| AN401420 | Conventional Knife with Vapor | \$ 58.85 |
| AN231685 | Conventional Knife – 2510C only | \$ 37.61 |
| Conventional Mole Knives: | | |
| AN401421 | Mole Anhydrous Knife | \$ 41.47 |
| AN401422 | Mole Anhydrous Knife with Vapor | \$ 67.76 |
| Chisel Bolt-On Points: | | |
| AKK15477 | Chisel Knife, Bolt-on, with 3/8-in. Drilled Tube | \$ 62.33 |
| AKK15478 | Chisel Knife, Bolt-on, with 3/8-in. Drilled Tube with Vapor | \$ 90.81 |
| AKK22496 | Chisel Knife for NH3 3/8-in. Drilled Tube (includes tube stabilizer bracket. For machines with shank angle between 48° and 52°) | \$104.42 |
| AKK22497 | Chisel Knife for NH3 3/8-in. Drilled Tube and Vapor (includes tube stabilizer bracket. For machines with shank angle between 48° and 52°) | \$140.63 |
| Chisel Pin On Point: | | |
| KK16974 | Knife, Pin-on Point | \$ 48.94 |
| 2510S Points and Knives: | | |
| Heavy-Duty: | | |
| AN236291 | Anhydrous Ammonia (NH3 only) | \$213.97 |
| AN236292 | Anhydrous Ammonia (NH3 and dry fertilizer: anhydrous ammonia) (NH3 dry and vapor) | \$267.48 |
| AN236293 | Anhydrous Ammonia (NH3 and liquid fertilizer: anhydrous ammonia) (NH3 liquid and vapor) | \$243.70 |
| Heavy-Duty Strip-Till Pin-on Points: | | |
| AN236320 | Mole-Style, Replaceable Pin-on Point Kit | \$ 70.85 |
| AN237013 | Wingless, Replaceable Pin-on Point Kit | \$ 64.01 |

Nutrient Application – 2510H

Timely application and proper placement of nutrients help ensure plants thrive and reach their maximum yield potential while being environmentally responsible. Below are parts that you may need to replace after continuous use applying nutrients during the fall, spring, or sidedress.



Scrapers



A89376



A89556

Tube Assembly



AA73758



AA79983



AA66988

Blades



A84920



A85568

| NUMBER | DESCRIPTION | LIST | NOW |
|-----------------------|-------------------------------------|------------|--------------------|
| Scrapers: | | | |
| A89381 | NH3 Scraper Boot – Right Hand | \$ 77.81 | \$ 73.14 |
| A89376 | NH3 Scraper Boot – Left Hand | \$ 77.81 | \$ 73.14 |
| A89437 | Beaver Tail Scraper – Right Hand | \$ 15.00 | \$ 14.10 |
| A89556 | Beaver Tail Scraper – Left Hand | \$ 15.00 | \$ 14.10 |
| Tube Assembly: | | | |
| AA73755 | Liquid LH – Stainless Steel | \$ 177.77 | \$ 167.10 |
| AA73760 | Liquid RH – Stainless Steel | \$ 177.77 | \$ 167.10 |
| AA73757 | NH3 – Left Hand | \$ 36.81 | \$ 34.60 |
| AA73758 | NH3 – Right Hand | \$ 36.81 | \$ 34.60 |
| AA79983 | NH3 with Vent – Right Hand | \$ 72.70 | \$ 68.34 |
| Gauge Wheels: | | | |
| A85104 | 2-in. x 12-in. Gauge Wheel | \$ 15.87 | |
| A85134 | Wheel | \$ 28.90 | |
| A85133 | 3-in. x 16-in. Gauge Wheel Tire | \$ 45.19 | |
| AA66988 | 3-in. x 16-in. Gauge Wheel Assembly | \$ 87.40 | |
| Blades: | | | |
| A84920 | Flat Disc Opener Blade | \$ 67.78 | \$ 63.71 |
| A85568 | 14-in. Notched Sealer Blade | \$ 38.31 | \$ 36.01 |
| Rebuild Kits: | | | |
| BKK11410 | 2510H Refurbish Kit – 11-row | \$1,833.58 | \$ 1,723.57 |
| BKK11411 | 2510H Refurbish Kit – 15-row | \$2,485.67 | \$ 2,336.53 |
| BKK11412 | 2510H Refurbish Kit – 16-row | \$2,664.04 | \$ 2,504.20 |
| BKK11413 | 2510H Refurbish Kit – 23-row | \$3,814.63 | \$ 3,585.75 |

Nutrient Application – 2410C



Coulter Blades



N262329

Disk Blades




KK11744

| NUMBER | DESCRIPTION | LIST | NOW |
|----------------------|--------------------------------------------------------|----------|------------------|
| Standards | | | |
| BN401608 | Conventional | \$638.00 | \$ 599.72 |
| BN401609 | Chisel Plow | \$745.80 | \$ 701.05 |
| Blades | | | |
| N262329 | Disk Coulter – 22" Straight | \$ 58.53 | \$ 55.02 |
| KK11744 | Disk Blade, Concave Notched | \$ 32.00 | \$ 30.08 |
| Bushings | | | |
| N184995 | Pivot (ID .531", OD .875", L .402") | \$ 10.42 | \$ 9.79 |
| N184531 | Pivot (ID .755", OD 1.125", L 3.620") | \$ 38.81 | \$ 36.48 |
| KK26470 | True Depth Shank Pivot (ID .688", OD 1.117", L 4.646") | \$ 53.13 | \$ 49.94 |
| KK12437 | Pivot (ID .812", OD 1.5", L 1.504") | \$ 23.39 | \$ 21.99 |
| Miscellaneous | | | |
| N331926 | U-Bolt (Diameter .875") | \$ 34.76 | \$ 32.67 |
| A87781 | Hub | \$103.96 | \$ 97.72 |

Tines for John Deere Rakes

| NUMBER | DESCRIPTION | APPLICATION | TYPE | LIST | NOW |
|------------|---------------------------|-------------------------------------------------------------|--------------|---------|---------|
| AE47389 | Rubber Tooth | 54, 64, 74, 75, 650, 652, 660, 662, 670, 671, 672, and 673 | John Deere | \$ 5.43 | \$ 5.00 |
| A-AE47389 | Rubber Mtd. Rake Tooth | 54, 64, 74, 650, 652, 660, 662, 670, 671, 672, and 673 | A&I Products | \$ 3.59 | |
| AE47390 | Rubber Tooth | 64, 74, 75, 660, 662, 670, 671, 672, and 673 | John Deere | \$ 6.97 | \$ 6.41 |
| E56470 | Steel Tooth | 54, 64, 74, 75, 660, 670, and 671 | John Deere | \$13.14 | \$10.51 |
| E35277 | Rake Tooth | 567 Wheel Rakes | John Deere | \$ 5.81 | \$ 5.35 |
| AE56204 | Rake Tooth | 700 and 705 Twin Rakes | John Deere | \$ 5.63 | \$ 5.18 |
| A-96R5 | Rubber Mtd. Tooth | 700 and 705 Twin Rakes | A&I Products | \$ 3.57 | |
| E95724 | Rake Tooth | 702 and 704 Wheel Rakes | John Deere | \$ 2.39 | \$ 2.20 |
| A-P25AG005 | Rake Tooth | 702 and 704 Wheel Rakes | A&I Products | \$ 1.98 | |
| A-186SE | Rake Tooth | 553 and 594 | A&I Products | \$ 3.10 | |
| A-237SE | Rake Tooth (Quick Detach) | 596, 597, and 714 | A&I Products | \$ 4.30 | |
| A-257SE | Rake Tooth* | 350, 851, 858 (SN <87200), 894 (SN <37900), 896 (SN <13430) | A&I Products | \$ 1.91 | |



HOT BUY

Frontier Hay Rake Tines

| NUMBER | DESCRIPTION | APPLICATION | TYPE | LIST | NOW |
|------------|-----------------------------------|----------------------------------------|--------------|----------|----------|
| 5HPT176 | Rake Wheel Tooth | Fits WR11, WR12, WR30, and WR33 Series | Frontier | \$ 3.15 | \$ 2.90 |
| 5HPT174 | Rake Wheel, Left-Hand (complete) | Fits WR11, WR12, WR30, and WR33 Series | Frontier | \$144.50 | \$132.94 |
| A-P20BG004 | Rake Wheel, Left-Hand (complete) | Fits WR11, WR12, WR30, and WR33 Series | A&I Products | \$119.15 | |
| 5HPBFR31 | Rake Wheel, Right-Hand (complete) | Fits WR11, WR12, WR30, and WR33 Series | Frontier | \$144.50 | \$132.94 |
| 5HPFR69 | Rake Wheel, Right-Hand (complete) | Fits WR34 Series | Frontier | \$167.14 | \$153.77 |
| 5HPFR70 | Rake Wheel, Left-Hand (complete) | Fits WR34 Series | Frontier | \$167.14 | \$153.77 |
| 5HPFR73 | Rake Wheel Tooth | Fits WR34 Series | Frontier | \$ 5.20 | \$ 4.78 |



Frontier Rotary Rake and Tedder Tines

| NUMBER | DESCRIPTION | APPLICATION | TYPE | LIST | NOW |
|------------|-----------------------------------------|------------------------|--------------|---------|---------|
| KN57609000 | Tine | Fits TD1123 | Frontier | \$17.28 | \$15.90 |
| A-57609000 | Tine | Fits TD1123 | A&I Products | \$10.98 | |
| KN58711800 | Tine Arm | Fits TD1123 and TD1316 | Frontier | \$42.87 | \$39.44 |
| KN58740600 | Left Rotating Tine | Fits TD1316 | Frontier | \$17.26 | \$15.88 |
| KN58740700 | Right Rotating Tine | Fits TD1316 | Frontier | \$17.26 | \$15.88 |
| 5PQ700929 | Tine, Clockwise Rotation, Gray | Fits TD2418 and TD2427 | Frontier | \$23.84 | \$21.93 |
| 5PQ700901 | Tine, Counter-Clockwise Rotation, Black | Fits TD2418 and TD2427 | Frontier | \$23.84 | \$21.93 |
| 5PQ500218 | Rotary Rake Tine | Fits RR2109 and RR2211 | Frontier | \$25.34 | \$23.31 |



Small Square Baler Parts

You need square bales that stack like bricks, and you can rely on your John Deere dealer for the parts and service to keep you baling.



| NUMBER | DESCRIPTION | APPLICATION | TYPE | LIST | NOW |
|-----------|---------------------------|------------------------|--------------|----------|----------|
| E41833 | Baler Tooth* | 466 and 468 | John Deere | \$ 2.72 | \$ 2.50 |
| A-E41833 | Baler Tooth | 466 and 468 | A&I Products | \$ 2.28 | |
| E17777 | Stationary Knife | 466 | John Deere | \$123.91 | \$114.00 |
| E42088 | Plungerhead Knife | 466 | John Deere | \$156.58 | \$144.05 |
| AFH202537 | Needle (Twine with Guide) | 328, 338, and 348 | John Deere | \$214.19 | \$197.05 |
| AFH202538 | Needle (Wire) | 328, 338, and 348 | John Deere | \$301.42 | \$277.31 |
| AE50593 | Finger (Feeder)* | 328 and 338 | John Deere | \$387.63 | \$356.62 |
| AFH205877 | Finger (Tucker) | 328, 338, 348, and 468 | John Deere | \$103.18 | \$ 94.93 |
| AE70115 | Knotter Repair Kit* | 466 and 468 | John Deere | \$264.79 | \$243.61 |

* Fits models 327, 328, 336, 337, 338, 346, 347, 348, and 467 square balers.

Sickle Parts for Mower/Conditioners, and Auger Platforms

Dura-Cut™ Sickle Sections are made with high carbon for rugged strength and have cutting edges that are heat-treated for longer cutting life.

HOT BUY

| NUMBER | DESCRIPTION | APPLICATION | TYPE | LIST | NOW |
|-------------------------------|--------------------------------------------------|-------------------------------------------------------------------------------------|--------------|---------|---------|
| Knife Sickle Sections: | | | | | |
| AE70451 | End Section and Hardware, One Left-Hand, One RH* | 1207, 1209, 1217, 1219, 300, 300A, 31, 36, 61, 66 | John Deere | \$26.88 | \$21.50 |
| AE70454 | Overlap Kit | 1600, 1600A, 300, 300A, 31, 36, 61, 66 | John Deere | \$33.45 | \$26.76 |
| Sections: | | | | | |
| E76370 | Overserrated Dura-Cut, Chrome** | 120, 1214, 1219, 130, 135, 1600A, 183, 220, 290, 300A, 78, 710, 720, 820 | John Deere | \$ 2.31 | \$ 2.13 |
| E76371 | Underserrated Dura-Cut, Chrome** | 120, 1214, 1219, 130, 135, 1600A, 183, 220, 300A, 350, 450, 3700, 78, 710, 720, 820 | John Deere | \$ 2.00 | \$ 1.84 |
| Sickle Guards: | | | | | |
| E82559 | Two-Tine | 1207, 130, 135 | John Deere | \$15.85 | \$14.58 |
| A-BU220 | Two-tine Cutterbar Knife Guard | 1207, 130, 135 | A&I Products | \$11.99 | |
| E62000 | Two-Tine** | 1214, 1219, 183, 220, 300A, 350, 450, 3700 | John Deere | \$15.22 | \$14.00 |
| E88909 | Two-Tine* | 1217, 1219, 300A, 31, 36, 61, 66 | John Deere | \$15.39 | \$14.16 |
| A-E88909 | Guard, Knife* | 1207, 1219 | A&I Products | \$13.65 | |
| E88910 | Two-Tine* | 1217, 1219, 300A, 31, 36, 61, 66 | John Deere | \$20.46 | \$18.82 |
| A-E88910 | Guard, Knife, End* | 1217, 1219 | A&I Products | \$13.46 | |
| E59625 | Non-Clog** | 120, 1214, 1600A, 183, 220, 300A, 350, 450, 3700, 78, 710, 720, 820 | John Deere | \$17.85 | \$16.42 |
| E88923 | Non-Clog* | 1217, 1219, 300, 300A, 31, 36, 61, 66 | John Deere | \$13.90 | \$12.79 |
| E72428 | Regular with Wear Bar | 1217, 1219, 1600, 300, 300A, 31, 36, 61, 66 | John Deere | \$13.93 | \$12.82 |
| Hold-Down Clips: | | | | | |
| AE57172 | Hold-Down Clip** | 1219, 1600A, 130, 135, 300A, 350, 450, 710, 720, 820, 890, 895, 896 | John Deere | \$11.84 | \$10.89 |
| AE57173 | Hold-Down Clip* | 1424, 230, 240, 300, 300A, 31, 36, 61, 66 | John Deere | \$12.21 | \$11.23 |

*1600, 1600A, 710, 720, 820, 890, 895, 896

**1207, 1209, 1217, 1380, 1424, 1600, 230, 240, 300, 31, 36, 61, and 66

John Deere Mower Conditioner Knives

Engineered for optimal wear resistance and designed specifically for John Deere machines, these mower conditioner knives remain sharp and provide long-term, premium cutting quality.

- Made from boron steel and heat treated for maximum strength
- Bend rather than break for safer livestock feed
- Knives are applied with rust-preventative oil or powder-coated for superior protection
- Burrs removed from holes for precise fit

10.5 deg. Knives: Standard knife from factory.

18 deg. Knives: High-twist design aids in maintaining excellent cut quality in downed crops or extremely heavy crop conditions.



| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|----------|---------------------------------------|-------------------------------------------------------------------------------------|--------|---------------|
| FH323281 | Standard, Counterclockwise* | 265, 275, 285, 625, 630, 635, 830, 835, 916, 926, 936, 946, 956, 994, 995, and 500R | \$2.19 | \$2.01 |
| FH323282 | Standard, Clockwise* | 265, 275, 285, 625, 630, 635, 830, 835, 916, 926, 936, 946, 956, 994, 995, and 500R | \$2.19 | \$2.01 |
| FH308234 | High-Lift, Counterclockwise* | 265, 275, 285, 625, 630, 635, 830, 835, 916, 926, 936, 946, 956, 994, 995, and 500R | \$2.45 | \$2.25 |
| FH308235 | High-Lift, Clockwise* | 265, 275, 285, 625, 630, 635, 830, 835, 916, 926, 936, 946, 956, 994, 995, and 500R | \$2.31 | \$2.13 |
| CC44004 | Standard, Right-hand, Clockwise | 270 | \$2.31 | \$2.13 |
| CC44005 | Standard, Left-hand, Counterclockwise | 270 | \$2.31 | \$2.13 |
| CC21780 | Standard, Counterclockwise | 270, 265, 275, 285, R160, R200, R240, R280, and R310 | \$2.16 | \$1.99 |
| CC21781 | Standard, Clockwise | 270, 265, 275, 285, R160, R200, R240, R280, and R310 | \$2.13 | \$1.96 |



Frontier Disc Mower Blades

| NUMBER | DESCRIPTION | APPLICATION | TYPE | LIST | NOW |
|-------------|-----------------------------|--------------------------------|--------------|--------|---------------|
| KN56151210 | Angled Blade, Right Turning | DM1130, DM1140, DM1150, DM1160 | Frontier | \$1.92 | \$1.77 |
| A-76N942 | Angled Blade, Right Turning | DM1130, DM1140, DM1150, DM1160 | A&I Products | \$1.52 | |
| KN56151310 | Angled Blade, Left Turning | DM1130, DM1140, DM1150, DM1160 | Frontier | \$1.92 | \$1.77 |
| A-76N941 | Angled Blade, Left Turning | DM1130, DM1140, DM1150, DM1160 | A&I Products | \$1.52 | |
| KN56451300 | Angled Blade, Right Turning | DM1270 | Frontier | \$2.82 | \$2.59 |
| A-76N226 | Angled Blade, Right Turning | DM1270 | A&I Products | \$1.85 | |
| KN56451200 | Angled Blade, Left Turning | DM1270 | Frontier | \$2.82 | \$2.59 |
| A-76N198 | Angled Blade, Left Turning | DM1270 | A&I Products | \$1.85 | |
| 5TIDM411221 | Angled Blade, Right Turning | DM5050, DM5060, DM5070 | Frontier | \$5.54 | \$5.10 |
| 5TIDM411222 | Angled Blade, Left Turning | DM5050, DM5060, DM5070 | Frontier | \$5.54 | \$5.10 |

Note: Disc Mower Blades might fit Kuhn, New Holland and other makes of Disc Mowers. Please see us for more details.

Tech Tip:

When lubricating, tightening and adjusting, or replacing worn chains, be sure to inspect all the sprockets for worn, rounded, or cupped teeth that may cause your chain to slip and inefficient baling. John Deere sprockets are made to defined specifications to ensure longevity and proper function of the baler.



Sprockets

| NUMBER | DESCRIPTION | APPLICATION | TYPE | LIST | NOW |
|-----------|------------------------------------------------|-----------------------------------------------|--------------|---------|----------------|
| AFH205816 | Lower Drive Chain Idler Sprocket | 6, 7, 8, 9, and Zero Series Balers | John Deere | \$98.28 | \$90.42 |
| A-AE54301 | Lower Drive Chain Idler Sprocket | 6, 7, 8, 9, and Zero Series Balers | A&I Products | \$58.30 | |
| E90776 | Lower Drive Sprocket Chain Guide | 6 ft. Tall 6, 7, 8, 9, and Zero Series Balers | John Deere | \$35.68 | \$32.83 |
| A-E90776 | Lower Drive Sprocket Chain Guide | 6 ft. Tall 6, 7, 8, 9, and Zero Series Balers | A&I Products | \$12.44 | |
| E89936 | Chain Guide Between Upper and Lower Drive Roll | 6 ft. Tall 6, 7, 8, 9, and Zero Series Balers | John Deere | \$48.78 | \$44.88 |



Pickup Teeth

| NUMBER | DESCRIPTION | APPLICATION | TYPE | LIST | NOW |
|-------------------------------------------|---------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------|---------------|
| Round Baler with Regular Pickup: | | | | | |
| E67036 | 6-in., 4-Coil with Bolt | 410, 430, 500, and 510 Model Balers | John Deere | \$ 3.01 | \$2.77 |
| A-E67036 | Baler Tooth* | 410, 430 (SN <710000), 500, 510, and 530 (SN <710000) | A&I Products | \$ 2.31 | |
| E74678 | 6-in., 5-Coil with Allen-Head Bolt | 330, 335, 375, 430, 435, 530, and 535 Model Balers | John Deere | \$ 2.84 | \$2.61 |
| A-E74678 | Baler Tooth* | 330, 335 (SN <915000), 375 (SN <915000), 430 (SN 710001>), 435 (SN <921150), 530 (SN 710001>), and 535 (SN <921939) | A&I Products | \$ 2.74 | |
| E79475 | 7 1/4-in. | 330, 335, 385, 435, 6, 7, 8, and 9 Series Round Balers | John Deere | \$ 3.03 | \$2.79 |
| A-E79475 | Baler Tooth* | 330, 335 (SN 915001>), 375 (SN 915001>), 385, 430 (Long tooth pickup only), 435 (SN 921151>), 530 (Long tooth pickup only), 535 (SN 921940>), 6, 7, and 8 Series Round Balers | A&I Products | \$ 2.48 | |
| Round Baler with MegaWide™ Pickup: | | | | | |
| E90881 | Left-Hand | 6, 7, 8, 9, and Zero Series Round Balers | John Deere | \$10.70 | \$9.84 |
| FH304576 | Middle, MegaTough™ Square Tooth | 6, 7, 8, 9, and Zero Series Round Balers | John Deere | \$ 7.00 | \$6.44 |
| A-AFH202304 | Tooth, Pickup (Square Wire); Set of 4 Teeth w/ Hardware | 6, 7, 8, 9, and Zero Series Round Balers | A&I Products | \$18.29 | |
| E90880 | Right-Hand | 6, 7, 8, 9, and Zero Series Round Balers | John Deere | \$10.70 | \$9.84 |
| Large Square Baler Pickup: | | | | | |
| FH324064 | Pickup Tooth | L330 and L340 | John Deere | \$ 5.43 | \$5.00 |
| FH304576 | Middle, MegaTough™ Square Tooth | L331 and L341 | John Deere | \$ 7.00 | \$6.44 |

*Check machine serial number for correct parts.



Round Baler Wear Parts Box

In the field and need a part for your baler? With the John Deere Round Baler Wear Parts Box, you will have most of what you need to get back to baling fast. Whether you need something for your pickup, belts or bearings, it is probably in the Box. Light enough for two people to pickup and put in the truck, means you can take it to the field with you and have it when and where you need it. Ask your dealer about customizing this box for your personal needs and for older model or 5-ft. diameter balers.

BE32698 Round Baler Wear Parts Box For 8, 9, and Zero Series 6-ft. Diameter Round Balers
List Price \$2,484.90 **Sale Price \$1,987.92**

John Deere GREEN-GARD™

John Deere GREEN-GARD Hay Preservative is a buffered, propionic acid preservative that helps retain the freshness, color, and quality of the hay by stopping mold growth, heating, and spoilage.

- Bale when you're ready at moisture up to 30%
- Non-corrosive buffered formula won't harm expensive baling equipment, the user, or livestock
- Treated hay is greener, higher in feed value, and can be stored for years while looking and feeding as well as when it was baled



| NUMBER | DESCRIPTION | SIZE | LIST | NOW |
|-----------|-------------|-----------------------|------------|-------------------|
| AFH216669 | Mini Drum | 13 Gal. / 120 Lbs. | \$ 210.35 | \$ 193.52 |
| AFH216670 | Drum | 50 Gal. / 450 Lbs. | \$ 628.92 | \$ 578.61 |
| AFH216672 | Tote | 200 Gal. / 1,800 Lbs. | \$2,498.75 | \$2,298.85 |
| AFH216673 | Large Tote | 270 Gal. / 2,380 Lbs. | \$3,144.59 | \$2,893.02 |





Belt Laces and Pins


| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|---------|----------------------|--------------------------------------------------------|---------|----------------|
| AE53297 | Clipper Lace | 330, 335, 375, 410, 430, 435, 500, 510, 530, and 535 | \$ 5.93 | \$ 5.46 |
| E70966 | Clipper Lace Pin | 330, 335, 375, 430, 435, 530, and 535 | \$ 1.25 | \$ 1.15 |
| AE53298 | Mato-Plate Type Lace | 430, 435, 530, 535, 6, 7, 8, 9, and Zero Series Balers | \$17.46 | \$16.06 |
| E86147 | Mato-Plate Type Pin | 430, 435, 530, 535, 6, 7, 8, 9, and Zero Series Balers | \$ 3.57 | \$ 3.28 |

Tech Tip: Replacing belt pins before they're worn or broken saves time and reduces wear on your equipment. We recommend checking pins after every 500–1,000 bales.



Diamond Tread Baler Belts

| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|-----------|---------------------|-------------------------------------------------------|----------|-----------------|
| AFH215157 | Diamond Tread Short | 330, 335, 375, 446, 546, 447, 448, 449, 440E, and 547 | \$301.61 | \$277.48 |
| AFH215159 | Diamond Tread Long | 330, 335, 375, 446, 546, 447, 448, 449, 440E, and 547 | \$308.37 | \$283.70 |




DiamondTough™ Baler Belts

Introduced with the John Deere 8 Series balers, DiamondTough baler belts feature:

- Nylon-fill cords that provide superior puncture and tear resistance, along with excellent fastener-holding strength.
- Excellent resistance to punctures and tears by inserting heavy-duty polyester straight-warp cords between the fill cords.
- Polyester surface warp cords that resist abuse and increase flexibility over small baler rollers.
- Nylon binder warp cords that help promote fabric integrity and abuse-resistant properties.

| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|---------|--------------------|----------------------------------------------------|----------|-----------------|
| AE74209 | DiamondTough Short | 385, 6, 7, 8, 9, and Zero Series 5-ft. Balers | \$424.85 | \$390.86 |
| AE74210 | DiamondTough Long | 385, 6, 7, 8, 9, and Zero Series 5-ft. Balers | \$437.57 | \$402.56 |
| AE74177 | DiamondTough Short | 435, 535, 6, 7, 8, 9, and Zero Series 6-ft. Balers | \$420.84 | \$387.17 |
| AE74178 | DiamondTough Long | 435, 535, 6, 7, 8, 9, and Zero Series 6-ft. Balers | \$441.16 | \$405.87 |




DiamondTough™ Pro Baler Belts

Our DiamondTough Pro baler belts are more wear- and tear-resistant than many belts in the industry and are built with the following features:

- Built with a special rubber compound that offers excellent resistance to cutting, gouging, and abrasion—the same compound used in tough conveyor belt applications
- Provide better performance in tough baling conditions

| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|-----------|------------------------|---------------------------------------|----------|-----------------|
| AFH212598 | DiamondTough Pro Short | 7, 8, 9, and Zero Series 5-ft. Balers | \$542.76 | \$499.34 |
| AFH212599 | DiamondTough Pro Long | 7, 8, 9, and Zero Series 5-ft. Balers | \$550.39 | \$506.36 |
| AFH210848 | DiamondTough Pro Short | 7, 8, 9, and Zero Series 6-ft. Balers | \$607.37 | \$558.78 |
| AFH210849 | DiamondTough Pro Long | 7, 8, 9, and Zero Series 6-ft. Balers | \$615.39 | \$566.16 |

B-Wrap[®]. Indoor protection, outdoors.



Now the great outdoors is your high-quality storage facility. B-Wrap from John Deere cuts storage loss down to almost nothing and is compatible with both premium and standard balers. Talk to your John Deere dealer today.



JOHN DEERE

John Deere Netwrap and Twine

John Deere Edge to Edge® with TamaTec+

With more footage per roll, now you can make 10–15% more bales with each roll of net—for more baler productivity and less downtime. The new net is lighter and easier to handle, and priced right to reduce your cost per bale. It continues to give the same great bale coverage over the entire width of the bale, protecting the crop as well as helping to maintain the bale's shape, making handling and storage much easier. Now that's delivering the trouble-free baling you have come to know and expect from John Deere Netwrap.



John Deere CoverEdge™ with TamaTec+

John Deere CoverEdge™ goes right over the edge of the bale and snaps into place for better protection. With the elimination of shoulders, bales are perfectly shaped for better handling, transport, and storage. John Deere CoverEdge covers 15% more surface area of the round bale and protects the edges of the bale to help prevent rainwater penetration and moisture collection within the bale. It also improves the weatherability of the package. No loose “fluff” to pick up the moisture from rainfall. With John Deere CoverEdge, you can produce high-quality silage bales when wrapped with stretch film because the bale surface is smooth, eliminating air pockets in the bale.



John Deere XtraTwine Plus™

Large Square Bales

Reduces your cost and increases your baler's potential! Exclusively available through John Deere dealers.

Features include:

- Uniform spool shape and consistent yarn to ensure trouble-free running in the baler
- Guaranteed length
- Unrivaled knotting performance
- Special UV light inhibitors to withstand intense exposure over long periods
- Unique color combination for bale identification
- Compatible with ALL large square balers



Extra spool length

Extra spool length for less spool changes, less waste, and higher efficiency.

Baler Net Wrap Components

| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|-----------|--------------------------------------|---------------------------------------------------------------------------------|------------|--------------------|
| AFH212426 | Bar (No.8 Roll-Narrow Wrap Drive) | 4 x 8, 4 x 9, and 7 Series Round Balers | \$ 366.25 | \$ 336.95 |
| AFH212427 | Bar (No.8 Roll-Wide Surf Wrap Drive) | 5 x 8, 5 x 9, and 7 Series Round Balers | \$ 443.36 | \$ 407.89 |
| E94247 | Bar (Lower Surf Wrap) | 5 x 8, 5 x 9, and 7 Series Round Balers | \$ 432.72 | \$ 398.10 |
| AE57721 | Arm (Lower Tension) | 4 x 8, 4 x 9, and 7 Series Round Balers | \$ 389.19 | \$ 358.05 |
| AFH214927 | Support (4 x 5 Net Pan-Svc) | 457, 458, 459, and 557 Round Balers | \$3,156.62 | \$ 2,904.09 |
| AE59648 | Support w/ Label-Wide | 5 x 8, 5 x 9, and 7 Series Round Balers | \$ 542.87 | \$ 499.44 |
| E94283 | Sheet (Front – 4-ft.) | 4 x 8, 4 x 9, and 7 Series Round Balers | \$ 356.13 | \$ 327.64 |
| E94255 | Sheet (Front – 5-ft.) | 5 x 8, 5 x 9, and 7 Series Round Balers | \$ 471.15 | \$ 433.46 |
| E133004 | Knife (Narrow Surface Wrap) | 4 x 8 and 4 x 9 Series Round Balers | \$ 358.52 | \$ 329.84 |
| E133005 | Knife (Wide Surface Wrap) | 5 x 8 and 5 x 9 Series Round Balers | \$ 414.06 | \$ 380.94 |
| AE56834 | Arm (Knife) | 4 x 8, 4 x 9, and 7 Series Round Balers | \$ 323.41 | \$ 297.54 |
| AE56817 | Arm (Knife) | 5 x 8, 5 x 9, and 7 Series Round Balers | \$ 480.15 | \$ 441.74 |
| E94277 | Angle (Counter Knife) | 4 x 8, 4 x 9, and 7 Series Round Balers | \$ 133.34 | \$ 122.67 |
| E94248 | Angle (Counter Knife) | 5 x 8, 5 x 9, and 7 Series Round Balers | \$ 137.83 | \$ 126.80 |
| E126477 | Angle, Int. Sled Runner | 457, 458, 459, 557, 558, and 559 Series Round Balers | \$ 118.04 | \$ 108.60 |
| FH332540 | 4' Net Pan Liner | 7, 8, 9, and Zero Series Round Balers | \$ 221.30 | \$ 177.04 |
| FH332541 | 5' Net Pan Liner | 7, 8, 9, and Zero Series Round Balers | \$ 291.92 | \$ 233.54 |
| AE70676 | Brush (Scraper Wide) | 5 x 8, 5 x 9, and 7 Series Round Balers | \$ 152.15 | \$ 139.98 |
| AE70677 | Brush (Scraper Narrow) | 4 x 8, 4 x 9, and 7 Series Round Balers | \$ 152.15 | \$ 139.98 |
| FH344345 | V-Belt | 7, 8, and 9 Series Round Balers | \$ 62.98 | \$ 57.94 |
| AFH203937 | Surface Wrap Brake | 435, 535, 6, 7, 8, and 9 Series Round Balers, L330 and L340 Large Square Balers | \$ 34.91 | \$ 32.12 |

HOT BUY

Advanced Hay, Straw, and Silage Tester

This newly advanced Hay, Straw, and Silage Tester is the most efficient probe on the market. The 20" stainless steel probe and tip provides accuracy, versatility, and durability. The SW07305 will measure push force to determine whether it's a high- or low-density bale, then adjusts the moisture result for more precise accuracy.

Features:

- Measures 8–72% moisture content
- Temperature range 32–185°F (0–85°C)
- Automatic Density Compensation
- Choice of hay or straw bales, separate mode for silage
- Memory can store results up to 64 bales with a total of 1,000 savable moisture and temperature readings
- Continuous reading as you probe bale

| NUMBER | DESCRIPTION | LIST | NOW |
|----------|-------------------------------|----------|-----------------|
| SW007305 | Hay, Straw, and Silage Tester | \$365.41 | \$343.49 |



Hay Probes and Baler Mounted Testers

| NUMBER | DESCRIPTION | LIST | NOW |
|-----------------------------------|-------------------------------------------------------------------------------------------------------|----------|-----------------|
| Handheld Moisture Testers: | | | |
| Moisture Testers: | | | |
| SW16136 | 18-in. Probe (testing range from 14–44%) | \$216.15 | \$203.18 |
| SW16326 | 32-in. Probe (testing range from 14–44%) | \$240.89 | \$226.44 |
| Low-Moisture: | | | |
| SW007320 | 20-in. Probe (testing range from 8–44%) | \$263.23 | \$247.44 |
| SW007321 | 10-in. Probe (testing range from 8–44%) | \$247.01 | \$232.19 |
| Baler-Mounted Hay Testers: | | | |
| SW07350 | Tester mounts inside the baler for direct readout of moisture while baling (testing range from 8–44%) | \$337.91 | \$317.64 |
| SW007360 | Advanced Baler-Mounted Hay Moisture Tester (BHT-2) | \$467.71 | \$439.65 |



Hay Core Sampler

Developed by farmer for farmers. The Hay Core Sampler ensures fast and contamination-free sampling from hay bales for testing purposes.

Features:

- Sampling depth is 20"
- Sampler can be used with either a 3/8" or 1/2" drill. 1/2" recommended for best results
- The inside diameter of the shaft is 7/8" allowing samples to stay loose for easy bagging with the cleanout rod between samplings
- Includes cleanout rod for pushing hay into provided zip-lock sample bag
- Shaft and connections are made of stainless steel
- Replaceable core sampler tip

| NUMBER | DESCRIPTION | LIST | NOW |
|----------|------------------|----------|-----------------|
| SW007390 | Hay Core Sampler | \$208.27 | \$195.77 |





John Deere Rotary Cutter Blade Holders (Stump Jumpers)

| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|---------|----------------------------------|-------------------------------------------------------------------------------------------------------|------------|--------------------|
| AW34303 | Blade Pan | MX5 (SN 014000-) | \$ 970.89 | \$ 893.22 |
| AW34304 | Blade Holder and Blades* | MX6 (SN 029000-), MX7 (SN 015000-) | \$1,142.72 | \$ 1,051.30 |
| AW34326 | Blade Holder and Blades* | MX6 (SN -028999), MX7 (SN -014999) | \$1,177.72 | \$ 1,083.50 |
| AW34305 | Blade Holder and Blades* | MX8 (SN 015000-) | \$ 835.58 | \$ 768.73 |
| AW34328 | Blade Holder and Blades* | MX10 (SN -013999) | \$1,073.02 | \$ 987.18 |
| AW34306 | Blade Holder and Blades* | MX10 (SN 014000-) | \$ 914.36 | \$ 841.21 |
| AW34217 | Center, Blade Pan Assembly* | HX6 | \$ 914.60 | \$ 841.43 |
| AW34220 | Center, Blade Pan Assembly* | HX7 | \$1,076.47 | \$ 990.35 |
| AW34331 | Blade Holder and Blades* | HX10 (SN -008599), Lift-Type 1,000 RPM HX14 (SN -007899), Pull-Type 540 RPM HX14 | \$1,032.21 | \$ 949.63 |
| AW34221 | Blade Holder and Blades* | HX10 (SN 008600-), Lift-Type 1,000 RPM HX14 (SN 007900-) | \$1,042.96 | \$ 959.52 |
| AW34330 | Center/Wing, Blade Pan Assembly* | Center: HX15 (008500-014499), CX15 (003750-006499) Wing: HX15 (SN -014499), CX15 (SN -006499) | \$ 922.70 | \$ 848.88 |
| AW34329 | Center/Wing, Blade Pan Assembly* | Center: HX15 (SN -008499), CX15 (SN -003749) Center and Wing: HX20 (SN -004999), CX20 (SN -003799) | \$1,067.49 | \$ 982.09 |
| AW34217 | Center/Wing, Blade Pan Assembly* | Center & Wing: M15, HX15 (SN 014500-), CX15 (SN 006500-028999) Wing: CX15 (SN 029000-) | \$ 914.60 | \$ 841.43 |
| AW34220 | Center/Wing, Blade Pan Assembly* | Center & Wing: HX20 (SN 005000-), CX20 (SN 003800-) Center: CX15 (SN 029000-) | \$1,076.47 | \$ 990.35 |

*Check machine serial number for correct parts.



John Deere Rotary Cutter Shredding Attachments

| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|---------|-----------------------------------------|---------------------|----------|------------------|
| BW15812 | Stalk Shredding Attachment | M20, CX20, and HX20 | \$335.50 | \$ 295.24 |
| AW31782 | Wing Frame Stalk Shredding Attachment | CX15 and HX15 | \$555.96 | \$ 489.24 |
| AW31717 | Center Frame Stalk Shredding Attachment | CX15 and HX15 | \$646.40 | \$ 568.83 |
| W43563 | Strap (Order 2 per frame) | CX15 and HX15 | \$ 79.32 | \$ 69.80 |

Note: Blades and Hardware ordered separately.

John Deere Rotary Cutter Spreading Attachments

Bolt-on material distribution channels are available to improve distribution of cut material more evenly across the width of the machine. These attachments can be especially helpful in dense material conditions. Additional hardware and parts may be needed. See us for more details.

| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|---------|----------------------------------------------|---------------|----------|------------------|
| BP18444 | Spreading Control Kit, Wings | CX20 and HX20 | \$688.60 | \$ 605.97 |
| W49241 | Spreading Control Deflector, Center (1 of 3) | CX20 and HX20 | \$ 91.24 | \$ 80.29 |
| AW32912 | Spreading Control Deflector, Center (2 of 3) | CX20 and HX20 | \$205.22 | \$ 180.59 |
| W48615 | Spreading Control Deflector, Center (3 of 3) | CX20 and HX20 | \$ 71.13 | \$ 62.59 |

John Deere Rotary Cutter Blades





Suction Blades – Provide additional lift, ideal solution for picking up down material.

Flat Blades – Require less horsepower and have cutting edges on both sides of the blade.

Dual Blades – **Shredding Attachment** – For increased shredding of crop residue.

| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|----------|-------------------------------------------------|------------------|---------|----------------|
| FH332998 | Suction Blade, CCW (Order 2) | 403, 413, LX4 | \$47.12 | \$43.35 |
| FH332989 | Suction Blade, CCW (Order 2) | 503, 513, LX5 | \$52.15 | \$47.98 |
| FH332990 | Suction Blade, CCW (Order 2) | 603, 613, LX6 | \$54.94 | \$50.54 |
| FH329910 | Suction Blade, CCW (Order 2)* | MX5, MX6 | \$36.94 | \$33.98 |
| FH329908 | Suction Blade Center, CCW (Order 2) | HX6 | \$46.12 | \$42.43 |
| FH329909 | Suction Blade, CCW (order 4) | MX7, HX7 | \$52.07 | \$47.90 |
| FH329911 | Suction Blade, CW (Order 2)* | MX8, MX10 | \$43.61 | \$40.12 |
| FH329912 | Suction Blade, CCW (Order 2)* | MX8, MX10 | \$42.10 | \$38.73 |
| FH329914 | Suction Blade Left-Hand, CW (Order 2) | HX10 | \$38.12 | \$35.07 |
| FH329915 | Suction Blade Right-Hand, CCW (Order 2) | HX10 | \$38.12 | \$35.07 |
| FH332999 | Flat Blade (Order 4) | HX10 | \$54.66 | \$50.29 |
| FH329911 | Suction Blade, CW (Order 2)* | HX14 | \$43.61 | \$40.12 |
| FH329912 | Suction Blade, CCW (Order 2)* | HX14 | \$42.10 | \$38.73 |
| FH333000 | Flat Blade (Order 6) | HX14 | \$51.60 | \$47.47 |
| FH329917 | Shredding Attachment, CCW – 540 RPM (Order 6)* | HX14 | \$37.43 | \$34.44 |
| FH329916 | Shredding Attachment, CW – 1,000 RPM (Order 6)* | HX14 | \$37.81 | \$34.79 |
| FH329908 | Suction Blade Center, CCW (Order 2) | CX15, HX15, MX15 | \$46.12 | \$42.43 |
| FH329915 | Suction Blade Right-Hand, CCW (Order 2) | CX15, HX15, MX15 | \$38.12 | \$35.07 |
| FH329914 | Suction Blade Left-Hand, CW (Order 2) | CX15, HX15, MX15 | \$38.12 | \$35.07 |
| FH329918 | Shredding Attachment Upper, CW (Order 2) | CX15, HX15, MX15 | \$40.43 | \$37.20 |
| FH329919 | Shredding Attachment Upper, CCW (Order 4) | CX15, HX15, MX15 | \$40.82 | \$37.55 |
| FH329914 | Shredding Attachment Lower, CCW (Order 2) | CX15, HX15, MX15 | \$38.12 | \$35.07 |
| FH329915 | Shredding Attachment Lower, CCW (Order 4) | CX15, HX15, MX15 | \$38.12 | \$35.07 |
| FH329920 | Suction Blade, CW (Order 2) | CX20, HX20 | \$45.99 | \$42.31 |
| FH329909 | Suction Blade, CCW (Order 4) | CX20, HX20 | \$52.07 | \$47.90 |
| FH329918 | Shredding Attachment Upper, CW (Order 2) | CX20, HX20 | \$40.43 | \$37.20 |
| FH329919 | Shredding Attachment Upper, CCW (Order 4) | CX20, HX20 | \$40.82 | \$37.55 |
| FH329914 | Shredding Attachment Lower, CCW (Order 2) | CX20, HX20 | \$38.12 | \$35.07 |
| FH329915 | Shredding Attachment Lower, CCW (Order 4) | CX20, HX20 | \$38.12 | \$35.07 |

*Check machine serial number for correct blade.



Frontier Rotary Cutter Blades

| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|-------------|---------------------|------------------------|----------|-----------------|
| ME300125 | Blade Set, 2 Blades | RC1048 | \$ 93.80 | \$ 86.30 |
| ME300126 | Blade Set, 2 Blades | RC1060, RC1072 | \$117.93 | \$108.50 |
| ME300227 | Blade Bolt Kit | RC1048, RC1060, RC1072 | \$ 49.17 | \$ 45.24 |
| TIFC711121 | Blade Set, 2 Blades | RC2048 | \$ 93.80 | \$ 86.30 |
| TIFC711122 | Blade Set, 2 Blades | RC2060 | \$112.25 | \$103.27 |
| TIFC711123 | Blade Set, 2 Blades | RC2072 | \$117.93 | \$108.50 |
| 5TIFC711222 | Blade Set, 2 Blades | RC2084 | \$131.14 | \$120.65 |
| TIFC711124 | Blade Bolt Kit | RC2048, RC2060, RC2072 | \$ 49.17 | \$ 45.24 |
| 5TIFC711224 | Blade Bolt Kit | RC2084 | \$ 49.76 | \$ 45.78 |



ROTARY CUTTER PARTS & ATTACHMENTS



Frontier Grooming Mower Blades

| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|--------------|------------------------|------------------------------------------------------|----------|-----------------|
| 5BP0006795 | 4-ft. Deck | GM1048E, FM2012R, FM2112R | \$ 32.94 | \$ 30.30 |
| 5BP0006795B | 4-ft. Deck (High Lift) | GM1048E, FM2012R, FM2112R | \$ 39.93 | \$ 36.74 |
| 5BP0006641 | 5-ft. Deck | GM1060E, GM2060R, FM2012R, FM2015R, FM2112R, FM2115R | \$ 35.13 | \$ 32.32 |
| 5BP0006641B | 5-ft. Deck (High Lift) | GM1060E, GM2060R, FM2012R, FM2015R, FM2112R, FM2115R | \$ 45.45 | \$ 41.81 |
| 5BP0006845 | 6-ft. Deck | GM1072E, GM2072R, FM2015R, FM2017R, FM2115R, FM2117R | \$ 43.92 | \$ 40.41 |
| 5BP0006845B | 6-ft. Deck (High Lift) | GM1072E, GM2072R, FM2015R, FM2017R, FM2115R, FM2117R | \$ 50.26 | \$ 46.24 |
| 5BP0006690 | 7-ft. Deck | GM2084R, FM2120R | \$ 51.36 | \$ 47.25 |
| 5BP0044318 | 7 1/2-ft. Deck | GM2190R | \$ 33.40 | \$ 30.73 |
| 5BP0044598 | 9-ft. Deck | GM2109R | \$ 35.45 | \$ 32.61 |
| 5WP1001510KT | KIT – Low Lift | GM1060R, FM1015R | \$159.36 | \$146.61 |
| 5WP1001511KT | KIT – Low Lift | GM1072R, FM1012R, FM1017R | \$148.07 | \$136.22 |
| 5WP1001512KT | KIT – Low Lift | GM1084R | \$203.59 | \$187.30 |
| 5WP1001513KT | KIT – High Lift | GM1060R, GM3060, FM1015R | \$106.89 | \$ 98.34 |
| 5WP1008199KT | KIT – High Lift | GM1072R, GM3072, FM1015R, FM1017R | \$139.32 | \$128.17 |
| 5WP15127KT | KIT – High Lift | GM1072S | \$142.21 | \$130.83 |
| 5WP53417KT | KIT – High Lift | GM1084R | \$196.92 | \$181.17 |
| 5WP24590KT | KIT – High Lift | GM1190R | \$194.70 | \$179.12 |
| 5WP78127KT | KIT – High Lift | GM3054 | \$122.77 | \$112.95 |



Frontier Grooming Mower Belts

| NUMBER | DESCRIPTION | APPLICATION | TYPE | LIST | NOW |
|------------|-------------------------------|--------------------------------------------------------------|--------------|----------|-----------------|
| 5WP18879 | V-Belt W112 for 6-ft. Decks | FM1015 Rear Deck, FM1017 All Decks, GM1072R, GM1072S, GM3072 | Frontier | \$ 86.48 | \$ 79.56 |
| A-18879 | V-Belt for 6-ft. Decks | FM1015 Rear Deck, FM1017 All Decks, GM1072R, GM1072S, GM3072 | A&I Products | \$ 49.64 | |
| 5WP1001244 | V-Belt W99 | FM1012 Rear Deck, FM1015 Wing Deck, GM1060R | Frontier | \$ 78.97 | \$ 72.65 |
| A-31615 | V-Belt | FM1012 Rear Deck, FM1015 Wing Deck, GM1060R | A&I Products | \$ 33.87 | |
| 5WP20644 | V-Belt W96 | FM3012 Rear Discharge, GM1060S, GM1072S, GM3054, GM3060 | Frontier | \$101.27 | \$ 93.17 |
| 5WP40930 | V-Belt W80 | FM1012, FM1012R, FM1015, FM1017 | Frontier | \$ 46.75 | \$ 43.01 |
| 5BP0006798 | V-Belt for 4-ft. Decks | FM2012, FM2112 Wing Deck | Frontier | \$ 52.46 | \$ 48.26 |
| 5BP0006848 | V-Belt 5VX850 for 6-ft. Decks | FM2017 All Decks, FM2115 Rear Deck, FM2117 All Decks, GM2072 | Frontier | \$ 64.47 | \$ 59.31 |
| 5BP0006693 | V-Belt 5VX710 | FM2012, FM2112 Rear Decks, FM2015, FM2115 Wing Decks, GM2060 | Frontier | \$ 59.07 | \$ 54.34 |
| 5BP0006694 | V-Belt 5VX1000 | FM2120 All Decks, GM2084 | Frontier | \$ 76.86 | \$ 70.71 |
| 5BP0008630 | V-Belt BX98 | GM1048E | Frontier | \$ 53.37 | \$ 49.10 |
| 5BP0008670 | V-Belt BX112 (60-in.) | GM1060E | Frontier | \$ 61.60 | \$ 56.67 |
| A-BX112 | B-Section Cogged Belt | GM1060E | A&I Products | \$ 28.13 | |
| 5BP0008950 | V-Belt BX140 (72-in.) | GM1072E | Frontier | \$ 76.28 | \$ 70.18 |
| A-BX140 | B-Section Cogged Belt | GM1072E | A&I Products | \$ 35.19 | |
| 5WP53418 | V-Belt W157 | GM1084R | Frontier | \$ 86.48 | \$ 79.56 |
| A-53418 | V-Belt W157 | GM1084R | A&I Products | \$ 36.15 | |
| 5WP18990 | V-Belt 2W140 | GM1190R | Frontier | \$221.28 | \$203.58 |
| 5BP0067169 | V-Belt CX96 | GM2190R | Frontier | \$103.15 | \$ 94.90 |
| 5BP0067170 | V-Belt CX106 | GM2109R | Frontier | \$114.39 | \$105.24 |

EXPANDING OFFERINGS!

StarFire 6000 Receivers
and 4640 Displays



GreenStar™ 3 Display 2630



GreenStar™ 2 Display 2600



GreenStar™ 1800 Display



Repair and Return Now Available
for StarFire™ 6000 and Universal
4640 Display



StarFire™ 3000

Your Part. Our Factory.

Electronics Repair & Return Program

Skilled technicians. Quick turnaround. Competitive pricing. It's what you need when electronics go on the fritz and what you get from Electronics Repair & Return by John Deere Reman.

Now available, this convenient service offers you a true John Deere solution for the OEM repair of some of your most important electronic components. And better yet, it's all backed by a valuable 12-month Limited Warranty** that's sure to please. Turn to John Deere for electronics repair and be rewarded with fast, reliable service to get your machine up to speed again.

**The John Deere Reman Electronic Repair & Return 12-month Limited Warranty covers specific repairs on each component. John Deere Reman will repair or replace unit during the applicable warranty period but is not responsible for any labor costs associated with the removal and installation of the components.

| REPAIR LEVEL | DESCRIPTION |
|---------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Evaluation Charge | For all components listed below, the cost to evaluate the repair will only be charged when component can not be repaired, or if customer decides not to complete the recommended repairs. |
| StarFire 3000 and 6000 | |
| Primary Inspection and Repair | Replace damaged dome with original-equipment John Deere Parts. Includes light pipe and decals. Unit will be fully functionally tested. |
| Comprehensive Inspection and Repair | Repair all points of failure to hardware within the SF3000 or SF6000 receiver. John Deere original equipment testing, processes, and procedures used to bring the receiver back to like new condition. Includes electronic components, connectors, cables, solder reflow, and new dome. |
| GreenStar 1800 Display | |
| Complete Repair | Repair all hardware failure points within the 1800 Display. John Deere original equipment testing, processes, and procedures used to bring 1800 Display back to like new condition. Includes electronic components, connectors, audio alarm, housings, and solder reflow. |
| GreenStar 2600 Display | |
| Complete Repair | Repair all hardware failure points within the 2600 Display. John Deere original equipment testing, processes, and procedures used to bring 2600 Display back to like new condition. Includes electronic components, connectors, membrane switch, card reader, audio alarm, touchscreen replacement, housing, and calibration. |
| GreenStar 2630 Display | |
| Complete Repair | Repair all hardware failure points within the 2630 Display. John Deere original equipment testing, processes, and procedures used to bring 2630 Display back to like new condition. Includes electronic components, connectors, membrane switch, USB cover, audio alarm rear housing, air-gap LCD touchscreen with front housing, bezel assembly, and calibration. |
| GreenStar 4640 Universal Display (10 inch) | |
| Screen Replacement | Replace broken touchscreen glass using original equipment John Deere Parts and functionality test.* |
| Screen and LCD Replacement | Replace touchscreen and LCD components with original John Deere Parts and functionality test.* <small>(*Both repair options include speaker repair.)</small> |

See your Authorized John Deere Dealer for pricing and availability of getting your unit repaired today.

Take a bigger bite out of earthmoving jobs.

Thicker and longer than standard blades, these John Deere blades help power through the toughest conditions. Three different widths and a variety of configurations are available on both carry-all and ejector scrapers. Plus many segments are reversible for twice the life.




Scraper Parts



Straight or Standard Configuration:

Our straight blade configuration comes standard on all John Deere scrapers. They sit flush with the ground and are perfect for precision land leveling, haul road maintenance, and loading sandy material.



Tooth Configuration:

Our tooth configuration is a factory option that allows the scraper to break up material as it enters the bowl. Teeth work well in hard and compact soils and help prevent material from slabbing as it cuts.



Drop Center Configuration:

Our drop center configuration is a popular factory option and the best choice for the toughest soil conditions. The compound blade depths help break down sticky clays and maximize loads.



Alternating Drop Center Configuration:

Alternating drop centers are great for intermediate-to-tough materials like dry clay. This configuration works well when material conditions are constantly changing.



Tooth Drop Center Combination Configuration:

The tooth drop center combination works well in a broad array of soils, particularly light-to-intermediate types where material conditions change frequently.

| NUMBER | ITEM/DESCRIPTION | MODEL | LIST | NOW |
|-----------------------------|----------------------------------------------------|-----------------------------------------------------|------------|--------------------|
| Router Bits: | | | | |
| CB01440140 | Cast | All Models | \$ 382.24 | \$ 359.31 |
| CB11492377 | Universal Router Bit Extension for Ejectors | All Models | \$ 227.51 | \$ 213.86 |
| Blades: | | | | |
| CB01428503 | Ejector, 18-in. Standard | All Models | \$ 250.40 | \$ 235.38 |
| CB01428505 | Ejector, 12-in. Standard | All Models | \$ 162.35 | \$ 152.61 |
| CB01447446 | Ejector, 6-in. Standard | All Models | \$ 122.09 | \$ 114.76 |
| CB01440276 | Ejector, 18-in. Long | All Models | \$ 331.99 | \$ 312.07 |
| CB01440281 | Ejector, 12-in. Long | All Models | \$ 279.87 | \$ 263.08 |
| CB01440650 | Ejector, 6-in. Long | All Models | \$ 164.24 | \$ 154.39 |
| CB01440368 | Carry All (outer) | 1510C, 1512C, 1812C, and 1814C (Carry All -2008) | \$ 227.25 | \$ 213.62 |
| CB01440373 | Carry All (center) | 1510C (Carry All -2008) | \$ 356.25 | \$ 334.88 |
| CB01440376 | Carry All (center) | 1812C (Carry All -2008) | \$ 500.08 | \$ 470.08 |
| CB01440379 | Carry All (center) | 1814C (Carry All -2008) | \$ 740.37 | \$ 695.95 |
| CB01440374 | Carry All (aggressive) | 1510C (Carry All -2008) | \$ 498.15 | \$ 468.26 |
| CB01440377 | Carry All (aggressive) | 1812C (Carry All -2008) | \$ 769.27 | \$ 723.11 |
| CB01472054 | Carry All, 13-in. center | 1510C, 1810C, and 1814C (Carry All -2008) | \$ 579.96 | \$ 545.16 |
| CB01472052 | Carry All, 10-in. outer | All Carry All Models (Carry All -2008) | \$ 321.51 | \$ 302.22 |
| CB01443968 | Blade Bolt, 2 1/4-in. | 1510C, 1512C, 1812C, and 1814C | \$ 1.75 | \$ 1.65 |
| CB01443969 | Blade Bolt, 2 1/2-in. | All Ejector and Carry All (Carry All -2008) | \$ 1.75 | \$ 1.65 |
| CB01443970 | Washer | | \$ 0.93 | \$ 0.87 |
| CB01443971 | Nut | | \$ 0.67 | \$ 0.63 |
| CB01472055 | Center, 13-in. | 1812C and 2112C | \$ 878.05 | \$ 825.37 |
| Sleeves: | | | | |
| CB11467683 | Sleeve* | 2112C and 2112E | \$ 455.55 | \$ 428.22 |
| CB11453026 | Sleeve** | 1510C, 1512E, 1810C, 1810E, 1812C, 1814C, and 1814E | \$ 397.09 | \$ 373.26 |
| Miscellaneous Parts: | | | | |
| CB11454238 | Hitch-pivot Assembly with Bushings (prior to 2005) | 1510C, 1512C, 1512E, 1810E, 1812C, 1814C, and 1814E | \$2,478.43 | \$ 2,329.72 |
| CB11425249 | O-ring Assembly-pin (hitch pivot) | 1510C, 1512C, 1512E, 1810E, 1812C, 1814C, and 1814E | \$ 98.89 | \$ 92.96 |

*Used only on short Quick Attach. **Used only on long Quick Attach.

Keep rolling this spring.



OEM and aftermarket bearings from your John Deere dealer

From John Deere OEM to aftermarket alternatives from A&I Products, your John Deere dealer has the right bearings to fit your needs ... and your budget.

| NUMBER | DESCRIPTION | APPLICATION | TYPE | LIST |
|------------------------------------------------------------------|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------|
| Gauge Wheel Bearings, Marker Disk Bearings: | | | | |
| AN212132 | Ball Bearing | Planters: ME, ME2, ME+, MEXP, & Pro-Series XP Drills: 750, 1520, 1530, 1535, 1560, 1590, 1850, 1860, 1890, & 1895 | John Deere | \$13.87 |
| A-5203KYY2-I | Bearing, Double Row | Planters: ME, ME2, ME+, MEXP, & Pro-Series Drills: 750, 1520, 1530, 1535, 1560, 1590, 1850, 1860, 1890, & 1896 | A&I Products | \$10.53 |
| Row Cleaner Bearings: | | | | |
| AA38601 | Ball Bearing | Planters: ME, ME2, ME+, MEXP, & Pro-Series XP | John Deere | \$20.54 |
| A-AA38601 | Ball Bearing | Planters: ME, ME2, ME+, MEXP, & Pro-Series XP | A&I Products | \$17.89 |
| AA59196 | Ball Bearing | Planters: MEXP & Pro-Series XP | John Deere | \$13.34 |
| A-AA59196 | Ball Bearing | Planters: MEXP & Pro-Series XP | A&I Products | \$13.06 |
| Cast Closing Wheel Bearings: | | | | |
| AA34132 | Ball Bearing | Planters: ME, ME2, ME+, MEXP, & Pro-Series, XP Drills: 455, 750, & 1535 | John Deere | \$ 5.76 |
| A-AA34132 | Ball Bearing | Planters: ME, ME2, ME+, MEXP, & Pro-Series, XP Drills: 455, 750, & 1535. | A&I Products | \$ 7.74 |
| AA61722 | Ball Bearing | Planters: ME2, ME+, MEXP, & Pro-Series XP Drills: 455, 750, 1535, & 1850 | John Deere | \$ 6.52 |
| A-6203-2RS-I | Clutch Pilot Bearing | Planters: ME2, ME+, MEXP, & Pro-Series XP Drills: 455, 750, 1535, & 1851 | A&I Products | \$ 4.24 |
| A-6203-2RS-P | Clutch Pilot Bearing | Planters: ME2, ME+, MEXP, & Pro-Series XP Drills: 455, 750, 1535, & 1851 | A&I Products | \$ 6.68 |
| Unit Mounted Coulter and Single Disk Fertilizer Bearings: | | | | |
| JD8187 | Bearing Cone | Planters: ME, ME2, ME+, MEXP, & Pro-Series XP Drills: 730, 735, 737, 770, 775, 780, 785, 1790, 1820, 1830, 1835, 1840, 1870, 1890, 1895, 1990 | John Deere | \$ 7.72 |
| A-LM67048-I | Bearing | Planters: ME, ME2, ME+, MEXP, & Pro-Series XP Drills: 730, 735, 737, 770, 775, 780, 785, 1790, 1820, 1830, 1835, 1840, 1870, 1890, 1895, 1992 | A&I Products | \$ 4.72 |
| A-LM67048-P | Cone, Tapered Roller | Planters: ME, ME2, ME+, MEXP, & Pro-Series XP Drills: 730, 735, 737, 770, 775, 780, 785, 1790, 1820, 1830, 1835, 1840, 1870, 1890, 1895, 1991 | A&I Products | \$ 9.28 |



JOHN DEERE

Rewards

Rewards where you want them,
when you need them.



It's free to join Rewards today for access to **discounts** on John Deere parts, equipment, merchandise and more. Upgrade easily by adding **affiliations** to your membership! Plus, Rewards sends **exclusive offers** to your inbox, so you'll be the **First2Know** about the latest products and more. No matter what you want, or when you need it, Rewards ensures that your John Deere loyalty goes farther.

Visit JohnDeere.com/Rewards



SHOP NOW. CHOP LATER.


10% OFF¹

FORAGE HARVESTER PARTS

— CALL US FOR SPECIFIC SALE DATES —

Have your machine primed for **better performance** and **greater uptime** during Chopper Days. Get **10% OFF** parts for pull-type or self-propelled forage harvesters (5000, 6000, 7000, 8000, and 9000 Series models). Take advantage of the **lowest prices of the year** on key wear parts, including:

- Feed Roll Wear Strips
- Cutterhead Knives
- Kernel Processors
- Belts
- Transition Chutes
- Blower Paddles
- Spout Liners
- Rotary Head Parts
- Hay Pickup Parts



HARVEST TERMS

PARTS, SERVICE, INSPECTIONS

- Buy Now, Pay November 15, 2022
- No Interest 0% APR² Financing Terms
- Better Cash Flow & Savings



JOHN DEERE
FINANCIAL

Multi-Use Account

¹Offer valid on qualifying purchases made from a participating U.S. John Deere dealer. Offer is available for one month only (based on individual dealer preference) between January 1, 2022 and March 31, 2022. Receive 10% OFF the agreed upon purchase price of parts for pull-type or self-propelled forage harvesters (5000, 6000, 7000, 8000 and 9000 Series models) to be applied to the total before applicable taxes, shipping rates, and delivery charges. Some restrictions apply. Contact participating dealer for details.

²Subject to approved credit on a Multi-Use Account, dealer participation, certain restrictions and conditions apply.

Contact us today to learn more.

Windrow Pickups Parts and Attachments



Pickup Teeth

| NUMBER | DESCRIPTION | LIST |
|-------------------------------------------|------------------|--------|
| 630A, 640A, 645A, 630B, 640B, 645B | | |
| CC25176 | Teeth | \$5.34 |
| 639 Standard Pickup | | |
| LCA105173 | Teeth – Standard | \$3.59 |
| 639, 649, 659 Premium Pickup | | |
| LCA108554 | Teeth – Premium | \$4.75 |



Pickup Strippers

| NUMBER | DESCRIPTION | LIST |
|-----------------------------------|-------------|---------|
| 630A, 640A, 645A (-052096) | | |
| E65648 | Stripper | \$63.38 |
| 630A, 640A, 645A (052097-) | | |
| FH311772 | Stripper | \$38.58 |
| 630B, 640B, 645B | | |
| FH311772 | Stripper | \$38.58 |
| 639, 649, 659 | | |
| LCA104898 | Stripper | \$28.40 |



Cam, Cam Arm, Cam Follower

| NUMBER | DESCRIPTION | LIST |
|-------------------------------------|----------------------|----------|
| 630A, 640A, 645A | | |
| CC44956 | Cam LH | \$263.94 |
| CC44955 | Cam RH | \$263.96 |
| AE46215 | Cam Follower/Bearing | \$ 25.91 |
| LCA126807 | Cam Arm | \$126.64 |
| LCA126808 | Cam Arm | \$107.43 |
| 630B, 640B, 645B | | |
| CC44956 | Cam LH | \$263.94 |
| CC44955 | Cam RH | \$263.96 |
| AE46215 | Cam Follower/Bearing | \$ 25.91 |
| LCA126807 | Cam Arm (-106600) | \$126.64 |
| LCA126808 | Cam Arm (-106600) | \$107.43 |
| LCA116587 | Cam Arm LH (106601-) | \$ 70.24 |
| 639 Standard Pickup | | |
| CC44956 | Cam LH | \$263.94 |
| CC44955 | Cam RH | \$263.96 |
| AFH204000 | Cam Follower/Bearing | \$ 27.31 |
| LCA116588 | Cam Arm | \$ 65.34 |
| 639, 649, 659 Premium Pickup | | |
| FH316226 | Cam LH | \$432.47 |
| FH316225 | Cam RH | \$432.47 |
| LCA108964 | Cam Arm w/Bearing | \$142.09 |
| LCA108965 | Cam Arm w/Bearing | \$142.09 |

Rotary Harvesting Parts and Attachments

Rotary Knife Kits

These service sets include all blades, scrapers, special bolts, and nuts. Number required to cover complete header is listed below. Heavy duty kits include tungsten carbide coated blades, which lasts three times longer.




| NUMBER | DESCRIPTION | NUMBER REQUIRED | LIST |
|------------|-------------------------|-----------------|------------|
| 676 | | | |
| LCA109994 | Heavy Duty – Small Drum | 1 | \$ 462.09 |
| LCA109995 | Heavy Duty – Large Drum | 1 | \$ 786.79 |
| 696 | | | |
| LCA78553 | Standard | 3 | \$ 410.22 |
| LCA79040 | Heavy Duty | 3 | \$ 592.75 |
| 698 | | | |
| LCA78553 | Standard | 4 | \$ 410.22 |
| LCA79040 | Heavy Duty | 4 | \$ 592.75 |
| 699 | | | |
| LCA78553 | Standard | 5 | \$ 410.22 |
| LCA79040 | Heavy Duty | 5 | \$ 592.75 |
| 692 | | | |
| LCA78553 | Standard | 6 | \$ 410.22 |
| LCA79040 | Heavy Duty | 6 | \$ 592.75 |
| 778 | | | |
| LCA89941 | Standard | 2 | \$ 809.87 |
| LCA79040 | Heavy Duty | 2 | \$ 592.75 |
| 770 | | | |
| LCA89941 | Standard | 2 | \$ 809.87 |
| LCA78553 | Standard | 1 | \$ 410.22 |
| LCA89940 | Heavy Duty | 2 | \$1,091.58 |
| LCA79040 | Heavy Duty | 2 | \$ 592.75 |

Scrapers for Rotary Headers

High performance scrapers with convenient bolt-on design, allows you to use each side of scraper, saving maintenance costs.

| NUMBER | DESCRIPTION | LIST |
|---------------------------|-------------|---------|
| 676 | | |
| LCA69794 | Weld-On | \$ 7.28 |
| 684, 686, 688, 710 | | |
| LCA87284 | Bolt-On Set | \$77.55 |



Points

If you notice teeth are blunt or damaged, replace with new points. Points must be installed in pairs on opposite sides of the drum.

| NUMBER | DESCRIPTION | LIST |
|------------------------------------------------------------------------|---------------------------|--------|
| 676, 678, 684, 686, 688, 690, 692, 696, 698, 710, 770, 772, 778 | | |
| LCA90654 | Clockwise Rotation | \$5.57 |
| LCA90655 | Counterclockwise Rotation | \$5.57 |



7000 Series SPFH Parts and Attachments

7780



Feeding Parts – 7000 Series

John Deere feed rolls, wear strips, and bolts are made from heavy-duty, induction hardened stainless steel, which helps to minimize potential downtime. They are also demagnetized to prevent them from false tripping the metal detection system.

| NUMBER | DESCRIPTION | LIST |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------|------------|
| 7200, 7300, 7400, 7500, 7250, 7350, 7450, 7550, 7180, 7280, 7380, 7480, 7580 | | |
| Upper Front Feed Roll: | | |
| AZ102096 | Feed Roll with Replaceable Wear Strips | \$2,070.13 |
| HXE64649 | Wear Strip – Corn | \$ 74.99 |
| HXE64652 | Wear Strip – Grass | \$ 154.40 |
| Z81671 | Shaft | \$ 471.84 |
| JD10071 | Needle Bearing | \$ 20.12 |
| AZ62417 | Needle Bearing | \$ 22.97 |
| AL28870 | Seal | \$ 17.34 |
| Upper Rear Feed Roll: | | |
| AZ71834 | Feed Roll | \$ 896.19 |
| HXE26048 | Shaft | \$ 201.61 |
| JD10458 | Bearing | \$ 54.34 |
| Lower Feed Roll: | | |
| AZ101149 | Feed Roll | \$1,447.13 |
| Z77138 | Shaft (783 MM) | \$ 634.47 |
| HXE32390 | Shaft (728 MM) | \$ 375.47 |
| AZ51405 | RH Bearing | \$ 75.24 |
| AXE10405 | LH Outside Bearing | \$ 71.21 |
| JD9467 | LH Inside Bearing | \$ 17.55 |
| 7700, 7800, 7750, 7850, 7950, 7780, 7980 | | |
| Upper Front Feed Roll: | | |
| AZ103444 | Feed Roll with Replaceable Wear Strips (7750, 7850, 7950, 7780, 7980) | \$3,401.66 |
| HXE64650 | Wear Strip – Corn | \$ 98.10 |
| HXE64653 | Wear Strip – Grass | \$ 171.11 |
| Z81672 | Shaft | \$ 499.31 |
| JD10071 | Needle Bearing | \$ 20.12 |
| AZ62417 | Needle Bearing | \$ 22.97 |
| AL28870 | Seal | \$ 17.34 |
| Upper Rear Feed Roll: | | |
| AZ71837 | Feed Roll | \$1,236.46 |
| HXE26049 | Shaft | \$ 266.06 |
| JD10458 | Bearing | \$ 54.34 |
| Lower Feed Roll: | | |
| AZ101150 | Feed Roll | \$2,302.13 |
| Z102377 | Shaft (848 MM) | \$ 610.61 |
| AZ51405 | RH Bearing | \$ 75.24 |
| AXE10405 | LH Outside Bearing | \$ 71.21 |
| JD9467 | LH Inside Bearing | \$ 17.55 |

Cutting Parts – 7000 Series

| NUMBER | DESCRIPTION | LIST |
|------------------------------------------------------------------------------|-------------|------|
| 7200, 7300, 7400, 7500, 7250, 7350, 7450, 7550, 7180, 7280, 7380, 7480, 7580 | | |

Knives and Mounting Parts:

| | | |
|-----------|--------------------------------|----------|
| Z63136 | Corn Knife | \$ 25.93 |
| Z62075 | Corn Knife, Angled, Right-Hand | \$ 29.28 |
| Z62076 | Corn Knife, Angled, Left-Hand | \$ 29.28 |
| Z69500 | Grass Knife | \$ 23.57 |
| Z102741 | Grass Knife, Dura Line™ Coated | \$ 30.04 |
| Z69650 | Knife Bolt | \$ 2.79 |
| Z60535 | Cover Plate | \$ 11.34 |
| HXE121397 | Thread Bar | \$ 10.10 |
| Z101528 | Knife Bracket | \$ 16.19 |

Shearbars/Stationary Knife:

| | | |
|----------|--------------------------|------------|
| AZ53906 | Corn | \$ 632.04 |
| AZ103112 | Grass | \$ 632.04 |
| AZ57685 | All Crop, Heavy-Duty | \$ 945.37 |
| AXE37631 | All Crop, Dura Line Plus | \$1,721.69 |

7700, 7800, 7750, 7850, 7950, 7780, 7980

Knives and Mounting Parts:

| | | |
|-----------|--------------------------------|-----------|
| Z72500 | Corn Knife | \$ 28.81 |
| Z81123 | Grass Knife | \$ 25.93 |
| Z103040 | Grass Knife, Dura Line™ Coated | \$ 33.37 |
| Z69650 | Knife Bolt | \$ 2.79 |
| Z76801 | Cover Plate | \$ 11.72 |
| HXE121393 | Thread Bar | \$ 35.36 |
| Z101529 | Knife Bracket | \$ 118.34 |

Shearbars/Stationary Knife:

| | | |
|----------|--------------------------|------------|
| AZ64735 | Corn | \$ 747.13 |
| AZ103113 | Grass | \$ 732.49 |
| AZ64737 | All Crop, Heavy-Duty | \$1,469.04 |
| AXE37632 | All Crop, Dura Line Plus | \$1,826.25 |

7000, 7050, 7080 Series

Sharpening Stone:

| | | |
|---------|-------|----------|
| AZ56626 | Stone | \$ 98.22 |
|---------|-------|----------|



Knives



Shearbar

Crop Flow Parts – 7000 Series

| NUMBER | DESCRIPTION | LIST |
|------------------------------------------------------------------------------|-------------|------|
| 7200, 7300, 7400, 7500, 7250, 7350, 7450, 7550, 7180, 7280, 7380, 7480, 7580 | | |

Spiral Band:

| | | |
|----------|------------|------------|
| AXE40436 | Standard | \$ 274.55 |
| AXE40438 | Dura Line™ | \$1,233.42 |

Grass Chute:

| | | |
|---------|----------------------------|-----------|
| AZ65662 | Grass Chute, Bottom | \$ 240.60 |
| Z78611 | Stainless Steel Wear Liner | \$ 230.12 |

7700, 7800, 7750, 7850, 7950, 7780, 7980

Spiral Band:

| | | |
|----------|------------|------------|
| AXE40437 | Standard | \$ 451.21 |
| AXE40439 | Dura Line™ | \$1,345.75 |

Grass Chute:

| | | |
|---------|----------------------------|-----------|
| AZ65663 | Grass Chute, Bottom | \$ 290.07 |
| Z78792 | Stainless Steel Wear Liner | \$ 217.96 |



Spiral Band



Blower Band

Blower Parts – 7000 Series

| NUMBER | TYPE | DESCRIPTION | LIST |
|-------------------------------------------------------------------------------------|-------------|----------------------------------------|------------|
| 7200, 7300, 7400, 7500, 7250, 7350, 7450, 7550, 7180, 7280, 7380, 7480, 7580 | | | |
| HXE29868 | Paddles | Straight – Normal Conditions (10 used) | \$ 28.25 |
| HXE34827 | Paddles | Serrated – Gummy Conditions (5 used) | \$ 36.12 |
| HXE34828 | Paddles | Serrated – Gummy Conditions (5 used) | \$ 36.12 |
| Z67028 | Blower Band | Standard | \$ 104.57 |
| Z105384 | Blower Band | Dura Line™ | \$ 755.52 |
| 7700, 7800, 7750, 7850, 7950, 7780, 7980 | | | |
| HXE29814 | Paddles | Straight – Normal Conditions (10 used) | \$ 32.28 |
| HXE34825 | Paddles | Serrated – Gummy Conditions (5 used) | \$ 41.79 |
| HXE34826 | Paddles | Serrated – Gummy Conditions (5 used) | \$ 41.79 |
| Z73473 | Blower Band | Standard | \$ 216.13 |
| Z105386 | Blower Band | Dura Line™ | \$1,080.96 |



Transition Chute Parts – 7000 Series


| NUMBER | TYPE | DESCRIPTION | LIST |
|-------------------------------------------------------------------------------------|-------------------|----------------------|------------|
| 7200, 7300, 7400, 7500, 7250, 7350, 7450, 7550, 7180, 7280, 7380, 7480, 7580 | | | |
| AZ104287 | Transition Chute | Chute | \$1,929.82 |
| AZ104286 | Transition Liners | Wear Plate Kit | \$ 458.61 |
| 7700, 7800, 7750, 7850, 7950, 7780, 7980 | | | |
| AXE25702 | Transition Chute | Chute | \$2,368.64 |
| AZ104208 | Transition Liners | Front Wear Plate Kit | \$ 402.78 |
| AZ104209 | Transition Liners | Rear Wear Plate Kit | \$ 364.06 |



Wear Liner Bottom



Middle Flap



End Flap

Spout Parts – 7000 Series

| NUMBER | TYPE | DESCRIPTION | LIST |
|--------------------------------|----------------|----------------------------------------|------------|
| 7000, 7050, 7080 Series | | | |
| AZ104282 | High-Arc Spout | Spout without Wear Liners | \$4,200.22 |
| AZ104285 | High-Arc Spout | Spout Extension – Standard | \$ 238.69 |
| BZ100238 | High-Arc Spout | Spout Extension – 8-Row | \$ 896.50 |
| BZ100239 | High-Arc Spout | Spout Extension – 10-Row | \$1,736.90 |
| AZ103510 | High-Arc Spout | Wear Liner – Bottom (848 MM) | \$ 175.49 |
| AZ102629 | High-Arc Spout | Wear Liner – Bottom (Dura Line™) | \$ 510.48 |
| AZ103381 | High-Arc Spout | Wear Liner – Middle (1,800 MM) | \$ 172.21 |
| AZ103382 | High-Arc Spout | Wear Liner – Middle (1,800 MM) w/NIR | \$ 263.13 |
| AZ101740 | High-Arc Spout | Wear Liner – Middle (2,000 MM) w/NIR | \$ 238.64 |
| AZ54609 | High-Arc Spout | Wear Liner – Top | \$ 114.51 |
| AZ101238 | Low-Arc Spout | Spout – Bottom | \$4,369.90 |
| AZ101239 | Low-Arc Spout | Spout – Middle | \$1,837.77 |
| AZ101240 | Low-Arc Spout | Spout – Top | \$ 918.17 |
| Z68680 | Flaps | Wear Liner – Bottom | \$ 136.99 |
| Z105385 | Flaps | Wear Liner – Bottom (Dura Line™) | \$ 814.34 |
| Z105390 | Flaps | Wear Liner – Bottom (Dura Line™) w/NIR | \$ 814.34 |
| AZ54380 | Flaps | Middle Flap | \$ 90.88 |
| AZ100715 | Flaps | Middle Flap (Dura Line™) | \$ 586.99 |
| AZ53234 | Flaps | End Flap | \$ 90.22 |
| AZ100714 | Flaps | End Flap (Dura Line™) | \$ 562.87 |

8000 Series SPFH Parts and Attachments

Feeding Parts – 8000/9000 Series

On both front feed rolls (upper and lower) each wear bar is reversible (straight or serrated edge) so you can adjust the aggressiveness of crop feeding.


| NUMBER | TYPE | DESCRIPTION | LIST |
|-------------------------------------------------|--------------------------------|---------------------|------------|
| 8100, 8200, 8300, 8400, 8500 | | | |
| AXE49885 | Upper Front Feed Roll | Feed Roll | \$3,722.64 |
| HXE93580 | Upper Front Feed Roll | Steel Wear Strip | \$ 132.04 |
| HXE87701 | Upper Front Feed Roll | Plastic Strip | \$ 30.47 |
| HXE100098 | Lower Front Feed Roll | Steel Wear Strip | \$ 132.04 |
| AXE66457 | Upper Front Feed Roll | Feed Roll (-516999) | \$ 718.31 |
| AXE66457 | Upper Front Feed Roll | Feed Roll (517000-) | \$ 718.31 |
| AXE14074 | Lower Front Feed Roll | Feed Roll | \$ 705.84 |
| 8600, 8700, 8800, 9600, 9700, 9800, 9900 | | | |
| AXE49638 | Upper Front Feed Roll | Feed Roll | \$3,673.27 |
| HXE93575 | Upper Front Feed Roll | Steel Wear Strip | \$ 127.01 |
| HXE87459 | Upper Front Feed Roll | Plastic Strip | \$ 62.85 |
| HXE100097 | Lower Rear Feed Roll | Steel Wear Strip | \$ 117.31 |
| AXE66456 | Upper Front Feed Roll | Feed Roll (-516999) | \$ 885.09 |
| AXE66456 | Upper Front Feed Roll | Feed Roll (517000-) | \$ 885.09 |
| AXE14946 | Lower Rear Feed Roll | Feed Roll | \$ 812.36 |
| 8000, 9000 Series | | | |
| HXE87510 | Feed Roll Wear Strips Hardware | Upper Strip Screw | \$ 2.59 |
| Z74127 | Feed Roll Wear Strips Hardware | Lower Strip Screw | \$ 1.76 |
| Z74128 | Feed Roll Wear Strips Hardware | Nut | \$ 2.17 |



Cutting Parts – 8000/9000 Series

| NUMBER | TYPE | DESCRIPTION | LIST |
|-------------------------------------------------|------------------------------|--------------------------|------------|
| 8100, 8200, 8300, 8400, 8500 | | | |
| HXE53570 | Knives and Mounting Parts | Corn Knife | \$ 30.64 |
| HXE53568 | Knives and Mounting Parts | Grass Knife | \$ 28.06 |
| HXE143972 | Knives and Mounting Parts | Knife Bolt | \$ 4.14 |
| HXE120441 | Knives and Mounting Parts | Cover Plate | \$ 23.37 |
| HXE121397 | Knives and Mounting Parts | Thread Bar | \$ 10.10 |
| HXE53563 | Knives and Mounting Parts | Knife Bracket | \$ 95.11 |
| HXE142406 | Shearbars / Stationary Knife | Corn | \$ 742.66 |
| HXE142407 | Shearbars / Stationary Knife | Grass | \$ 864.31 |
| HXE172985 | Shearbars / Stationary Knife | All Crop, Dura Line Plus | \$2,483.73 |
| 8600, 8700, 8800, 9600, 9700, 9800, 9900 | | | |
| HXE52950 | Knives and Mounting Parts | Corn Knife | \$ 34.34 |
| HXE52933 | Knives and Mounting Parts | Grass Knife | \$ 31.19 |
| HXE143972 | Knives and Mounting Parts | Knife Bolt | \$ 4.14 |
| HXE119923 | Knives and Mounting Parts | Cover Plate | \$ 16.30 |
| HXE121393 | Knives and Mounting Parts | Thread Bar | \$ 35.36 |
| HXE52928 | Knives and Mounting Parts | Knife Bracket | \$ 119.13 |
| HXE142408 | Shearbars / Stationary Knife | Corn Knife | \$ 712.57 |
| HXE142409 | Shearbars / Stationary Knife | Grass Knife | \$ 712.56 |
| HXE169399 | Shearbars / Stationary Knife | All Crop, Dura Line Plus | \$3,216.58 |
| 8000, 9000 Series | | | |
| AXE17437 | Sharpening Stone | Stone | \$ 117.48 |





Blower Band

Blower Parts – 8000/9000 Series

| NUMBER | DESCRIPTION | LIST |
|-------------------------------------------|----------------------------------------|------------|
| 8100, 8200, 8300, 8400, 8500, 8600 | | |
| Paddles: | | |
| HXE37067 | Straight – Normal Conditions (10 used) | \$ 34.33 |
| HXE34827 | Serrated – Gummy Conditions (5 used) | \$ 36.12 |
| HXE34828 | Serrated – Gummy Conditions (5 used) | \$ 36.12 |
| Blower Band: | | |
| AXE41235 | Standard | \$ 532.09 |
| AXE42112 | Dura Line™ | \$2,131.96 |
| 8600, 8700, 8800 | | |
| Paddles: | | |
| HXE29814 | Straight – Normal Conditions (10 used) | \$ 32.28 |
| HXE34825 | Serrated – Gummy Conditions (5 used) | \$ 41.79 |
| HXE34826 | Serrated – Gummy Conditions (5 used) | \$ 41.79 |
| Blower Band: | | |
| AXE35811 | Standard | \$ 620.68 |
| AXE42114 | Dura Line™ | \$2,486.79 |



Wear Liner Bottom



Middle Flap



End Flap

Spout Parts – 8000/9000 Series

| NUMBER | DESCRIPTION | LIST |
|--------------------------|----------------------------------|------------|
| 8000, 9000 Series | | |
| High-Arc Spout: | | |
| BXE11033 | Spout Extension – 10-Row | \$4,349.40 |
| BXE11098 | Spout Extension – 12-Row | \$5,656.63 |
| HXE144911 | Wear Liner – Bottom | \$ 312.09 |
| HXE144912 | Wear Liner – Bottom (Dura Line™) | \$1,127.45 |
| AXE25517 | Wear Liner – Middle | \$ 150.78 |
| HXE39391 | Wear Liner – Top | \$ 219.30 |
| Low-Arc Spout: | | |
| AXE75118 | Spout – Bottom | \$7,272.36 |
| AZ101239 | Spout – Middle | \$1,837.77 |
| AZ101240 | Spout – Top | \$ 918.17 |
| AXE48208 | Wear Liner – Bottom | \$ 409.42 |
| AXE49258 | Wear Liner – Bottom (Dura Line™) | \$1,177.13 |
| AXE45366 | Wear Liner – Top | \$ 322.49 |
| Middle Spout: | | |
| AXE28058 | Wear Liner | \$ 126.31 |
| AXE29779 | Wear Liner (Dura Line™) | \$ 128.70 |
| Flaps: | | |
| AXE52630 | Middle Flap | \$ 268.69 |
| AXE55603 | Middle Flap (Dura Line™) | \$1,074.75 |
| AXE68374 | End Flap | \$ 453.43 |
| AXE68375 | End Flap (Dura Line™) | \$1,813.73 |

Corn Head Parts

Gathering Chains

Features of Genuine John Deere Chains:

- The face of each flight is extended down to create a lip between sidebars—this prevents debris from collecting at the roller and reduces wear on the chain and sprockets
- The flight face slants at a 15-degree angle away from roller chains to create a self-cleaning effect as the flight moves ears towards the auger
- Chains are coated with a rust-preventative chain lubricant



| NUMBER | DESCRIPTION | TYPE | LIST |
|---------------------------------------|----------------------------|--------------|---------|
| 40 and 90 Series | | | |
| AN102009 | Black Pin Gathering Chain | John Deere | \$55.07 |
| A-AN102009 | Black Pin Gathering Chain | A&I Products | \$42.36 |
| 600 Series (MY08–11) (-745100) | | | |
| AH208978 | Chrome Pin Gathering Chain | John Deere | \$81.87 |
| A-AH208978 | Chrome Pin Gathering Chain | A&I Products | \$76.56 |
| 600 Series (MY12–17) (745100-) | | | |
| AXE61091 | Chrome Pin Gathering Chain | John Deere | \$96.33 |
| A-AXE61091 | Chrome Pin Gathering Chain | A&I Products | \$85.94 |

Gathering Chain Sprockets

Gathering chain sprockets need to be inspected and replaced as needed. It is a good practice to replace the sprockets when replacing the gathering chains. Corn heads have an upper drive sprocket and lower idler sprocket.



| NUMBER | DESCRIPTION | TYPE | LIST |
|---------------------------------------|--------------------------------|--------------|---------|
| 40 Series | | | |
| H85252 | Upper Drive Sprocket | John Deere | \$21.84 |
| A-H85252 | Upper Drive Sprocket | A&I Products | \$15.71 |
| AN102448 | Lower Idler Sprocket (-466449) | John Deere | \$17.31 |
| AH101219 | Lower Idler Sprocket (466450-) | John Deere | \$18.30 |
| A-AH101219 | Lower Idler Sprocket (466450-) | A&I Products | \$16.58 |
| 90 Series | | | |
| H85252 | Upper Drive Sprocket | John Deere | \$21.84 |
| A-H85252 | Upper Drive Sprocket | A&I Products | \$15.71 |
| AH101219 | Lower Idler Sprocket | John Deere | \$18.30 |
| A-AH101219 | Lower Idler Sprocket | A&I Products | \$16.58 |
| 600 Series (MY08–11) (-745100) | | | |
| H233287 | Upper Drive Sprocket | John Deere | \$48.73 |
| A-H233287 | Upper Drive Sprocket | A&I Products | \$35.03 |
| AH231386 | Lower Idler Sprocket | John Deere | \$48.43 |
| A-AH231386 | Lower Idler Sprocket | A&I Products | \$35.54 |
| 600 Series (MY12–17) (745100-) | | | |
| AXE36872 | Upper Drive Sprocket | John Deere | \$54.79 |
| A-AXE36872 | Upper Drive Sprocket | A&I Products | \$43.63 |
| AXE63766 | Lower Idler Sprocket | John Deere | \$44.57 |
| A-AXE18770 | Lower Idler Sprocket | A&I Products | \$29.88 |

RETOOL WITH ROWMAX

STALK DEFLECTOR



CHAIN KIT



STALK ROLLS (2)



Why trade when you can upgrade with RowMax. Our performance upgrade extends the life of the row unit on your John Deere 600C/FC or 700C/FC cornhead (MY12 or newer). Along with an **advanced gathering chain** that features 12 additional links, two more sprocket teeth and upgraded alloy bushings, RowMax now has an **all-new stalk deflector** manufactured with ¼ in. abrasion-resistant steel. Plus, you get your choice of stalk rolls: straight fluted, opposed knife, intermeshing knife or **chopping stalk roll**.

JohnDeere.com/CombineParts

| NUMBER | DESCRIPTION | LIST |
|-----------|----------------------------|----------|
| BXE11362 | Stalk Deflector | \$529.10 |
| KXE10487 | RowMax Kit | \$491.90 |
| HXE110671 | LH Opposed Stalk Roll | \$518.99 |
| HXE110672 | RH Opposed Stalk Roll | \$518.99 |
| HXE110675 | LH Intermeshing Stalk Roll | \$531.15 |
| HXE110676 | RH Intermeshing Stalk Roll | \$531.15 |
| HXE141569 | LH Chopping Stalk Roll | \$751.54 |
| HXE141570 | RH Chopping Stalk Roll | \$736.81 |

Also order KXE10528 metal guide kit to complete installation for RowMax Kit KXE10487.
For installing Stalk Deflector on 600/700 series heads, also order 4 HXE156717 stud bolts per row.


GIVE YOURSELF A CUTTING EDGE

John Deere's innovative lineup of stalk rolls is now better than ever with the new **CHOPPING STALK ROLLS**. Featuring 10 intermeshing knives, these rolls size most residue 6 inches or less. Plus, they explode the top of the stalk for reduced tire and track wear and drop residue right on top of the row for improved planter performance in no-till or strip-till operations.

Along with the chopping stalk roll, John Deere offers other uniquely engineered solutions to meet the residue processing needs of your **600/700 SERIES CORN HEAD**.

- 1 STRAIGHT FLUTED STALK ROLLS**
for slow residue breakdown
- 2 OPPOSED KNIFE ROLLS**
for moderate stalk processing
- 3 INTERMESHING KNIFE ROLLS**
for aggressive stalk processing
- 4 CHOPPING STALK ROLLS**
for highly aggressive stalk processing

Visit us to learn more about Stalk Roll Solutions.



Chopping Stalk Roll Blossom



Stalk Rolls

| NUMBER | DESCRIPTION | TYPE | LIST |
|---------------------------------------------------------------------|-------------------------------|------------|------------|
| 40 and 90 Series | | | |
| H104091 | LH Tapered Stalk Roll | John Deere | \$ 150.85 |
| H104090 | RH Tapered Stalk Roll | John Deere | \$ 150.85 |
| H150139 | LH Straight Fluted Stalk Roll | John Deere | \$ 150.85 |
| H150138 | RH Straight Fluted Stalk Roll | John Deere | \$ 150.85 |
| AH227072 | Knife Stalk Roll Kit | John Deere | \$1,059.49 |
| 600 Series – 606 (-740311), 608 (740473), 612 (-740749) | | | |
| HXE11082 | LH Straight Fluted Stalk Roll | John Deere | \$ 459.19 |
| HXE11081 | RH Straight Fluted Stalk Roll | John Deere | \$ 459.19 |
| HXE11079 | LH Opposed Knife Roll | John Deere | \$ 504.00 |
| HXE11080 | RH Opposed Knife Roll | John Deere | \$ 504.00 |
| 600/700 Series – 606 (740312-), 608 (740474-), 612 (740750-) | | | |
| HXE41144 | LH Straight Fluted Stalk Roll | John Deere | \$ 495.76 |
| HXE41143 | RH Straight Fluted Stalk Roll | John Deere | \$ 495.76 |
| HXE110671 | LH Opposed Stalk Roll | John Deere | \$ 518.99 |
| HXE110672 | RH Opposed Stalk Roll | John Deere | \$ 518.99 |
| HXE110675 | LH Intermeshing Stalk Roll | John Deere | \$ 531.15 |
| HXE110676 | RH Intermeshing Stalk Roll | John Deere | \$ 531.15 |
| HXE141569 | LH Chopping Stalk Roll | John Deere | \$ 751.54 |
| HXE141570 | RH Chopping Stalk Roll | John Deere | \$ 736.81 |



How To Select The Right Concave

With the correct concave configuration, you can enhance combine performance in a wide variety of crops and conditions. Use the concave guidelines below to determine how you can increase the threshing capacity of your **John Deere STS or S Series combine**. For specialty and seed crops, always use the best-rated concave configuration.


| CROP TYPE | CORN | SOYBEANS | SMALL GRAINS (WHEAT, BARLEY) | RICE |
|------------|---------------------|-----------------------|---------------------------------|-----------------|
| SMALL WIRE | NOT RECOMMENDED | NOT RECOMMENDED | BEST ^(4,5) | NOT RECOMMENDED |
| LARGE WIRE | GOOD ⁽¹⁾ | GOOD | GOOD ⁽⁴⁾ | BEST |
| ROUND BAR | BEST | BEST ^(2,6) | AVERAGE ⁽³⁾ | NOT RECOMMENDED |

| CROP TYPE | POPCORN, FOOD CORN | MILO/SORGHUM, SUNFLOWERS (CONFECTION) | SUNFLOWERS (OIL) | CANOLA |
|------------|--------------------|------------------------------------------|------------------------|-------------------|
| SMALL WIRE | NOT RECOMMENDED | NOT RECOMMENDED | NOT RECOMMENDED | BEST ⁴ |
| LARGE WIRE | NOT RECOMMENDED | BEST | BEST | NOT RECOMMENDED |
| ROUND BAR | BEST | AVERAGE ⁽²⁾ | AVERAGE ⁽²⁾ | AVERAGE |

1. Large-wire concaves are not recommended for corn with moisture above 25 percent. Matting of green, leafy material significantly reduces separating capacity.
2. Optional threshing inserts are available to improve threshing ability in tough threshing varieties or conditions.
3. Optional concave threshing inserts are required in the first concave to improve threshing ability. Tough threshing conditions may require additional threshing inserts in the second and third concave sections.
4. Optional concave cover plates are available to improve threshing ability and sample cleanliness (white caps, snapped heads, unthreshed pods). Recommended for tough, damp, hard-to-thresh conditions only. Removal of every other wire is recommended for best grain quality results.
5. Optional Kondex® MaxThresh™ Concave in the first section to improve threshing.
6. Optional Kondex® MaxRound™ Concave in the first section to improve threshing.

See following two pages for parts numbers and pricing.

THRESHING INSERTS



KONDEX® MAXTHRESH™ CONCAVE



KONDEX® MAXROUND™ CONCAVE



STS- and S-Series Concaves

- Small-wire concaves are standard on small-grain combines and are recommended for use in wheat, barley, and other cereal crops. Additionally, they are recommended for use in specialty crops such as grass seed.
- Large-wire concaves are standard on rice combines and available as an option on corn and small-grain combines. They are recommended for rice, sorghum, soybeans, and corn.
- Round bar concaves are standard equipment on corn combines and are recommended for use in corn and soybeans. Additionally, they are recommended for use in specialty crops such as edible beans and food corn.

Concaves listed below come in sets of three.

| NUMBER | DESCRIPTION | TYPE | LIST |
|------------------------------------------------------------------------------------------------------------|---------------|--------------|------------|
| Small-Wire Concaves (9560, 9570, S550): | | | |
| A-V18054 | Standard Wear | A&I Products | \$2,308.39 |
| Small-Wire Concaves (9650, 9750, 9660, 9760, 9860, 9670, 9770, 9870, S650, S660, S670, S680, S690): | | | |
| BXE10388 | Standard Wear | John Deere | \$3,256.00 |
| A-V18026 | Standard Wear | A&I Products | \$2,285.80 |
| BXE10389 | High Wear | John Deere | \$3,907.20 |
| Large-Wire Concaves (9650, 9750, 9660, 9760, 9860, 9670, 9770, 9870, S650, S660, S670, S680, S690): | | | |
| BXE10390 | Standard Wear | John Deere | \$3,137.20 |
| BXE10391 | High Wear | John Deere | \$3,771.90 |
| Round Bar Concaves (9560, 9570, S550): | | | |
| BH84291 | Standard Wear | John Deere | \$2,504.70 |
| Round Bar Concaves (9650, 9750, 9660, 9760, 9860, 9670, 9770, 9870, S650, S660, S670, S680, S690): | | | |
| BXE10387 | High Wear | John Deere | \$2,604.80 |



A&I Products Half-Width Concaves

- Light weight for easy installation during crop change over
- Available in Large Wire, Small Wire, and Round Bar for wide range of crops
- Allows for a customer concave configuration for tough threshing crops
- Available for 50/60/70 STS Series and S600/S700 Series Combines (not compatible with narrow body machines)
- For front use, must order front lip kit, part A-STSFLL
- If install in 50 Series, A-AH210894 (Set of 3) latch kit is required
- 6 required if installing in all concave sections

| NUMBER | DESCRIPTION | LIST |
|---------------|-------------|----------|
| A-AH205260-HW | Large Wire | \$399.56 |
| A-AXE28958-HW | Small Wire | \$414.36 |
| A-AXE28957-HW | Round Bar | \$418.22 |
| A-STSFLL | Front Lip | \$ 84.40 |
| A-AH210894 | Latch Kit | \$ 37.79 |



Kondex® Revolution™ Half-Width Concaves


These concaves give more versatility to match varying crop conditions. Plus they're lighter and easier to change and install. Available for S-Series and STS Combines.*

| NUMBER | DESCRIPTION | LIST |
|----------|--------------------------------|------------|
| BXE11144 | MaxThresh™ Kit | \$2,110.90 |
| BXE11145 | MaxRound™ Kit | \$2,110.90 |
| AXE76998 | Plate, Concave Front Lip | \$ 235.71 |
| AXE76999 | Concave, Half Width, MaxThresh | \$ 902.89 |
| AXE77000 | Concave, Half Width, MaxRound | \$ 865.26 |

*Not available for 9560 STS, 9570, or S550 Combines.



MaxRound Shown



STS- and S-Series Concave Inserts

Concave inserts provide the additional threshing action required for harvesting small grains with the round bar concaves. Concave inserts are easy to install and remove as you switch between crops.

| NUMBER | DESCRIPTION | TYPE | LIST |
|--------------------------------------------------------------------------------------------------------|-------------|------------|------------|
| Concave Inserts (9560, 9570, S550): | | | |
| BH84294 | Set of 2 | John Deere | \$ 905.30 |
| Concave Inserts (9650, 9750, 9660, 9760, 9860, 9670, 9770, 9870, S650, S660, S670, S680, S690): | | | |
| BH84308 | Set of 2 | John Deere | \$1,096.70 |



Concave Cover Plates

The sectionalized concave covers help to provide additional threshing in the concave area when harvesting hard-to-thresh-type cereal crops. They can also help to reduce white caps and increase grain tank cleanliness.

| NUMBER | DESCRIPTION | LIST |
|---------|----------------------------------|----------|
| BH84534 | Small Wire and Large Wire Covers | \$662.20 |
| BH84535 | Round Bar Covers | \$124.30 |



Separator Grate Covers

Separator grate covers are used to reduce chaff load and alter distribution of material to cleaning shoe. Up to 20 covers may be used. Covers are recommended in small grains but should not be used during corn harvest. Part numbers BXE10645 (Standard Grate) or BXE10646 (HD Grate).

| NUMBER | DESCRIPTION | LIST |
|----------|-----------------------|----------|
| BXE10645 | Covers (Set of 4) | \$152.90 |
| BXE10646 | HD Covers (Set of 20) | \$152.90 |



Heavy Duty Separator Grates with Interrupters

The HD separator grate is a welded separator grate while the standard separator grates are single-piece casted steel. HD separator grates are stiffer and more robust than the standard separator grates for increased performance in tough threshing crops like tough straw and green stemmed beans.

| NUMBER | DESCRIPTION | LIST |
|----------|-------------|------------|
| AXE44522 | HD Grate | \$2,160.82 |

Foot Rests – Retrofit Kit

Kick up your feet and drive it like a boss with easy to install foot rests. Kit BRE10471 adds two forward facing risers and foot rests to the cab(no drilling or welding required). These custom cast iron risers are designed for this cab series, and bolts into existing locations used to mount the steering column to the cab frame. Kit BRE10458 fits 7R, and 8R/8RT/8RX with the updated new cab and contains 3 foot rests. These foot rests are helpful when operating on steep downhill grades, sidehills, or watching towed implements. Complete kits include all parts and hardware.

NEW



| NUMBER | DESCRIPTION | LIST | NOW |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------|
| BRE10471 | MY11–MY20 7R Tractors (excluding new 2020 cab design), MY09–MY20 8R/8RT Tractors (excluding new 2020 cab design), and 2012–Current 9R/9RT/9RX Tractors. | \$346.50 | \$311.85 |
| BRE10458 | MY20 and newer 7R, and 8R/8RT/8RX (With updated cab) | \$108.90 | |

ExactRate™ Tractor Tank Kit for 8RX Tractors

Now available industry exclusive 1000-gallon fertilizer tanks for field install on MY20—Current 8RX tractors. Cab entry and egress are unchanged and minimal visibility is lost around the tractor with fully integrated tank components. The complete system includes tanks, lighting, integrated transfer pump, rinse and agitation, fittings and hoses. Installation requirements include 18-in. or 24-in. track belts, track spacing set at 120-in., MY20 and MY21 require a rear axle spacer kit. A front fill connection kit is also available to provide convenient access to fill the ExactRate™ tanks.



| NUMBER | DESCRIPTION |
|----------|-------------------------------------------|
| BRE10587 | ExactRate Tank Kit |
| RE598041 | 120" Axle Spacer, Left Rear |
| RE598042 | 120" Axle Spacer, Right Rear |
| B2762R | O-Ring, Axle housing (qty 6 needed) |
| R562852 | Sealing Ring, Axle housing (qty 6 needed) |
| RE598278 | Harness, Adapter |
| BRE10510 | Front Fill Connection Kit |

[See us for pricing.](#)

Auxiliary Power Adapters for MY20 7R and 8R/8RT/8RX (with new cab)

Two new solutions are available to provide an octagon style power outlet for connecting displays, monitors, and other electronic devices. The first is a 3-pin octagonal power adapter that connects to the 3-pin round convenience outlet. The second option will retrofit a power strip with 6 octagon style outlets same as what was available in 7- and 8-Series tractors prior to the new cab design.

| NUMBER | DESCRIPTION | LIST | NOW |
|------------------------------------------|---------------------------------------------------------------------------------------|---------|----------------|
| Adapter for 1 Octagon Outlet Plug | | | |
| RE596959 | 3-pin Octagonal to 3-pin Round Convenience Outlet (flat pins) Single Device Adaptor | \$31.84 | \$28.66 |
| 6-way Power Strip and Mount | | | |
| RE596958 | 6-outlet Octagonal Powerstrip with Pre-installed Round Convenience Outlet (flat pins) | \$54.52 | \$49.07 |
| BRE10575 | Mounting Rail, C-pillar 1750 cab | \$93.50 | |



RE596959



John Deere 30–60 Series Row Crop Tractor Parts

If you own a classic John Deere Sound-Gard® body tractor, we have the best selection of parts to keep your workhorse running its best. If you're looking for value at a lower replacement cost, ask about our extensive offering of A&I Products. If you want the genuine John Deere quality, but at a savings, look to John Deere Reman. John Deere Reman parts are not rebuilt or reconditioned—they are inspected, tested, and remanufactured to the original performance criteria. If you won't settle for anything but the best, go with John Deere OEM replacement parts. No other parts can surpass the fit, performance, and longevity of the original equipment replacement parts.



| NUMBER | DESCRIPTION | TYPE | LIST | NOW |
|----------------------|---------------------------------------------------------------------|------------------|------------|-------------------|
| Water Pumps | | | | |
| SE500916 | 40 Series Row Crop, 4455, 8430, and 8440 | John Deere Reman | \$ 395.00 | \$ 371.30 |
| A-RE20022 | 40 Series Row Crop, 8430, and 8440 | A&I Products | \$ 254.35 | |
| SE500912 | 4050–4850, 4055–4955, and 4560–4960 | John Deere Reman | \$ 422.52 | \$ 397.17 |
| A-RE55985 | 4050–4850, 4055–4955, and 4560–4960 | A&I Products | \$ 271.40 | |
| Radiators | | | | |
| RE46314 | Radiator | John Deere | \$1,166.43 | \$1,096.44 |
| A-RE46314 | Radiator | A&I Products | \$ 950.39 | |
| RE21897 | 4440 | John Deere | \$ 867.69 | \$ 815.63 |
| A-RE21897 | 4440 | A&I Products | \$ 710.36 | |
| TurboChargers | | | | |
| SE500254 | 4320, 4430, 4520, 4620, 7020 Tractors | John Deere Reman | \$1,166.37 | |
| A-AR70987 | 4320, 4520, 4620, 4430 ESN <512305, 7020 | A&I Products | \$ 577.47 | |
| SE500260 | 4250, 4450, 4650, 4850 | John Deere Reman | \$1,225.15 | |
| SE500256 | 4440, 4640, 4840, 8430 Tractors | John Deere Reman | \$1,225.13 | \$1,151.62 |
| A-RE19778 | 4440, 4640, 4840, 8430 | A&I Products | \$ 491.36 | |
| SE500263 | 4555, 4755, 4560, 4760 | John Deere Reman | \$1,225.12 | \$1,151.61 |
| SE500259 | 4955, 4960 | John Deere Reman | \$1,225.13 | \$1,151.62 |
| A-RE29308 | 4955, 4960 | A&I Products | \$ 665.93 | |
| Mufflers | | | | |
| RE52086 | 4555–4955 and 4560–4960 | John Deere | \$ 565.43 | \$ 531.50 |
| A-RE52086 | 4555–4955 and 4560–4960 | A&I Products | \$ 434.60 | |
| RE20224 | 4630, 4440, 4640, 4050, 4250, and 4450 | John Deere | \$ 192.97 | \$ 181.39 |
| A-RE20224 | 4630, 4440, 4640, 4050, 4250, and 4450 | A&I Products | \$ 169.92 | |
| Alternators | | | | |
| SE501363 | 4040–4840, 4050–4850, 8430, 8630, 8440, 8640 Tractors | John Deere Reman | \$ 305.57 | \$ 287.24 |
| A-TY26050 | 4040–4840 w/ cab, 4050–4650 w/ cab, 8430, 8630, 8440, 8640 Tractors | A&I Products | \$ 186.35 | |
| SE501371 | 4055–4455, 4555–4955, 4560–4960, 8560–8960, 8570–8970 Tractors | John Deere Reman | \$ 325.88 | \$ 306.33 |
| A-TY6684 | 4055–4455, 4555–4955, 4560–4960, 8560–8960, 8570–8970 Tractors | A&I Products | \$ 213.88 | |

Note: For parts that have a core charge, the price shown is the exchange price after core has been returned.

New SCV Coupler Conversion Kit 20, 30, and 40 Series Tractors

Convert traditional JD couplers to ISO couplers that connect or disconnect under pressure. This conversion kit can be installed without removing the SCV housing and eliminates the need to use the locking levers. Includes color coded dust caps and plugs to keep contamination out of the couplers when not in use.

| NUMBER | DESCRIPTION | LIST | NOW |
|-----------|--------------------------------|----------|-----------------|
| SW315-196 | 20, 30, and 40 Series Tractors | \$321.84 | \$302.53 |





Sound-Gard Body Upholstery Kits

Enhance the appearance of your tractor cab with new cab upholstery. Beltline, post, and headliner kits are available for row-crop, 4WD, and utility tractors with Sound-Gard body's. Made of pre-cut brown or black original equipment upholstery/insulation for precise fit. Insulation is two inches thick in key areas for greater sound deadening capacity. Compare the cost to replace cab upholstery in your tractor using all John Deere parts or a lower cost aftermarket alternative available from A&I Products.

| John Deere 55 and 60 Series Tractor Cab Upholstery | | | |
|----------------------------------------------------|---------------------|------------|-----------------|
| NUMBER | DESCRIPTION | LIST | NOW |
| RE155148 | Upholstery Kit | \$ 460.51 | \$432.88 |
| RE155149 | Post Upholstery Kit | \$ 118.66 | \$111.54 |
| RE37757 | Headliner (front) | \$ 158.40 | \$148.90 |
| RE37820 | Headliner (rear) | \$ 433.25 | |
| TOTAL Cost | | \$1,170.82 | |

| John Deere 40 Series Tractor Cab Upholstery (Black SN 185707-) | | | |
|----------------------------------------------------------------|------------------------------------|------------|-----------------|
| NUMBER | DESCRIPTION | LIST | NOW |
| RE57259 | Beltline Acoustical Upholstery Kit | \$ 356.81 | \$335.40 |
| RE223619 | Headliner Kit | \$ 615.40 | |
| RE48532 | Post Upholstery Kit | \$ 136.15 | \$127.98 |
| RE232146 | Cowl Cover – Brown | \$ 245.96 | \$231.20 |
| TOTAL Cost | | \$1,354.32 | |

| A&I Products 55 and 60 Series Tractor Cab Upholstery | | |
|------------------------------------------------------|---------------------|----------|
| NUMBER | DESCRIPTION | LIST |
| A-CKT350 | Upholstery Kit | \$160.32 |
| A-CPK420 | Post Upholstery Kit | \$ 87.83 |
| A-CHL240 | Headliner Kit | \$263.55 |
| TOTAL Cost | | \$511.70 |

| A&I Products 40 Series Tractor Cab Upholstery (Black SN 185707-) | | |
|------------------------------------------------------------------|------------------------------------|----------|
| NUMBER | DESCRIPTION | LIST |
| A-CKT305L | Beltline Acoustical Upholstery Kit | \$186.51 |
| A-CHL215 | Headliner Kit | \$262.90 |
| A-CPK400 | Post Upholstery Kit | \$ 94.36 |
| A-CWL500 | Cowl Cover – Brown | \$180.86 |
| TOTAL Cost | | \$724.63 |

John Deere 30–60 Series Tractor Cab Glass

John Deere has a wide selection of tractor cab glass to for your John Deere tractor. Replace broken glass, or cracked and scratched windows to improve the view from your tractor cab. Choose from a selection of OEM cab glass or lower cost options available from A&I Products.

| NUMBER | DESCRIPTION | TYPE | LIST | NOW |
|-----------|---------------------------------------------------------------------------------------------------------------------|--------------|----------|-----------------|
| R50756 | Glass, Door, Lower (LH) – 30, 40, 50 Series Tractors | John Deere | \$122.45 | \$115.10 |
| A-R50756 | Glass, Door, Lower (LH) – 30, 40, 50 Series Tractors | A&I Products | \$ 88.65 | |
| A-R50755 | Glass, Door, Upper (LH) – 30, 40, 50 Series Tractors | John Deere | \$ 93.03 | |
| A-R50754 | Glass, Lower (RH) – 30, 40, 50 Series Tractors | A&I Products | \$ 81.29 | |
| R50757 | Glass, Side (RH/LH) – 30–60 Series Tractors | John Deere | \$ 82.13 | \$ 77.20 |
| A-R50757 | Glass, Side (RH/LH) – 30–60 Series Tractors | A&I Products | \$ 59.47 | |
| AR87997 | Glass, Rear-Sliding – 30–60 Series Tractors Utility Tractors, 30, 40, 50, 55, and 60 Series Row Crop Tractors | John Deere | \$202.66 | \$190.50 |
| A-AR87997 | Glass, Rear-Sliding – 30–60 Series Tractors Utility Tractors, 30, 40, 50, 55, and 60 Series Row Crop Tractors | A&I Products | \$146.71 | |
| R50758 | Glass, Rear, for Apps w/Latch 30–60 Series Tractors | John Deere | \$176.37 | \$165.79 |
| A-R50758 | Glass, Rear, for Apps w/Latch 30–60 Series Tractors | A&I Products | \$102.64 | |
| A-R50753 | Glass, Windshield, Upper (RH) 30–50 Series Tractors | A&I Products | \$ 96.14 | |





John Deere 6000 and 7000 Series Tractor Parts

John Deere dealers offer the right part, with the right fit, at the right price to repair your John Deere tractor. Choose from Genuine John Deere, John Deere Reman, or a lower cost aftermarket option from A&I Products.

| NUMBER | DESCRIPTION | TYPE | LIST | NOW |
|-----------------------|--------------------------------------------------------------------------------------|------------------|------------|--------------------|
| Water Pumps: | | | | |
| RE546906 | 6010, 6030, 6003, 6005, 6015, 6D, 6030 Premium, 7210–7510, 7220–7520, 7030 Premium | John Deere | \$ 379.39 | \$ 356.63 |
| SE501609 | 6010, 6030, 6003, 6005, 6015, 6D, 6030 Premium, 7210–7510, 7220–7520, 7030 Premium | John Deere Reman | \$ 232.00 | \$ 218.08 |
| A-RE505980 | 6010, 6030, 6003, 6005, 6015, 6D, 6030 Premium, 7210–7510, 7220–7520, 7030 Premium | A&I Products | \$ 132.03 | |
| Radiators: | | | | |
| AL115002 | 6000, 6010 | John Deere | \$ 684.39 | \$ 643.33 |
| A-AL115002 | 6000, 6010 | A&I Products | \$ 562.21 | |
| RE165030 | 7210–7510 | John Deere | \$ 720.71 | \$ 677.47 |
| A-RE165030 | 7210–7510 | A&I Products | \$ 588.97 | |
| Alternators: | | | | |
| AL166646 | 6110–6410, 6120–6420, 6215–6715, 6230–6430 Prem., 7220–7520, 7130–7430 Prem. (120 A) | John Deere | \$ 616.42 | \$ 579.43 |
| SE501827 | 6110–6410, 6120–6420, 6215–6715, 6230–6430 Prem., 7220–7520, 7130–7430 Prem. (120 A) | John Deere Reman | \$ 468.46 | \$ 440.35 |
| A-AL166646 | 6110–6410, 6120–6420, 6215–6715, 6230–6430 Prem., 7220–7520, 7130–7430 Prem. (120 A) | A&I Products | \$ 332.64 | |
| AL207585 | 6200–6400 (55 Amp) | John Deere | \$ 458.64 | \$ 431.12 |
| SE501346 | 6200–6400 (55 Amp) | John Deere Reman | \$ 290.36 | \$ 272.94 |
| A-AL81436 | 6200–6400 (55 Amp) | A&I Products | \$ 166.39 | |
| SE501347 | 6200–6400 (85 Amp) | John Deere Reman | \$ 297.63 | \$ 279.77 |
| A-AL81437 | 6200–6400 (85 Amp) | A&I Products | \$ 163.19 | |
| AL166645 | 6020, 6015, 6030, 7220–7520 (90 Amp) | John Deere | \$ 503.46 | \$ 473.25 |
| SE501829 | 6110–6410, 6020, 6605, 6015, 6030, 7220–7520 (90 Amp) | John Deere Reman | \$ 410.84 | \$ 386.19 |
| A-AL166645 | 6110–6410, 6020, 6605, 6015, 6030, 7220–7520 (90 Amp) | A&I Products | \$ 325.76 | |
| Starters: | | | | |
| RE527400 | 6230–6430, 6030 Premium, 6615–6715, 6M, 6R, 7130–7330, 7030 Premium | John Deere | \$ 520.63 | \$ 489.39 |
| SE501868 | 6230–6430, 6030 Premium, 6615–6715, 6M, 6R, 7130–7330, 7030 Premium | John Deere Reman | \$ 437.33 | \$ 411.09 |
| A-RE527400 | 6230–6430, 6030 Premium, 6615–6715, 6M, 6R, 7130–7330, 7030 Premium | A&I Products | \$ 339.29 | |
| Turbochargers: | | | | |
| RE506261 | 6110–6410 and 6120–6420 | John Deere | \$1,572.00 | \$ 1,477.68 |
| SE502472 | 6110–6410 and 6120–6420 | John Deere Reman | \$1,414.81 | \$ 1,329.92 |
| A-RE506261 | 6110–6410 and 6120–6420 | A&I Products | \$ 700.00 | |

Hydraulic Quick Couplers



Hydraulic quick disconnect couplers are available in both standard and deluxe versions. The standard couplers allow coupling and uncoupling of hydraulics with pressure from the implement side. The deluxe couplers allow for coupling and uncoupling of hydraulics with pressure from the tractor and/or implement side. Genuine John Deere parts and aftermarket alternatives from A&I Products. Our extensive selection of parts means you get the **right part** with the **right fit** all at the **right price**.

| NUMBER | DESCRIPTION | SERIES | TYPE | LIST | NOW |
|------------|---------------------------------|--------------------------------------------------------------------------------------------|--------------|----------|------------------|
| AL200979 | Hydraulic Quick Coupler, STD | 6030, 6030 Premium, 6M, 6R | John Deere | \$ 93.31 | \$ 87.71 |
| A-AL200979 | Hydraulic Quick Coupler, STD | 6030, 6030 Premium, 6M, 6R | A&I Products | \$ 64.13 | |
| AL221083 | Hydraulic Quick Coupler, Deluxe | 6200–6500, 6110–6410, 6110L–6510L, 6120–6420, 6130–6430, 6M and 6R IT4 Tractors, 7130–7530 | John Deere | \$106.69 | \$ 100.29 |
| A-AL221083 | Hydraulic Quick Coupler, Deluxe | 6200–6500, 6110–6410, 6110L–6510L, 6120–6420, 6130–6430, 6M and 6R IT4 Tractors, 7130–7530 | A&I Products | \$ 68.75 | |

REBUILD WITH REPOWER

If your 5-, 6-, 7-, 8-, 9-, or older row crop tractor Series needs a major repair, you can now fix it thanks to a limited-time offer from John Deere Financial. The **all-new Repower Program** provides No-Payment/No-Interest (NP/NI) or low-cost financing for new and Reman engines, transmissions, axles, and final drives—as well as repairs to front independent link suspension. But that's not all because you can also finance work to cab interior, hydraulics, engine accessories and exterior finishes. **Qualifying models include:**

- 5000–5025, 6000–6030, 7000–7030, 8000–8030, 9000–9030, and Older Row Crop Tractors.

Take advantage of this special financing opportunity through **October 31, 2022** when you use your Multi-Use Account. **Ask us about the Repower Program today.**

For more information on the John Deere Reman benefits and component exchange process go to this web link. <https://www.deere.com/en/parts-and-service/parts/remanufactured/>

Repower Program Finance Options

Minimum Purchase

365 Days NP/NI (12 Months)¹

\$10,000

Fixed 1.9% with 24 Equal Monthly Payments²

\$10,000

Fixed 2.9% with 36 Equal Monthly Payments³

\$10,000

¹Subject to John Deere Financial approval and John Deere dealer participation. Unless otherwise specified, programs are for purchases on agricultural and commercial Multi-Use Accounts only. Minimum finance amount is required. After Promotional Period, interest charges will begin to accrue at the Multi-Use Account Rate. Programs subject to change, without notice, at any time. Offer valid November 1, 2021–October 31, 2022.

²Offer valid on qualifying purchases made between November 1, 2021–October 31, 2022 and is subject to approved credit on a Multi-Use Account, a service of John Deere Financial, f.s.b. For agricultural and commercial use only. Fixed 1.9% APR with 24 equal monthly payments. Payments are required during and after the promotional period. After the promotional period, interest charges will begin to accrue at the regular Multi-Use Account rate. Minimum \$10,000 purchase required. Available at participating merchants, see your local merchant for complete details.

³Offer valid on qualifying purchases made between November 1, 2021–October 31, 2022 and is subject to approved credit on a Multi-Use Account, a service of John Deere Financial, f.s.b. For agricultural and commercial use only. Fixed 2.9% APR with 36 equal monthly payments. Payments are required during and after the promotional period. After the promotional period, interest charges will begin to accrue at the regular Multi-Use Account rate. Minimum \$10,000 purchase required. Available at participating merchants, see your local merchant for complete details.

Dealers: R-12 Discount applies, refer to program bulletin for complete details.



John Deere Reman is
Remanufactured, not
Rebuilt visit this web site
for more information.

[https://www.youtube.com/
watch?v=IY5Hd4ZciPI](https://www.youtube.com/watch?v=IY5Hd4ZciPI)

Extended Warranty for John Deere Reman Engines*

Optional extended warranty terms for John Deere Reman engines can be purchased. Coverage options are between 2-year/2,500 hours and 5-year/4,000 hours. To qualify for the program, the engine must be dealer installed and the customer must purchase the extended warranty contract within 90 days of engine installation. Contact your John Deere Dealership for complete details.

*Complete engines only.





John Deere 7000/8000/9000 Series Tractor Parts

Only your John Deere dealer can offer you the value of choice by providing three options to meet your parts needs: Genuine John Deere parts, John Deere Reman, and aftermarket alternatives from A&I Products. Our extensive selection of parts means you get the **right part** with the **right fit** all at the **right price**.

| NUMBER | DESCRIPTION | TYPE | LIST | NOW |
|---------------------|------------------------------------------------------------------|------------------|----------|-----------------|
| Water Pumps: | | | | |
| RE500214 | 7600, 7700, 7800, 8100–8400 (-009999) | John Deere | \$525.34 | \$493.82 |
| SE501012 | 7600, 7700, 7800, 8100–8400 (-009999) | John Deere Reman | \$365.00 | \$343.10 |
| A-RE500214 | 7600, 7700, 7800, 8100–8400 (-009999) | A&I Products | \$277.35 | |
| RE521502 | 7610–7810, 7720–7920, 8000 (010000-), 8010, 8020, 9000, and 9020 | John Deere | \$548.25 | \$515.36 |
| SE501596 | 7610–7810, 7720–7920, 8000 (010000-), 8010, 8020, 9000, and 9020 | John Deere Reman | \$414.33 | \$389.47 |
| A-RE521502 | 7610–7810, 7720–7920, 8000 (010000-), 8010, 8020, 9000, and 9020 | A&I Products | \$260.64 | |
| RE530194 | 8130–8530, 8225R–8370R, 9230, and 9370R | John Deere | \$381.43 | \$358.54 |
| SE501228 | 8130–8530, 8225R–8370R, 9230, and 9370R | John Deere Reman | \$281.96 | \$265.04 |
| A-RE530194 | 8130–8530, 8225R–8370R, 9230, and 9370R | A&I Products | \$233.69 | |
| Starters: | | | | |
| RE70957 | 7610–7810, 7630–7930, 8100–8400, 8110–8410, 8120–8520, 9120–9520 | John Deere | \$571.88 | \$537.57 |
| SE501403 | 7610–7810, 7630–7930, 8100–8400, 8110–8410, 8120–8520, 9120–9520 | John Deere Reman | \$434.63 | \$408.55 |
| A-RE70957 | 7610–7810, 7630–7930, 8100–8400, 8110–8410, 8120–8520, 9120–9520 | A&I Products | \$298.93 | |
| SE501420 | 7700, 7800, 8100–8300 | John Deere Reman | \$538.81 | \$506.48 |
| A-SE501420 | 7700, 7800, 8100–8300 | A&I Products | \$348.13 | |
| RE515843 | 8770, 8870, 9200–9400, 9220–9620, 9330–9630, 9R | John Deere | \$771.28 | \$725.00 |
| SE501862 | 8770, 8870, 9200–9400, 9220–9620, 9330–9630, 9R | John Deere Reman | \$574.37 | \$539.91 |
| A-RE515843 | 8770, 8870, 9200–9400, 9220–9620, 9330–9630, 9R | A&I Products | \$428.42 | |

Note: For parts that have a core charge, the price shown is the exchange price after the core has been returned.



Fan and Auxiliary Drive Belt Tensioners

Belt tensioners are designed to provide the correct amount of tension on the drive belt for proper engine cooling fan and auxiliary component operation. Belt Tensioners need to be inspected periodically and replaced if rotating pulley, bearing, or tension spring are worn-out. For more information on fan belt tensioner inspection refer to the appropriate operators manual.

| NUMBER | DESCRIPTION | LIST | NOW |
|------------|----------------------------------------------------------------------------|----------|-----------------|
| RE68715 | 7600–7800, 7710–7810 SN -089999 | \$131.94 | \$124.02 |
| A-RE68715 | 7600–7800, 7710–7810 SN -089999 | \$ 80.33 | |
| RE228481 | 8120–8520 SN -023918 Aux Drive | \$196.55 | \$184.76 |
| RE170084 | 7710–7810 SN 090000-, 7720–7920, 8120–8520 SN 023919-, 9120–9620 Aux Drive | \$121.60 | \$114.30 |
| RE582501 | 7630–7930, 8R, 9230 | \$228.92 | \$215.18 |
| RE57498 | 8000, 8010 Aux Drive | \$ 85.37 | \$ 80.25 |
| A-RE57498 | 8000, 8010 Aux Drive | \$ 64.85 | |
| RE69083 | 8000, 8010 Fan Drive | \$435.21 | \$409.10 |
| RE193648 | 8020 Fan Drive | \$125.60 | \$118.06 |
| A-RE193648 | 8020 Fan Drive | \$ 93.72 | |
| RE582500 | 7R SN080001–110100, 8030, 8R | \$166.42 | \$156.43 |
| RE548027 | 7R SN -080000, 9000 Aux Drive | \$129.89 | \$122.10 |
| A-RE548027 | 7200R, 7215R, 7230R | \$ 70.12 | |
| RE249801 | 9000, 9020 Fan Drive | \$237.88 | \$223.61 |

John Deere 7000, 8000, and 9000 Series Tractor Cab Parts

John Deere has a wide selection of tractor cab repair parts to upgrade or repair your John Deere tractor cab. Improve the comfort of you cab with seat cushion replacements or restore the air ride quality of your air ride seat. Reduce the heat of the hot sun with a new visor or sun shade. Replace a broken window or improve the view from your tractor cab. Choose from a selection of OEM cab glass or lower cost options available from A&I Products.



| NUMBER | DESCRIPTION | TYPE | LIST | NOW |
|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|--------------|------------|-------------------|
| Cab Glass: | | | | |
| R157210 | Glass, Door (LH) – 8000, 8010, 8020 SN < 014366, 9000 and 9020 Row-Crop Tractors | John Deere | \$ 463.31 | \$ 435.51 |
| A-R157210 | Glass, Door (LH) – 8000, 8010, 8020 SN < 014366, 9000 and 9020 Row Crop Tractors | A&I Products | \$ 364.97 | |
| R208587 | Glass, Side Stationary (RH) – 8000, 8010, 8020 | John Deere | \$ 684.97 | \$ 643.87 |
| A-R208587 | Glass, Side Stationary (RH) – 8000, 8010, 8020 | A&I Products | \$ 495.89 | |
| R564764 | Glass, Rear – 7720–7920, 8000, 8010, 8020, 8030, 9000, 9020 | John Deere | \$ 351.12 | \$ 330.05 |
| A-R127903 | Glass, Rear – 7720–7920, 8000, 8010, 8020, 8030, 9000, 9020 | A&I Products | \$ 316.83 | |
| R135977 | Glass, Windshield – 8000 and 8010 | John Deere | \$1,229.73 | \$1,155.95 |
| A-R135976 | Glass, Windshield – 8000 and 8010 | A&I Products | \$ 449.56 | |
| Seat Cushions and Air Spring Kit: | | | | |
| RE163027 | Cushion, Bottom – 7000, 7010, 8000, 9000 | John Deere | \$ 166.16 | |
| RE163029 | Cushion, Seat Back – 7000, 7010, 8000, 9000 SN -030000 | John Deere | \$ 161.10 | |
| RE312760 | Cushion, Bottom – 7230–7530 premium, 7630–7830, 8010, 8020, 8030, 9000 SN 030001-, 9020, 9030 | John Deere | \$ 212.82 | |
| RE168331 | Cushion, Seat Back – 7230–7530 premium, 7630–7830, 8010, 8020, 8030, 9000 SN 030001-, 9020, 9030 | John Deere | \$ 219.42 | \$ 206.25 |
| RE331277 | Air Spring Seat Kit – 6R, 7000–7030, 7R, 8000–8030, 8R, 9000–9030, 9R | John Deere | \$ 255.60 | \$ 240.26 |
| Sun Visor and Shades: | | | | |
| RE213935 | Sun Visor, Front – 7000, 7010, 8000–8020, 9000–9030 | John Deere | \$ 211.60 | \$ 198.90 |
| RE197943 | Front Shade – Fits all 6000, 6010, 6020, 7000, 7010, 7020, 8000, 8010, 8020 (W&T), 9000, and 9020 (W&T) Series Tractors | | \$ 151.85 | |
| RE197944 | Sun Shade, Rear – 6000, 7000–7030, 7020, 8000–8030, 9000–9030 | | \$ 209.72 | |



Blower Motors and Fans

| NUMBER | DESCRIPTION | APPLICATION | TYPE | LIST | NOW |
|------------|--------------|-----------------------------------------------------------------|--------------|----------|-----------------|
| AL215704 | Blower Motor | 6000, 6005, 6010, 6015, 6020, 7000, 7010, 7220–7520 | John Deere | \$208.19 | \$195.70 |
| A-AL110881 | Blower Motor | 6000, 6005, 6010, 6015, 6020, 7000, 7010, 7220–7520 | A&I Products | \$149.35 | |
| RE237675 | Blower Fan | 7000, 7010, 7720–7920, 8000, 8010, 8020, 8030, 9000, 9020, 9030 | John Deere | \$172.69 | |
| RE300524 | Blower Motor | 7030, 9020, 9030 | John Deere | \$284.91 | |
| RE67645 | Blower Motor | 8000, 8010, 9000 (SN - 030093) | John Deere | \$205.37 | |
| A-RE67645 | Blower Motor | 8000, 8010, 9000 (SN - 030093) | A&I Products | \$158.93 | |



R Series Cab Bracket Kit

The R series cab bracket kit is available for mounting monitors, phones, displays, and mounts to existing holes inside the cab. Fits 7–9R Series tractor cabs.

| | | | |
|----------|-----------------------------------------------|----------|------------------------------|
| RE317435 | | \$158.40 | Sale Price – \$148.90 |
| BRE10574 | Fits MY20–Current 7R, 8R/8RT/8RX with new cab | \$170.50 | Sale Price – \$160.27 |



Short Vertical Mounting Rail

This rail kit also includes all the hardware to mount the rail in up to 5 vertical locations, using existing threaded bosses at the A and C posts inside the cab. This rail can be used to mount tablets, cell phones, cup holders, or displays. Fits: 7020 – 7R, 8020 – 8R/8RT, 9020 – 9R/9RT/9RX, and MY2020 7R and 8R/8RT/8RX (with new cab).

| | | | |
|----------|--|---------|--|
| BRE10575 | | \$93.50 | |
|----------|--|---------|--|



Mounting Bracket Kit – Long Bar and Tray Kits

The accessory mounting bracket with optional tray kit provides a low-cost solution to all your mounting needs in the cab. Fits 7020, 7030, 8010–8030, 9020, and 9030 Series.


| | | | |
|----------|-------------|---------|-----------------------------|
| BRE10141 | Bracket Kit | \$89.10 | Sale Price – \$83.75 |
| BRE10142 | Tray Kit | \$63.80 | Sale Price – \$59.97 |



CommandARM Bracket

The CommandARM bracket offers a safe and convenient way to mount a mobile device or tablet to the CommandARM on 6R–9R FT4 tractors. Includes bracket and hardware only.

| | | | |
|----------|-----------------------------------------------|---------|-----------------------------|
| BRE10147 | | \$51.70 | Sale Price – \$48.60 |
| BRE10501 | Fits MY20–Current 7R, 8R/8RT/8RX with new cab | \$50.60 | Sale Price – \$47.56 |



Cell Phone Bracket Kit

The RAM X-Grip® bracket's four-leg design offers great holding power, without covering your phone's screen.

| | | | |
|----------|--|---------|-----------------------------|
| BRE10015 | | \$75.90 | Sale Price – \$71.35 |
|----------|--|---------|-----------------------------|



RAM Tablet Mount Kit

This kit's high-strength design keeps your tablet secure, without restricting access to audio jacks or USB or other ports.

| | | | |
|----------|--|----------|-----------------------------|
| BRE10255 | | \$104.50 | Sale Price – \$98.23 |
|----------|--|----------|-----------------------------|



Accessory Mounting Bracket Kit

Mount, adjust, and position key controls and displays within the cab for maximum accessibility without compromising visibility. The John Deere design can be used in multiple configurations and tailored to the specific machine and task.

| | | | |
|----------|--|---------|-----------------------------|
| RE343680 | | \$55.81 | Sale Price – \$52.46 |
|----------|--|---------|-----------------------------|



Greenstar™ Display Bracket

Corner post cab bracket for mounting Greenstar display.

| | | | |
|----------|-------------------------------|----------|------------------------------|
| BPF12124 | Single Display Bracket Mount | \$ 88.00 | Sale Price – \$ 82.72 |
| PF90430 | Dual Display Adapter Mounting | \$134.08 | Sale Price – \$126.04 |



Crankshaft Dampers

Did you know your crankshaft damper has a service life?

When torque is applied, engines generate harmful vibrations. A damper reduces these vibrations, which extends belt life and reduces gear wear. Our engine damper consists of an inertia ring, elastic member, and hub assembly attached to the crankshaft. John Deere recommends changing the crankshaft damper at 4,000–5,000 hours or 5 years, whichever comes first in some applications. Contact us to see if your crankshaft damper needs replacing today.

Replace damper as recommended to avoid costly repairs such as potential crankshaft breakage or front engine cover damage.

- Dual Dampers – replace both at the same time

Important Repair Note:

- When required use new cap screws when installing the damper to the crankshaft and fan pulley to damper.
- Damper can be damaged by dropping it or striking it with a hammer during installation. Use the proper procedure and tools listed in the technical manual.

| NUMBER | APPLICATION | TYPE | LIST | NOW |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------|-----------------|
| Engine Dampers: | | | | |
| AR57241 | 4230, 4430, 4040, 4240, 4350, and 4440 Tractors; and 6600, 7700, 6620, and 7720 Combines | John Deere | \$ 224.10 | |
| A-AR57241 | 4230, 4430, 4040, 4240, 4350, and 4440 Tractors; and 6600, 7700, 6620, and 7720 Combines | A&I Products | \$ 166.88 | |
| RE15018 | 4050–4850, 4055–4955, 8450, and 8650 Tractors | John Deere | \$ 277.93 | \$261.25 |
| A-RE15018 | 4050–4850, 4055–4955, 8450, and 8650 Tractors | A&I Products | \$ 200.07 | |
| AR58172 | 4000, 4010, and 4020 Tractors | John Deere | \$ 281.34 | |
| A-AR58172 | 4000, 4010, and 4020 Tractors | A&I Products | \$ 165.04 | |
| RE500917 | 8520, 9100, and 9120 Tractors; 9560, 9650, 9750, 9660, and 9760 STS Combines | John Deere | \$ 481.87 | \$452.96 |
| RE57603 | 8000 Series (-016632), 8410, 8120, 8220, 8320, 8420, and 9100 Tractors; 9976 Cotton Picker | John Deere | \$ 327.76 | \$308.09 |
| A-RE57603 | 8000 Series (-016632), 8410, 8120, 8220, 8320, 8420, and 9100 Tractors; 9976 Cotton Picker | A&I Products | \$ 244.00 | |
| RE24975 | 8100–8300 Wheel and Track Tractors (016633-), and 8110–8310 Wheel and Track Tractors | John Deere | \$ 486.37 | \$457.19 |
| A-RE24975 | 8100–8300 Wheel and Track Tractors (016633-), and 8110–8310 Wheel and Track Tractors | A&I Products | \$ 270.64 | |
| RE523266 | 9100–9400 (053080-) and 9020 Series Wheel and Track Tractors | John Deere | \$1,063.17 | \$999.38 |
| RE523527 | 8130 - 8330 and 8225R, 8245R SN 000101 -053099 | John Deere | \$ 671.75 | \$631.45 |
| Engine Dual Dampers: | | | | |
| RE57604 | 8130–8530 and 8R Tractors | John Deere | \$ 686.75 | \$645.55 |
| RE520465 | 8130–8530, 8225R, 8245R, 8270R, 8295R, 8320R, 8345R SN 000101–053099 &090001-, 8235R, 8260R, 8285R, 8310R, 8335R, 8360R SN 016001–09000, 8335R SN 090001- | John Deere | \$ 708.47 | \$665.96 |
| RE538143 | 8130–8530, 8225R, 8245R, 8270R, 8295R, 8320R, 8345R SN 000101–053099 &090001-, 8235R, 8260R, 8285R, 8310R, 8335R, 8360R SN 016001–09000, 8335R SN 090001- | John Deere | \$ 788.34 | \$741.04 |

Some of these tractor models use a dual damper and will need RE57604 as well as RE520465 or RE538143 depending on your tractor model.



Transmission Torsional Damper

To avoid unplanned downtime, John Deere recommends replacing the Transmission torsional damper every 4,500–5,000 hours or every 60 months whichever comes first. This damper transfers engine power to the input shaft of the transmission. When this damper fails it can result in vibration, noise, transmission damage, and loss of ability for the tractor to move.

| NUMBER | APPLICATION | LIST | NOW |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------------|
| AL174123 | 6200–6500, 6200L–6500L, 6215, 6415, 6120–6420, 6120L–6520L, 6230–6430, 6105M–6125M, 6105R–6115R, 7130 Premium | \$ 740.04 | \$ 695.64 |
| RE70470 | 7200 and 7400 PowrQuad, 7210 SN -002610, 002611- PowrQuad, 7410 SN -003889, 003890- PowrQuad, 7510–7610, 7600–7800, 7710 SN -001155, 7810 SN -001430 | \$1,293.60 | |
| RE70472 | 7710 SN 001156-, 7810 SN 001431-, 7720–7920 and 7630–7930 PowrQuad | \$ 978.36 | \$ 919.66 |
| RE220150 | 9220, 9320 PST and 9420–9620, 9430–9630 | \$1,517.69 | |
| RE584547 | 9410R, 9420R, 9460R, 9460RT, 9470R/RT, 9510R/RT, 9520R, 9560R, 9570R, 9620R | \$1,333.33 | \$1,253.33 |



Checking Vari-Cool Fan drive belt width for wear is a very important routine maintenance step to avoid downtime. Use belt gauge R569237 shown in the picture above, which can also be purchased at your local John Deere dealer.

Vari-Cool Fan Drive Belt Information:

For 8R/8RT/9360R/9370R 9.0L

Belt Part Number: R568198

New Specification: 34 MM wide

Replace Specification: 29 MM wide

For 9R/9RT/9RX 13.5L

Belt Part Number: R300399

New Specification: 38 MM wide

Replace Specification: 36 MM wide

For 9330-9630 and 9430T -9630T

Belt Part Number: R239551

New Specification: 38 MM wide

Replace Specification: 36 MM wide

Failure to Replace Worn-out Belt:

The following can occur when the fan drive belt is worn-out beyond the maximum wear specification.

- The system may generate Vari-Cool™ fan drive DTC's.
- Clicking noise
- Damage can occur to the driver and driven assemblies

9.0L and 13.5L IT4/FT4 Vari-Cool™ Fan Drives

The updated driver and driven assemblies will improve serviceability and reliability of the fan drive assembly. The new dry driver and dry driven assemblies require no grease. The customer will no longer need to lubricate these two components once the update is complete. To maximize the reliability of the fan drive system, we encourage customers to replace the driver and driven assemblies at the same time. A worn driven assembly will potentially reduce the expected life of a new driver when only the driver is replaced.

Fan Drive Maintenance YouTube® Videos

Maintenance of the Vari-Cool™ Fan drives is important to keep the system running at optimal performance and prevent possible failures. Please make sure to view the 3 new videos available on YouTube.

Video topics covered:

Vari-Cool Fan Drive Inspection,

<https://www.youtube.com/watch?v=-mEyRpu5eBM&t=60s>

Vari-Cool Fan Drive Belt Replacement,

<https://www.youtube.com/watch?v=qwEGTRh2zVk>

Vari-Cool Fan Drive Maintenance,

<https://www.youtube.com/watch?v=kfpNMU9PFio>

| NUMBER | DESCRIPTION | APPLICATION | LIST |
|----------|------------------|-----------------------------------------------------|------------|
| RE578435 | 9.0L Dry Driver | MY11 – Current Production 8R/8RT/9360R/9370R | \$1,247.20 |
| RE572545 | 9.0L Dry Driven | MY11 – Current Production 8R/8RT/9360R/9370R | \$ 735.93 |
| RE587430 | 9.0L Dry Driver | 8030/9030 (w 9.0L) MY10 8R/8R Stage II | \$1,223.83 |
| RE572544 | 9.0L Dry Driven | 8R MY11 – Current Stage II | \$ 720.34 |
| RE582570 | 9.0L Dry Driven | 8030 and 8R MY10 (for 9.0L 9030 also order R564812) | \$ 703.10 |
| R568198 | V-Belt | Variable Speed | \$ 81.64 |
| RE588578 | 13.5L Dry Driver | MY11 – Current 9R/9RT/9R | \$1,847.82 |
| RE590285 | 13.5L Dry Driven | MY11 – Current 9R/9RT/9RX | \$ 980.19 |
| R300399 | V-Belt | MY11 – Current 9R/9RT/9RX | \$ 100.72 |

13.5L Gen 1 Vari-Cool™ Fan Drive Update Assemblies

To maximize the reliability of the fan drive assembly we encourage customers to replace the driver, driven assemblies, and rotary union at the same time. After upgrading the complete 13.5L Gen 1 fan drive assemblies for 9030 Series tractors the factory recommends inspecting these assemblies every 250 hours. Every 250 hours grease the driven sheave fitting. The fitting on the opposite side provides fan balance and service position convenience. Pump grease into the sheave lubrication fitting (zerk) until grease is visible coming from the shaft vent.

IMPORTANT: Use TY25744 Multi-Purpose Extreme Duty Synthetic Grease (is the best choice), if this grease is not available the following alternative can be used AN102562 Special-Purpose Corn Head Grease.

| NUMBER | DESCRIPTION | APPLICATION | LIST |
|----------|------------------------|---------------------------|------------|
| RE588803 | 13.5L Dry Driver | 9330–9630 and 9430T–9630T | \$ 996.69 |
| RE592556 | 13.5L Rotary Union | 9330–9630 and 9430T–9630T | \$ 323.34 |
| RE588804 | 13.5L Greased Driven | 9330–9630 and 9430T–9630T | \$1,250.19 |
| R239551 | V-Belt, Variable Speed | 9330–9630 and 9430T–9630T | \$ 109.09 |

Hydraulic Pump Upgrades for 8000–8030 Series Row Crop Tractors

Upgrade today with efficiency and increased capability. New implements such as air seeders, tillage equipment, and planters may require more hydraulic flow to perform effectively. If your current planter raise and lower times are too slow, or you are using a system with 3 or more vacuum motors increased hydraulic flow may improve performance.

Application Example:

A John Deere 1790 12 row CCS planter equipped with vacuum seed meters requires at least 30 gpm @ 2900 psi for acceptable raise and lower times (about 7 seconds). The ideal hydraulic pump setup for 8000–8030 Series Tractor would be the larger hydraulic pump with large planters or air seeders.



The hydraulic pump flow available is directly affected by engine speed, how many SCV's are being used at the same time, as well as other factors. Refer to your operator's manual for more information in section 60 – Determining Total Flow Demand. Contact your local John Deere Dealer to determine which pump is on your tractor and if a hydraulic pump upgrade will provide the solution you need.

Hydraulic pump options available for 8000–8030 Series Tractors:

- 30 gpm (45cc) standard or 38 gpm (57cc) optional for 8000 Series Tractors
- 33.5 gpm (45cc) standard or 42.5 gpm (57cc) optional for 8010 and 8020 Series Tractors

Note: A pump drive gear ratio change was introduced for the 8010 series providing increased pump flow using the same pump sizes as the 8000 Series Tractors.

- 44 gpm (63cc) standard or 60 gpm (85cc) optional for 8030 Series Tractors

The benefits of installing a high capacity hydraulic pump:

- Higher flow at lower engine RPM = Better Fuel Economy and Less Noise
- Allow faster multiple hydraulic functions

| NUMBER | APPLICATION | TYPE | LIST |
|----------|--------------------------------------|------------|------------|
| RE65337 | 57cc – 8000 and 8010 Series Tractors | John Deere | \$3,874.10 |
| RE214405 | 60cc – 8020 Series Tractor | John Deere | \$4,045.58 |
| RE563717 | 85cc - 8030 Series Tractor | John Deere | \$5,982.66 |

1. Note: Early 8000 Series Tractors require a special tool kit RE156519 to drill and tap 2 additional pump mounting holes. Contact your local John Deere Dealer for assistance.

2. 8000–8020 Series Tractor hydraulic pump upgrade requires additional parts listed below

3. 8030 Series Tractors only requires changing the hydraulic pump and (1) 64M1021 drain plug, and (1) 51M7045 O-ring.

| 8000–8010 Additional Parts Needed | | | | | | | | |
|-----------------------------------|--------------------|------|-------------|-------------|------|-------------|-----------------|------|
| Part Number | Description | Qty. | Part Number | Description | Qty. | Part Number | Description | Qty. |
| RE66251 | Line, Oil | 1 | H61354 | Flange Kit | 2 | 38H5022 | Adj. Stud Elbow | 1 |
| R37023 | Half, Split-Flange | 2 | T78313 | O-Ring | 1 | RE66254 | Hydraulic Hose | 1 |
| F1870R | Packing, O-Ring | 1 | 19M7786 | Hardware | 4 | 38H5004 | Stud, Straight | 1 |
| 19M8011 | Hardware | 4 | RE66253 | Hose | 1 | N275960 | Screw, 12 Point | 2 |
| RE66252 | Hydraulic Hose | 1 | | | | | | |

| 8020 Additional Parts Needed | | | | | | | | |
|------------------------------|---------------|------|-------------|----------------|------|-------------|-----------------|------|
| Part Number | Description | Qty. | Part Number | Description | Qty. | Part Number | Description | Qty. |
| T76938 | O-Ring | 1 | N275960 | Screw | 2 | 38H5004 | Adapter Fitting | 1 |
| T77932 | O-Ring | 1 | F1870R | O-Ring | 1 | RE244436 | Oil Line | 1 |
| 51M7048 | O-Ring | 1 | R188307 | Flange Fitting | 1 | RE244435 | Oil Line | 1 |
| 38H5020 | Elbow Fitting | 1 | 19M7403 | Cap Screw | 2 | RE218022 | Oil Line | 1 |
| RE174614 | Valve | 1 | 19M7324 | Cap Screw | 1 | RE214411 | Oil Line | 1 |
| T42302 | O-Ring | 1 | T24959 | Clamp | 1 | RE214410 | Hydraulic Hose | 1 |
| 24M7240 | Washer | 2 | 51M7045 | O-Ring | 1 | RE214409 | Oil Line | 1 |

This is easy.



John Deere Quik-Knect™ System

The easy way to connect rotary cutters, tillers, and other PTO-driven implements.



Load-N-Go™ Attachment

The easy way to move your 54", 60", or 72" AutoConnect™ mid-mount mower deck.

Make it easy on yourself. Talk to us to find out more about tractor model and implement or mower deck compatibility for these attachments.



JOHN DEERE

AutoConnect™, Load-N-Go™, and Quik Knect™ are trademarks owned by Deere & Company. John Deere, the leaping deer symbol, and green and yellow trade dress are trademarks of Deere & Company.


Canopies for Compact and Utility Tractors

Protect yourself from extreme weather conditions throughout the year with a canopy from John Deere.

| NUMBER | APPLICATION | LIST | NOW |
|----------------|---------------------------------------------------------------------------------------------------------------------------|------------|--------------------|
| Canopy: | | | |
| LVB25334 | Standard Canopy fits 3E, 3R, 4M, 4R, 5D, 5E, 5M, 3320, 3520, 3720, 4105, 4320, 4520, 4720, 5003, 5020, and 5025 | \$ 515.90 | \$ 474.63 |
| BXX10589 | Small ShadePro Canopy w/Fan Option fits select 1023E, 1025R, and 2025R Model Year 2017 (SN HH1000001-) and newer tractors | \$ 577.50 | \$ 531.30 |
| BXX10591 | ShadePro Fan Kit for use with ShadePro Canopy BXX10589 | \$ 632.50 | \$ 581.90 |
| BXX10590 | Large ShadePro Canopy fits select 2032R, 2038R, 3E, 3R, 4M, 4MHD, and 4R Model Year 2017 and newer tractors | \$ 660.00 | \$ 607.20 |
| AR201256 | Fits 6000, 6010, 6030, 6015, 6003, 6005, 7020, and 7030 Series Open Station | \$1,840.30 | \$ 1,693.08 |
| RE270484 | Deluxe Canopy fits 5D, 5E, 5M, 5003, 5025, 5105, 5205, and 5020 Series Tractors | \$ 828.30 | \$ 762.04 |



BXX10589 Canopy with BXX10591 Fan Kit



A-C7481G Universal Fit Metal Canopy

Metal Canopy:

| | | |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| A-C7481G | 47" x 58" Universal Fit Green Metal Canopy Kit (Hardware Included) – 18 degrees of angle fore or aft, powder-coated finish, and insulated to reduce noise/vibrations/heat transfer | \$ 405.00 |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|

Additional Mounting Hardware might be required. Ask us about the proper mounting hardware for your machine.

*Each kit includes all necessary universal mounting brackets and hardware to accommodate Roll Over Protection Systems (ROPS) that are between 27"–40" wide. Also available in Red, Blue, or Orange. Ask us for details.

Ballasting your Compact or Utility Tractors

When using a loader or rear implement, front and rear ballast provide a counterweight to maximize overall stability of the tractor. Proper Ballasting helps keep all four wheels on the ground to improve the tractor's performance. Proper rear ballast will maximize the life of the front wheel drive axle, as well as other drivetrain components. A 3-point hitch-mounted implement can also be used for rear ballast, but it must meet the specified weight requirement. A loader can serve as front ballast, but does limit your turning radius and clearances.



| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|---------|--------------------------------------|-------------|------------|--------------------|
| BW15073 | Ballast Box for Cat. 1 Hitch* | | \$ 320.10 | \$ 294.49 |
| BW15074 | Ballast Box Extension for Cat. 1 Box | | \$ 151.80 | \$ 139.66 |
| BW15852 | Large Ballast Box for Cat. 2/3 Hitch | | \$1,347.50 | \$ 1,239.70 |

Available Bushing Kits:

| | | | | |
|---------|----------------------------------|--|-----------|-----------------|
| BW15056 | iMatch Quick-Coupler Bushing Kit | | \$ 107.80 | \$ 99.18 |
| LP19969 | iMatch Bushing Kit | | \$ 39.99 | |
| LP25004 | Quick Hitch Adapter Bushing Kit | | \$ 29.70 | |

Wheel Weights:

| | | | | |
|---------|--------------------|--------------------------------------------------------|-----------|------------------|
| BM17972 | 50 Lb. Cast Iron | 1E, 1R | \$ 144.46 | \$ 132.90 |
| BM17968 | 48.5 Lb. Cast Iron | 3X20, 3E, 3R, 4X10, 4X20, 4M, 4R | \$ 140.80 | \$ 129.54 |
| BM17965 | 60 Lb. Cast Iron | 790, 2X20, 2R, 3D, 3E, 3R, 4X00, 4X10, 4M, 4R | \$ 140.80 | \$ 129.54 |
| UC13499 | 72 Lb. Cast Iron | 1E, 1R, 2305 | \$ 184.04 | \$ 169.32 |
| R213907 | 95 Lb. Cast Iron | 5X03, 5X20, 5X25, 5D, 5E Limited, 5E, 5EL, 5M, 5ML, 5R | \$ 147.40 | \$ 135.61 |
| T19293 | 110 Lb. Cast Iron | 3X20, 3R, 4X10, 4X20, 4M, 4R, 5X03, 5X10, 5X20, 5D, 5E | \$ 165.00 | \$ 151.80 |
| SU57513 | 330 Lb. Cast Iron | 5E, 5G, 5M, 5ML, 5R | \$ 513.70 | \$ 472.60 |

Front Suitcase:

| | | | | |
|----------|---------------------------|--------------------------------------------------------|-----------|------------------|
| UC13263 | Weight, 42 Lb. Quik Tatch | 1E, 1R, 2X20, 2R, 3X20, 3D, 3E, 3R, 4X10, 4X20, 4M, 4R | \$ 60.99 | \$ 56.11 |
| LVU32113 | Weight, 70 Lb. Quik Tatch | 2032/38R, 3E, 3R, 4X10, 4X20, 4M, 4R | \$ 99.00 | \$ 91.08 |
| R127764 | Weight, 95 Lb. | 4MHD, 5 Series and Larger | \$ 134.20 | \$ 123.46 |

*Compatible with the iMatch Quick Hitch (Must order necessary bushings kit).





The All New Lighter Weight and Redesigned Category 2 Quick Hitch

Benefits Include:

- Cast design for strength and durability
- Does not interfere with rear fenders
- Lighter weight than the existing Category 2 quick hitch weighing in at 138.9 lb. in comparison to 187.4 lb. for TY27545

| NUMBER | LIST | NOW |
|----------|----------|-----------------|
| BSJ10595 | \$752.40 | \$616.97 |

HOT BUY

Hydraulic Center Link

Hooking up to three-point implements, with the hydraulic center link, allows for quick and convenient adjustment right from the tractor seat by using one of the selective control valves (SCV's). You will also gain the ability to easily adjust your implements, tilting forward or backward, whenever needed. Come in and get it today!

| NUMBER | APPLICATION | LIST | NOW |
|----------|--------------------|------------|-------------------|
| BSJ10309 | 5M and 5R Tractors | \$1,994.30 | \$1,754.98 |

GREAT DEAL



Seat Backrest Extension

A backrest extension improves operator comfort on cab and isolated open operator station tractors. This would be a comfortable addition to your work routine. See us for select older model 6 Series tractor compatibility.

| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|----------|-------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------|
| AT162291 | Cloth Backrest for Deluxe Seats for Cab Tractors Only | 5065M, 5075M, 5083E, 5085M, 5090M, 5093E, 5095M, 5095MH, 5100M, 5100MH, 5100R, 5101E, 5105M, 5115M, 5125R, 5225, 5325, 5425, 5525, 5603, and 5625 | \$298.32 | \$262.52 |
| AL77888 | Vinyl Backrest for Isolated Open Station Tractors | 5065M, 5075M, 5085M, 5090M, 5095MH, 5100M, 5100MH, 5100ML, 5115M, 5115ML, 5220, 5225, 5320, 5325, 5420, 5425, 5525, and 5625 | \$402.36 | \$354.08 |

GREAT DEALS

Rear Fender Updates

Fender Extensions are available for many models of tractors. Some models of tractors, with the right extensions, offer added functions to increase your convenience at the rear of your machine. Hardware required for mounting may need to be ordered separately. See some of the offerings below.

| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|----------|-------------------------------------------|------------------------------------------|----------|-----------------|
| R243092 | Left Hand Extension | Select Model 5E and 5M Series Tractors | \$486.17 | \$427.83 |
| R243093 | Right Hand Extension | Select Model 5E and 5M Series Tractors | \$486.17 | \$427.83 |
| R257487 | Cover for no Hitch Switch | Select Model 5E and 5M Series Tractors | \$ 59.28 | \$ 52.17 |
| RE227205 | Electro-Hydraulic Hitch Fender Switch, RH | Select 5M and 5225, 5325 Series Tractors | \$151.80 | \$133.58 |
| R242230 | Cover for Hitch Switch | Select 5M Series Tractors | \$ 32.74 | \$ 28.81 |
| BSJ10044 | Rear Fender Extensions w/o Work Lights | Select Model 5E and 5M Series Tractors | \$365.20 | \$321.38 |

GREAT DEALS



John Deere Oil Filters + Plus-50™ II Engine Oil = 500 Hours* Free of Downtime



When you pair John Deere engine oil filters with premium Plus-50™ II engine oil, there's no stopping you for 500 hours! That's because John Deere engineers design our maintenance products to work hand-in-hand to defend your machine from harsh conditions and wear. Plus, both John Deere filters and Plus-50™ II are ready to protect engines.

Don't take your equipment to the field without this winning combo. Trust John Deere filters and oil to help your machines last.

*500-hour drain interval applies to diesel John Deere engines when the following criteria are met:

1. Engine is equipped with an extended drain interval oil pan
2. Machine operates with Plus-50™ II engine oil API CK-4/SN
3. Machine uses a John Deere oil filter, 4. Machine uses only Ultra Low Sulfur Diesel fuel

STEER CLEAR

OF ANNOYING ALLERGENS



NEW! ANTI-ALLERGEN CAB AIR FILTERS



PARTICLE FILTER LAYER

Protects against harmful PM2.5* pollutants

PREMIUM ACTIVATED CARBON LAYER

Reduces unpleasant odors and harmful greenhouse gases

BIOFUNCTIONAL LAYER

Traps allergens and reduces potential for mold and bacteria growth on filter

*PM2.5 describes fine inhalable particles, with diameters that are generally 2.5 micrometers and smaller.
(Source: United States Environmental Protection Agency Website)

Avoid sneezing, runny nose and watery eyes with new Anti-Allergen Cab Air Filters from John Deere. Available for new and late-model **tractors, combines, sprayers** and **other machines**, our innovative product features three active layers to help keep allergens out and prevent the growth of mold and bacteria so you have fresher air all day long.

Contact us today.



JOHN DEERE

JohnDeere.com

John Deere, the leaping deer symbol and John Deere's green and yellow trade dress are the trademarks of Deere and Company.

Protect your trucks and All Makes equipment with the advanced technology of Fleetguard® filters.

Today's trucks and competitive machines face more challenges than ever before, operating under higher heat and more demanding conditions. Luckily, Fleetguard is ready to take on tough conditions and protect your vehicle, no matter the brand! Example engine oil filtration, using advanced StrataPore® technology. Fleetguard's synthetic, multi-layered StrataPore media provides higher capacity, greater efficiency, and less restriction than traditional media. And thanks to our wide range of Fleetguard replacement filters that meet OEM specifications, you can take advantage of StrataPore technology for almost any diesel engine. We offer Fleetguard filters for almost every make of equipment. Look for Fleetguard air, fuel, and hydraulic filters for superior protection, too. **See us today!**

Lube: Fleetguard spin-on lube filters meet or exceed OE performance requirements and the new challenges of modern engine technology. StrataPore media as introduced in the full flow section to work in combination with the stacked discs to remove the smallest dirt particles, which cause the most engine damage. This configuration reduces engine wear by as much as 60% in some applications. The pairing of NanoNet® media with StrataPore media has created a new breed of lube filter that offers higher efficiency, higher capacity, and the best cold flow vs. restriction available.

Air: Fleetguard air filters deliver the cleanest combustion air possible for On & Off Highway engine applications. Nanofiber, when combined with our enhanced pleat design, delivers optimal air filter performance for superior engine protection and lower equipment operating costs. Magnum RS® radial seal primary and safety air elements provide real-world value. Magnum RS offers unique features that provide significant benefits for longer service life and optimum performance when the job demands it.

Fuel: Fleetguard fuel filters deliver best-in-class performance using proprietary StrataPore or NanoNet media which remove harmful contaminants. Each gradient media layer offers unique properties that tailor performance based on specific applications requirements. Use of Fleetguard on-engine filters ensures optimal fuel system protection.

Hydraulic: We also offer a comprehensive replacement hydraulic filter line for many competitive filter part numbers. Through the right choice of filter media, Fleetguard hydraulic filtration products achieve higher efficiency and dust capacity with lower pressure-drop characteristics than the competition. This prolongs component life, which saves you money in the long run. The proper oil-cleanliness level for critical clearances on components in the hydraulic fluid stream is the key.



ONE ENGINE OIL

ON THE FARM.
IN THE FIELD.
ON THE HIGHWAY.



JOHN DEERE



ONE ENGINE OIL FOR ALL.

Not everybody realizes it, but it takes a special breed of oil to keep engines running in off-road conditions. In fact, it takes John Deere Plus-50™ II Engine Oil. That's because Plus-50 II is specially formulated to keep engines running efficiently and to protect them in extreme off-road conditions. Tractors. UVs. Trucks. You name it. Off the road? No problem. On the highway? You betcha. Let John Deere Plus-50 II Engine Oil be the one oil on your farm. **Contact your dealer today.**

**JOHN DEERE PLUS-50™ II OIL.
KEEP RUNNING.**



NOW AVAILABLE

**New Synthetic All-Season Engine Oil.
Ask your dealer about Plus-50™ II SAE 5W-40.**

Use only as directed. Please read safety and warning information. John Deere, the leaping deer symbol and John Deere's green and yellow trade dress are the trademarks of Deere and Company.



Plus-50™ II Premium Synthetic Engine Oil: SAE 0W-40 & SAE 5W-40

Plus-50 II Premium Engine Oil offers two synthetic engine oil options to provide support on every farm, for every season. Our SAE 0W-40 option is a full synthetic PAO (Poly Alpha Olefin) based oil. Performing at a premium level in all climates, Plus-50 II SAE 0W-40 is specifically developed for those operating in extremely cold conditions.

Our newer Plus-50 II SAE 5W-40 option is an all-season full synthetic engine oil that provides excellent performance for customers who operate in extremely cold or hot conditions and want to maximize engine life performance in modern engines. SAE 5W-40 is also backwards compatible with our legacy machines as well.

Available For Order

0W-40: 1 qt. (946ml) | 1 gal. (3.78L) | 5 gal. (18.9L) | 55 gal. (208L) | 275 gal. (1040L) tote
5W-40: 1 gal. (3.78L) | 5 gal. (18.9L) | 55 gal. (208L)

Check with your dealer for part number and pricing information.



Plus-50™ II 10W-30 & SAE 15W-40

Plus-50 II 10W-30 and SAE 15W-40 are made with a unique additive system that offers premium protection from deposits and wear. Exceeding API service classification CK-4/SN and high level performance under John Deere's Severe Off-Road Dyno test, this level of engine oil is excellent for diesel engines.

Available For Order

10W-30: 1 qt (946ml) | 1 gal (3.78L) | 5 gal (18.9L) | 55 gal (208L) | 275 gal (1040L) tote
15W-40: 1 qt (946ml) | 1 gal (3.78L) | 2.5 gal (9.46L) | 5 gal (18.9L) | 30 gal (113.6L) | 55 gal (208L)

Check with your dealer for part number and pricing information.



Plus-50™ II Features & Benefits:

- Full fleet solution
- Compatible with both current, legacy and competitive machines
- Proven high-level performance in low-emission IT4 and FT4 engines
- Tested and developed for severe off-road applications
- Formula specifically created to stop engine wear, corrosion, sludge, soot, varnish and oxidation
- Drain interval extension up to 500 hours in a John Deere engine, using a John Deere filter.*

Break-In™ Plus Engine Oil

Break-In Plus is a special purpose engine oil developed for use in rebuilt/remanufactured and new John Deere engines during the initial break-in period/oil service interval. During the initial operation of a new or rebuilt engine using Break-In Plus, change the oil and filter between a minimum of 100 hours and a maximum of up to 500 hours. Check your operator manual for the maximum interval recommendation.

Product Features & Benefits vs Standard Break-In Oil:

- Meets oil requirements for Final Tier 4 (FT4) and interim Tier 4 (IT4) engines
- Supports all legacy engines
- Maximum drain interval up to 500 hours

| NUMBER | DESCRIPTION | SIZE |
|---------|-------------|----------------|
| TY26661 | SAE 10W-30 | 1-gal. (3.78L) |
| TY26663 | SAE 10W-30 | 5-gal. (18.9L) |

See us for pricing.



Bulk Oil. A New Opportunity

Is handling and storing your packaged oil a hassle? Are partially filled packages and boxes consuming your storage space?

If the answer is yes, it's time to consider bulk oil. With Plus-50™ II, Hy-Gard™ – or any other bulk premium John Deere lubricant available – you have the opportunity to nearly eliminate the headache of disorganized packaged products in your shop. Plus, you'll have more product inventory control, eliminate unnecessary waste and you'll reduce the risk of product contamination.

Make the Leap!

Contact your local dealer today about bulk oil availability.



Torq-Gard™

Looking for a hard-working, standard-interval engine oil? Torq-Gard is your choice! It protects in a broad range of applications, including 4-stroke diesel, natural gas, and gasoline engines.

Product Features & Benefits

- Neutralizes acid to reduce corrosion
- Sludge control for cleaner engines
- Low-temperature fluidity for reduced engine start-up wear
- Several viscosity grades offered for ease of application in moderate to very cold operating temperatures

Available For Order

SAE 30: 1 qt (946ml) | 1 gal (3.78L) | 5 gal (18.9L) | 55 gal (208L)

5W-30: 1 qt (946ml) | 1 gal (3.78L) | 2.5 gal (9.46L) | 5 gal (18.9L) | 30 gal (113.6L) | 55 gal (208L)

10W-30: 5 gal (18.9L) | 55 gal (208L)

15W-40: 1 qt (946ml) | 1 gal (3.78L) | 2.5 gal (9.46L) | 5 gal (18.9L) | 55 gal (208L)

Check with your dealer for part number information.



Turf-Gard™

Turf-Gard motor oil is recommended for all 4-cycle gasoline engines in lawn and garden tractors, riding mowers, generators, and other outdoor power equipment. Turf-Gard keeps engines clean and provides superior engine wear protection and fuel efficiency.



| NUMBER | DESCRIPTION | SIZE |
|---------|-------------|------------------|
| TY25121 | 5W-30 | 1-qt. (0.946L) |
| TY22029 | 10W-30 | 1-qt. (0.946L) |
| TY22076 | 10W-30 | 2.5-gal. (9.46L) |
| TY22075 | 10W-30 | 55-gal. (208L) |

See us for pricing.

Transmission and Hydraulic Oil

Hy-Gard™ oils are specifically developed to meet the exact requirements of transmissions, wet clutches, wet brakes, and hydraulic systems. Oils not meeting these exact specifications can compromise machine or component life.

Hy-Gard performance is tested in both lab and field. High-level performance meets high-standard approvals by John Deere engineers, allowing Hy-Gard to meet the increase in demand for performance and protection of transmission and hydraulic systems.



Available For Order

Hy-Gard: 1 gal (3.78L) | 2.5 gal (9.46L) | 5 gal (18.9L) | 30 gal (113.6L) | 55 gal (208L) | 275 gal (1041L) tote
 Low-Viscosity Hy-Gard: 1 qt (946mL) | 1 gal (3.78L) | 2.5 gal (9.46L) | 5 gal (18.9L) | 55 gal (208L) | 275 gal (1041L) tote
 Bio Hy-Gard II: 5 gal (18.9L) | 55 gal (208L)

Check with your dealer for part number and pricing information.

Product Features & Benefits

Hy-Gard:

Recommended for equipment with common system reservoirs or separate transmission hydraulic systems
 Exceeds JDM J20C specifications

Low-Viscosity Hy-Gard:

Hy-Gard oil alternative in cold weather. Exceeds JDM J20C specifications

Bio Hy-Gard II:

Conola-based oil & 94% biodegradable. Use in place of mineral-based hydraulic oils.

Antifreeze/Coolant

Cool-Gard™ II High Performance Long-life, Heavy-duty Formula.

Product Features & Benefits

- Formulated for up to 6-years/6,000-hours* life in cooling systems of diesel and gas engines
- Supports advanced engine technology
- Protects against corrosion and deposits
- Extends water pump life and prevents liner cavitation
- High thermal and oxidation protection
- Ready-to-use 50/50 premix formula for freeze protection down to -34°F (-37°C)
- Contains bittering agent to help discourage accidental ingestion
- Less toxic (PG) propylene glycol available for use around animals



| NUMBER | DESCRIPTION | SIZE |
|----------------------|---------------|--------------------|
| Cool-Gard II: | | |
| TY26573 | Concentrate | 1-U.S. gal. |
| TY26574 | Concentrate | 55-U.S. gal. |
| TY26575 | Pre-mixed | 1-U.S. gal. |
| TY26576 | Pre-mixed | 2 1/2-U.S. gal. |
| TY26577 | Pre-mixed | 55-U.S. gal. |
| TY26578 | Pre-mixed | 330-U.S. gal. tote |
| TY26968 | PG, Pre-mixed | 1-U.S. gal. |
| TY26969 | PG, Pre-mixed | 55-U.S. gal. |
| TY26970 | PG, Pre-mixed | 330-U.S. gal. tote |

*Rating applies when complete cooling system flush is performed prior to use.

See us for pricing.



Grease

John Deere grease is precisely formulated to meet the demanding lubrication needs for tough off-road and on-road conditions. Choosing the right high-quality John Deere grease could show you cost savings, longer equipment life, reduced down time, and lower equipment operational cost.

BEST CHOICE: Multi-Purpose Severe-Duty (SD) Polyurea Grease and Extreme-Duty (ED) Synthetic Grease.

John Deere's best multi-purpose grease is ideal for use in high-temperature and extreme pressure applications. Best if used for U-joints, wheel bearings, and other grease points requiring severe-duty applications.

| NUMBER | DESCRIPTION | SIZE |
|---------------------------|----------------------------------------------------------------------------------------------------------------------|--------------------------|
| Multi-Purpose Grease: | | |
| TY6341 | Severe-Duty Polyurea Grease | 14-oz. (397 g) cartridge |
| TY25744 | Extreme-Duty Synthetic Grease | 14-oz. (397 g) cartridge |
| TY24416 | Heavy-Duty Lithium Complex Grease | 14-oz.(414 g) cartridge |
| PT507 | Multi-Purpose Lithium Grease | 14-oz. (414 g) cartridge |
| Specialty-Purpose Grease: | | |
| AN102562 | Corn Head Grease | 14-oz. (414 g) cartridge |
| TY6333 | HD 3% Moly Grease – Best if used in heavy loads for pin-to-bushing contact. Great for use in construction equipment. | 14-oz. (414 g) cartridge |

See us for pricing. Ask your dealer about additional part size options available.

DEF – Product Supporting Equipment

With John Deere Diesel Exhaust Fluid, you can be confident you’re getting a high-quality product that will provide unsurpassed performance while protecting your equipment investment. Simplify your operation by making John Deere your one source for quality fluids.

Portable dispensing units (PDUs) are available in a variety of sizes, perfect for any application. Additionally, the pump kits deliver 7–10 gallons per minute and have an industry-leading five-year warranty.



Actual product may be different from the image shown

| NUMBER | DESCRIPTION | SIZE |
|---------------------------|-----------------------------------------|-------------------|
| Diesel Exhaust Fluid: | | |
| SWDEF025 | John Deere Diesel Exhaust Fluid | 2.5-gal. (9.46L) |
| SWDEF055 | John Deere Diesel Exhaust Fluid | 55-gal. (208L) |
| SWDEF275 | John Deere Diesel Exhaust Fluid | 275-gal. (1,041L) |
| SWDEF330 | John Deere Diesel Exhaust Fluid | 330-gal. (1,249L) |
| DEF Supporting Equipment: | | |
| SW12VDEFP | 12V Pump Kit w/ Poly Manual Nozzle | |
| SW110VDEFP | 110V Pump Kit w/ Poly Manual Nozzle | |
| SW12VDEFSS | 12V Pump Kit w/ Stainless Steel Nozzle | |
| SW110VDEFSS | 110V Pump Kit w/ Stainless Steel Nozzle | |
| SWDEFPDU65S | DEF Poly PDU w/ Metal Lid | 65-gal. (246L) |
| SWDEFPDU65M | DEF Metal Box w/ Poly PDU | 65-gal. (246L) |

See us for pricing.

Diesel Fuel Conditioner

Don't let problematic fuel cause damage or downtime. Fuel-Protect Conditioners help you keep going all season by preventing fuel system erosion caused by poor fuel quality. With Fuel-Protect, you'll notice smoother starting and less exhaust smoke.

| NUMBER | DESCRIPTION | SIZE |
|---------|--------------------------------------|--------|
| TY27785 | Fuel Conditioner | 16-oz. |
| TY27723 | Fuel Conditioner | 1-gal. |
| TY27724 | Fuel Conditioner | 5-gal. |
| TY27786 | Cold Weather Diesel Fuel Conditioner | 16-oz. |
| TY27726 | Cold Weather Diesel Fuel Conditioner | 1-gal. |
| TY27727 | Cold Weather Diesel Fuel Conditioner | 5-gal. |

[See us for pricing.](#)



Fuel Protect Keep Clean Fuel System Cleaner

Keep Clean: Specifically formulated for high pressure diesel fuel systems. Prevents and limits formation of deposits that cause injector sticking, misfire, rough idling, power loss or hard starting conditions.

Microbicide: Antimicrobial fuel preservation additive recommended for control of bacteria and fungi in fuel systems.

Emergency Thaw: Dissolves gelled diesel fuel and melts ice in the fuel filter caused by freezing conditions, restoring fuel flow to the engine.

| NUMBER | DESCRIPTION | SIZE |
|------------|---------------------|-------------------------------|
| TY26827 | Keep Clean | 946 ml (32-oz.) |
| TY26828 | Keep Clean | 3.78 L (1-gal.) |
| TY26829 | Keep Clean | 18.9 L (5-gal.) |
| TY26830 | Keep Clean | 208 L (55-gal.) |
| PM701014US | FQS 1.5 Microbicide | 946 ml (32-oz.) / Pkg. qty. 4 |
| TY27730 | Emergency Thaw | 946 ml (32-oz.) |

[See us for pricing.](#)



GL-5 and Synthetic GL-5 Gear Lube

GL-5 and Synthetic GL-5 lubricant is designed for severe on- and off-highway applications. Its superior thermal stability and oxidation resistance keeps gears and seals clean, while its thermal durability protects gears from physical damage by preventing heat-induced failure of anti-wear chemistry.

| NUMBER | DESCRIPTION | SIZE | LIST |
|-----------------------------------------------------------------|-------------|---------|------------|
| Synthetic GL-5 Gear Lube: | | | |
| TY26372 | 80W-140 | 1-qt. | \$ 22.62 |
| TY26373 | 80W-140 | 5-gal. | \$ 388.64 |
| TY26374 | 80W-140 | 16-gal. | \$1,287.36 |
| TY26375 | 75W-90 | 1-qt. | \$ 24.20 |
| TY26376 | 75W-90 | 5-gal. | \$ 389.60 |
| TY26377 | 75W-90 | 16-gal. | \$1,235.17 |
| GL-5 Gear Lube: | | | |
| TY6296 | 80W-90 | 1-qt. | \$ 9.42 |
| TY26815 | 80W-90 | 1-gal. | \$ 31.90 |
| TY26816 | 80W-90 | 5-gal. | \$ 156.20 |
| TY26817 | 80W-90 | 30-gal. | \$ 829.66 |
| TY6345 | 85W-140 | 1-qt. | \$ 8.92 |
| TY26812 | 85W-140 | 1-gal. | \$ 32.84 |
| TY26813 | 85W-140 | 5-gal. | \$ 153.63 |
| Synthetic Gear Lubricant for Combine Feederhouse Drives: | | | |
| TY26408 | HD460 | 1-qt. | \$ 30.15 |





StrongBox Original Equipment Batteries – Tested to the Extreme, To handle the Extreme

In the field, the right battery can make a big difference—and the right battery for your John Deere equipment is StrongBox™. It's the best battery you can use in your machinery because it's developed and tested right alongside John Deere equipment. Our engineers test StrongBox™ Original Equipment batteries with the following benefits to give you a better battery:

- Increased power for quick starts in extreme cold
- High cranking amps, faster charges, and efficient design for lowering electrical resistance
- Epoxy-anchored plates that are four times stronger than traditional plates to reduce vibration damage—the leading cause of failure in commercial batteries

Don't risk it with standard batteries. Keep it in the field longer with batteries built for the rugged conditions you face. Power up with StrongBox™.

Booster Cables

John Deere offers 2-gauge and 4-gauge Booster Cables in a variety of service options: extra heavy-duty professional, commercial, heavy-duty professional, and heavy-duty commercial.

| NUMBER | DESCRIPTION | LIST | NOW |
|--------------------------------------------------|-------------------------------------------------------------------|----------|-----------------|
| 2-Gauge and 4-Gauge 100% Copper Conduits: | | | |
| TY26217 | Booster Cable, Extra Heavy-duty, 20-ft., 2-gauge | \$125.73 | \$100.58 |
| TY26215 | Booster Cable, Commercial Service, 16-ft., 4-gauge | \$ 75.13 | \$ 60.10 |
| TY26216 | Booster Cable, Commercial Service, 20-ft., 4-gauge | \$ 89.25 | \$ 71.40 |
| 2-Gauge and 4-Gauge Copper Clad: | | | |
| TY27301 | Booster Cable, Heavy-duty Professional, 20-ft., 2-gauge, with Bag | \$ 79.85 | \$ 63.88 |
| TY27302 | Booster Cable, Heavy-duty Commercial, 16-ft., 4-gauge, with Bag | \$ 55.88 | \$ 44.70 |



Battery Cleaner and Terminal Corrosion Preventative

| NUMBER | DESCRIPTION | LIST | NOW |
|---------|------------------------------------------|--------|---------------|
| TY25767 | Battery Cleaner (15-oz.) | \$4.89 | \$3.91 |
| TY25766 | Terminal Corrosion Preventative (10-oz.) | \$5.99 | \$4.79 |



Automatic 3A Battery Charger and Maintainer

The Automatic 3A Battery Charger and Maintainer is perfect for extending battery life on seasonally-stored ag equipment by maintaining the charge when the battery isn't in use. The maintainer/charger comes with an easy-to-read scrolling display that provides step-by-step instructions, and it can be used on 6- and 12-volt batteries. Charger has AGM charging capabilities.

| NUMBER | LIST | NOW |
|---------|---------|----------------|
| TY27265 | \$66.44 | \$53.15 |





Battery Accessories

Make John Deere your one-stop shop for battery accessories. Our wide selection of battery accessories includes terminals, terminal brushes, bolts, corrosion preventative, and terminal cleaner—everything you need! See us today for the complete Battery Accessories lineup.



TY25866



TY26328

Automatic 1.5A Battery Charger/Maintainers

Excellent for extending battery life for seasonally-used turf and utility equipment. Automatically maintains both 6- and 12-volt batteries, keeping them at full charge by using float-mode monitoring. Charger has AGM charging capabilities.

| NUMBER | LIST | NOW |
|--------------------|---------|----------------|
| 1.5 Amp | | |
| TY25866* | \$41.74 | \$33.39 |
| TY26328 (on-board) | \$39.66 | \$31.73 |

*Not available in California.

Automatic Battery Chargers



TY27731



TY27732



TY27733

| NUMBER | DESCRIPTION | LIST | NOW |
|---------|----------------------------------------------------------|----------|-----------------|
| TY27731 | 250-amp 12V and 125-amp 6V Engine Start Wheel Charger | \$283.89 | \$227.11 |
| TY27732 | 200-amp 12V and 125-amp 6V Engine Start Benchtop Charger | \$208.52 | \$166.82 |
| TY27733 | 50-amp 12V Engine Start Benchtop Charger | \$ 97.93 | \$ 78.34 |

Your John Deere dealer can build hydraulic hoses in minutes.

John Deere hose assemblies
built to OEM specifications.

Ask your dealer about hoses for
any brand of equipment.



HOSES IN MINUTES



We follow through to deliver
uptime for you.

Stay up and running, and eliminate the worry
about contaminants entering your hydraulic
system. Trust your John Deere dealer to deliver
complete solutions, like Ultra Clean, that ensure
contaminants are completely removed from new
hose assemblies.

Ask your dealer how Ultra Clean means uptime.



Stainless Steel Hose Clamps



| NUMBER | CLOSED AND OPEN RANGE | DUTY | LIST |
|---------|-----------------------|----------|--------|
| TY22462 | 1/4–5/8 in. | Light | \$0.89 |
| TY22465 | 9/16–1 1/16 in. | Standard | \$1.04 |
| TY22466 | 1 1/16–1 1/4 in. | Standard | \$1.04 |
| TY22467 | 1 3/16–1 3/4 in. | Standard | \$1.04 |
| TY22472 | 2 5/16–3 1/4 in. | Standard | \$1.50 |

John Deere Hydro-Max™ Hydraulic Cylinders



- Heavy-duty, double-acting tie-rod cylinders is rated for 2,500 or 3,000-psi continuous working pressure.
- Chrome-plated, hardened piston rod and heavy-duty ductile iron clevis with 360-degree thread contact area and positive-locking set screw device.
- Clevises include high-tensile zinc plated pins

| NUMBER | SIZE | WORKING PRESSURE | RETRACTED LENGTH | EXTENDED LENGTH | PORT SIZE | PIN DIAMETER | LIST |
|---------|--------------------|------------------|------------------|-----------------|---------------------|--------------|----------|
| TY8627 | 2 x 8-in. ASAE | 2,500 | 20 1/4-in. | 28 1/4-in. | 3/8-in. NPTF | 1-in. | \$170.16 |
| TY22540 | 2 x 8-in. ASAE | 3,000 | 20 1/4-in. | 28 1/4-in. | SAE 8 ORB | 1-in. | \$185.53 |
| TY8628 | 2 1/2 x 8-in. ASAE | 2,500 | 20 1/4-in. | 28 1/4-in. | 3/8-in. NPTF | 1-in. | \$176.40 |
| TY22541 | 2 1/2 x 8-in. ASAE | 3,000 | 20 1/4 in. | 28 1/4-in. | SAE 8 ORB | 1-in. | \$194.19 |
| TY8629 | 3 x 8-in. ASAE | 2,500 | 20 1/4-in. | 28 1/4-in. | 3/4-in.16-ORB SAE#8 | 1-in. | \$195.67 |
| TY22506 | 3 x 8-in. ASAE | 3,000 | 20 1/4-in. | 28 1/4-in. | SAE 8 ORB | 1-in. | \$213.05 |
| TY22570 | 3 x 12-in. | 3,000 | 22 1/4-in. | 34 1/4-in. | SAE 8 ORB | 1-in. | \$243.43 |
| TY22543 | 3 x 16-in. ASAE | 3,000 | 31 1/2-in. | 47 1/2-in. | SAE 8 ORB | 1 1/4-in. | \$254.23 |
| TY8630 | 3 1/2 x 8-in. ASAE | 2,500 | 20 1/4-in. | 28 1/4-in. | 1/2-in. NPTF | 1-in. | \$246.09 |

Omni Hydraulic Multiplier Valves

The Omni hydraulic multiplier valve addresses the needs of the compact utility tractor owner. Take an existing single circuit and split it into two circuits with electric controls on any 12-volt electrical system. The Omni valve is designed to be used on open, closed, or PFC hydraulic systems.

| NUMBER | MULTIPLIER VALVE TYPE | NUMBER OF FUNCTIONS | ADD-ON |
|------------|-----------------------|---------------------|---------------------|
| SW757-1550 | Standard | 2 | With RCS Handle |
| SW757-1552 | Standard | 4 | With RCS Handle |
| SW757-1520 | Economy | 2 | With Pendant Switch |
| SWSV30 | Standard | 2 | 4 Switch Options |

See us for pricing.




Hydraulic Multiplier and Add-On Valves

Add additional hydraulic outlets to prime movers economically. Hydraulic multipliers are transparent to the hydraulic system and work safely on all makes of equipment. They're easy to operate and provide a no-hassle solution to mobile equipment hydraulic shortages. These units are 100% final product-performance tested, and components are ISO-9002 certified.

| NUMBER | DESCRIPTION |
|------------|-----------------------------------------------------------------------------------|
| SW700-1002 | Economy Multiplier Valve with 2 Circuits. Works with Switchbox. |
| SW700-1510 | Standard Multiplier Valve with 2 Circuits. Works with Switchbox and ISO Couplers. |
| SW700-1590 | Standard Multiplier Valve with 2 Circuits. Works with John Deere Couplers. |
| SW700-1513 | Standard Multiplier Valve with 3 Circuits. Works with Switchbox. |
| SW700-1553 | Standard Multiplier Valve with 3 Circuits. Works with RCS Handle. |

See us for pricing.



Hose Drip Plugs

Prevent messes and environmental contamination from residual fluids leaking out of hydraulic hoses and/or hydraulic ports during repairs. An essential component of any well-stocked toolbox on the farm!

| NUMBER | DESCRIPTION |
|-----------|-----------------------------------------------------------------|
| SW304-257 | Mini Drip Plug (1–10mm), package of 24 |
| SW304-258 | Standard Drip Plug (5–22mm), package of 12 |
| SW304-259 | Large Drip Plug (12–42mm), package of 4 |
| SW304-260 | X-Large Drip Plug (50–80mm), package of 3 |
| SW304-262 | Drip Plug Kit, package contains 6 mini, 4 standard, and 2 large |

See us for pricing.



TOP NOTCH MOWER BLADES AND MORE!

SUNBELT OUTDOOR PRODUCTS

With over 66,000 turf products for all makes of equipment, we are confident that we will have the parts that you need to keep running. Sunbelt offers a wide range of parts for a variety of outdoor power equipment for almost every major brand of equipment. Whether it's a push or walk-behind mower, lawn tractor, zero turn, string trimmer, stick edger, chainsaw, utility vehicle, or all-terrain vehicle, your John Deere dealer can provide the Sunbelt parts that fit your needs.



Air Filters • Bearings • Belts
Broadcast Spreaders
Bushings • Brushcutter Blades
Carburetors • Edger Blades
Electric PTO Clutches
Fuel Filters & Line • Inner Tubes
Internal Engine Parts
Lawnmower Blades • Mufflers
Oil • Pulleys • Safety Products
Snow-Thrower Parts • Seats
Solenoids • Spark Plugs
Spindles • Starters • Sulkies
Switches • Throttle Cables
Tires • Trimmer Heads & Line
Workshop Tools
& Much, Much, More!



SPECIAL BUYS

Self-Sharpening Blade

The John Deere self-sharpening blade is a patented technology that applies a layer of extremely hard material on the bottom side cutting edge of the mower blade. Mower blades have a significant impact on the cut quality and are a component that requires regular maintenance to keep the blades sharp.

| | | |
|--------------------------|--------------|--------------------|
| UC15158 (60-inch) | List \$35.00 | Now \$29.75 |
| UC15159 (48-inch) | List \$31.51 | Now \$26.78 |



Trash Receptacle Kit

The trash receptacle kit enables trash pickup and storage without the need to leave the mower seat. It includes everything needed: Bracket for mounting for a 5-gal. (19-L) bucket and trash-grabbing apparatus. One 5-gal. (19-L) bucket. Trash-grabbing apparatus (may appear different than image pictured).

| | | |
|-----------------|---------------|---------------------|
| BUC10303 | List \$171.20 | Now \$145.52 |
| BUC10847 | List \$249.31 | Now \$211.91 |



MowerPlus™ Smart Connector

Keep your John Deere riding lawn mower running its best and know how it mows with the John Deere MowerPlus app. Simply scan the lawn tractor's barcode to get custom information. The app helps determine the best time to mow, communicates expert pre-mow tips, offers maintenance reminders, and provides walk-through guides.

| | | |
|-----------------|--------------|--------------------|
| BUC10929 | List \$99.51 | Now \$84.58 |
| BUC10537 | List \$99.51 | Now \$84.58 |





Making Easy, Easier

Now this industry exclusive has become even easier with John Deere's new easy change oil filter home maintenance kit. This maintenance kit contains nearly everything you need to tune up your machine in one convenient package, with one major bonus. No tools required. Twist. Lock. Done. Find your home maintenance kit on Deere.com

Find your Home Maintenance Kit at JohnDeere.com/HMK and order online at JDParts.com

| NUMBER | APPLICATION | LIST | NOW |
|----------|-------------------------------------|---------|----------------|
| AUC13705 | E120, E130, E150, S120, S130, Z365R | \$75.20 | \$67.68 |
| AUC13706 | E160, S160, S170, S180 | \$88.98 | \$80.08 |
| AUC13707 | E170, E180 | \$89.41 | \$80.47 |

Tune Up and Head Out

No need to take your machine to the shop for a tune-up. Our Home Maintenance Kits make it easy to tune up your lawn tractor or Gator™ by providing almost everything you need in one convenient package:

- 2 quarts oil
- 1 oil filter
- 1 air filter
- 1 fuel filter
- Air precleaner
- Spark plugs

Check out some of our kits below. If you don't see your machine listed, don't worry. There are many other kits available. See us to get the appropriate kit for your machine.

| NUMBER | APPLICATION | LIST | NOW |
|----------------------------------------|-------------------------------------------------------------------------------------|---------|----------------|
| 100 Series: | | | |
| LG262 | D110, D120, E110, S110 | \$47.83 | \$43.05 |
| LG263 | D130, D140 | \$51.87 | \$46.68 |
| LG264 | D150, D155, D160, D170 | \$63.41 | \$57.07 |
| LG266 | D110, E100, S100 | \$44.76 | \$40.28 |
| LG268 | D150, D160, D170 | \$70.14 | \$63.13 |
| LG272 | D130, D140 | \$51.50 | \$46.35 |
| LG275 | D125, D130, D140, E140 | \$44.09 | \$39.68 |
| LG276 | D130, D140 (california models only), S140 | \$48.57 | \$43.71 |
| Select Series™: | | | |
| LG249 | X530 | \$57.85 | \$52.07 |
| LG265 | S240, X350, X350R, X354, X370, X380, X384, X390, X394, X530, X570, X580, X584, X590 | \$54.10 | \$48.69 |
| LG277 | X330 | \$50.00 | \$45.00 |
| Signature Series: | | | |
| LG244 | X730, X734, X738, X739 | \$93.60 | \$84.24 |
| LG260 | X750, X754, X758 | \$71.38 | \$64.24 |
| EZtrak™ and Residential ZTrak™: | | | |
| LG265 | Z540M, Z540R, Z530M, Z530R | \$54.10 | \$48.69 |
| LG268 | Z525E, Z375R, Z515E | \$70.14 | \$63.13 |
| LG269 | Z535M, Z535R | \$66.13 | \$59.52 |
| LG276 | Z335E Z345M Z345R Z355R | \$48.57 | \$43.71 |
| AUC13705 | Z365R | \$75.20 | \$67.68 |
| AUC17471 | Z545R | \$44.94 | \$40.45 |

Your lawn is sure to stand out when you use new John Deere Or Sunbelt Outdoor Products mower blades. Because a sharp blade gives you the easiest path to a superior cut. Dull blades, on the other hand, quickly lead to tearing and shredding, and ultimately a dull brown lawn.



Mower Blades featuring John Deere Self-Sharpening Blade

John Deere now offers a mower blade that cuts itself sharp! These blades are designed to provide the long-lasting performance expected from a genuine John Deere mower blade while minimizing the amount of maintenance required. Simply put, in abrasive conditions, John Deere mower blades featuring the John Deere self-sharpening mower blade, stay sharper longer.

Mower Blades

John Deere mower blades have consistent hardness and toughness when tested by independent laboratories. The blade specifications translate into long-lasting blades that withstand impact. You can count on genuine John Deere parts.

| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|------------|----------------------|----------------------------------------------------------------------|---------|-----------------|
| M127673 | Mulching Blade | Fits Select Series, EZtrak™, GX, LT Series with 48-in. Mower Deck | \$13.30 | \$11.97 |
| A-B1JD1043 | Mulching Blade | Sunbelt Alternative – XHT | \$11.34 | \$ 10.21 |
| A-B1PD5048 | 3-in-1 Blade | Sunbelt Alternative – Predator | \$15.23 | \$13.71 |
| UC22010 | Side Discharge Blade | Fits Select Series, EZtrak, GX, and LX Series with 54-in. Mower Deck | \$13.82 | \$12.44 |
| A-B1JD1052 | Side Discharge Blade | Sunbelt Alternative – XHT | \$13.58 | \$12.22 |
| A-B1PD5054 | 3-in-1 Blade | Sunbelt Alternative – Predator | \$24.75 | \$22.28 |
| M164016 | Standard Blade | Fits Signature Series, EZtrak, and ZTrak™ with 54 HC Mower Deck | \$17.48 | \$15.73 |
| A-B1JD1039 | Standard Blade | Sunbelt Alternative – XHT | \$14.58 | \$13.12 |
| A-B1PD5172 | 3-in-1 Blade | Sunbelt Alternative – Predator | \$20.65 | \$18.59 |
| M163983 | Standard Blade | Fits Signature Series and ZTrak with 60 HC Mower Deck | \$18.83 | \$16.95 |
| A-B1JD1054 | Standard Blade | Sunbelt Alternative – XHT | \$20.25 | \$18.23 |
| A-B1PD5179 | 3-in-1 Blade | Sunbelt Alternative – Predator | \$22.06 | \$19.85 |
| UC15158 | LaserEdge | Fits Z900 Series and 997 with 60-in. 7-Iron™ PRO Deck | \$35.00 | \$29.75 |
| TCU15881 | High Lift Blade | Fits Z900 Series A, B, E, M, R, and 997 with 60-in. 7-Iron™ PRO Deck | \$20.89 | \$18.80 |
| A-B1JD1092 | High Lift Blade | Sunbelt Alternative – XHT | \$21.49 | \$19.34 |
| A-B1PD5041 | 3-in-1 Blade | Sunbelt Alternative – Predator | \$20.62 | \$18.56 |
| TCU15882 | High Lift Blade | Fits Z900 Series A, B, E, M, R, and 997 with 72-in. 7-Iron™ PRO Deck | \$24.13 | \$21.72 |
| A-B1JD6018 | High Lift Blade | Sunbelt Alternative – XHT | \$23.95 | \$21.56 |
| A-B1PD5018 | 3-in-1 Blade | Sunbelt Alternative – Predator | \$22.42 | \$20.18 |

See us for applications for your John Deere equipment as well as other makes of equipment.

John Deere Self-Sharpening Blades



OEM Blade



Sunbelt Predator Blade



Brush Guards and Bumpers

Keep your tractor free from scratches and scrapes with our front end brush guards and rear bumpers.

| NUMBER | APPLICATION | LIST | NOW |
|----------|------------------------------------------------------|---------|----------------|
| BUC11080 | S100, S110, S120, S130, S140, S160, S170, S180, S240 | \$74.90 | \$67.41 |

Lights

Extend your day and get the job done with our Headlight Kits. Kit includes one or two headlights, wiring harnesses, mounting hardware, and headlight switch.

| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|----------|----------------------------|------------------------------------------------------------------------------------|----------|-----------------|
| BUC10986 | LED Light Kit (E & M Only) | Z515E, Z530M | \$199.01 | \$179.11 |
| BUC10071 | Dual Headlight Kit | Z335E, Z345M, Z345R, Z355E, Z355R, Z365R, Z375R, Z525E, Z535M, Z535R, Z540M, Z540R | \$299.60 | \$269.64 |
| BUC10301 | Light Kit | Z720E, Z730M, Z735E, Z735M, Z740R | \$272.86 | \$245.57 |

Tool Storage

Get more done with John Deere tool mounting solutions.

| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|----------|----------------------|-----------------------------------|----------|-----------------|
| BUC10751 | Toolbox Kit | Z720E, Z735E, Z730M, Z735M, Z740R | \$102.71 | \$ 92.44 |
| BUC10303 | Trash Receptacle Kit | Z720E, Z735E, Z730M, Z735M, Z740R | \$171.20 | \$145.52 |
| BUC10826 | Yard Tool Kit | Z720E, Z735E, Z730M, Z735M, Z740R | \$ 46.01 | \$ 41.41 |



BUC10751



BUC10826



BUC10303



Home Maintenance Kits for Gators

Tune Up...Roll Out

Take advantage of that day off or tinkering time in the shop. Are you hands on and work on your machine yourself? Keep it running top notch with a tune-up. Our Home Maintenance Kits make it easy to do the routine maintenance on your Gator™ Utility Vehicle by providing almost everything you need in one convenient package:

- Oil
- Oil Filter
- Air Filter
- Fuel Filter
- Spark Plug(s)

Find your kit below. If you don't see your machine listed, don't worry, we have all the maintenance parts you need to keep your machine in peak shape.

| NUMBER | APPLICATION | LIST | NOW |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------|
| AUC15083 | Gator XUV 835E, XUV 835M, XUV 835R | \$ 67.11 | \$ 61.74 |
| AUC16614 | Gator XUV 590i, XUV 590i S4, XUV 590E, XUV 590E S4, XUV 590M, XUV 590M S4 | \$ 83.69 | \$ 76.99 |
| LG243 | Gator HPX 4X4 – Diesel (S/N 000,001 -040,000), HPX 4X2 – Diesel, 6X4, ProGator 2030 | \$ 67.96 | \$ 62.52 |
| LG248 | Gator TS 4X2 (S/N -100,000), CS, CX, 4X2, Trail 4X2 | \$ 43.03 | \$ 39.59 |
| LG249 | Gator TS 4X2 (S/N 100,001-) | \$ 57.85 | \$ 52.07 |
| LG258 | Gator TX (S/N -040,000; Engine FJ400D), TX 4X2 (S/N 000,001 -040,000), TX Turf 4X2 | \$ 43.53 | \$ 40.05 |
| LG259 | Gator TX (S/N 040,001-; Engine FH601D), TX 4X2 (S/N 040,001-), HPX 4X2, Gator HPX 4X4, Gator HPX Trail 4X4, HPX 615E, TH 6X4 – Gas | \$ 47.39 | \$ 43.60 |
| LG260 | Gator TH 6X4 – Diesel, HPX 4X4 – Diesel (S/N 040001-), HPX 815E, XUV 850D – Diesel, XUV 855D – Diesel, XUV 855D S4, XUV 855D S4, XUV 855E, XUV 855M, XUV 855M S4 | \$ 71.38 | \$ 64.24 |
| LG261 | Gator XUV 620i, XUV 625i | \$ 58.13 | \$ 53.48 |
| LG270 | Gator XUV 825i, XUV 825i S4, XUV 825E, XUV 825M, XUV 825M S4 | \$ 71.04 | \$ 65.36 |
| LG273 | Gator XUV 550 & XUV 550 S4 (S/N 010001-), XUV 560, XUV 560 S4, XUV 560E, XUV 560E S4 | \$ 69.12 | \$ 63.59 |
| LG274 | Gator XUV 865E, XUV 865M, XUV 865R, RSX 850i, RSX 850i Sport, RSX 850i Trail, RSX 860i, RSX 860E, RSX 860M | \$139.68 | \$128.51 |

Power and Protection

Get your guard up with a full array of custom protection options that look great, too.

| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|----------|-----------------------------------------|-------------------------------------------|----------|-----------------|
| BUC10772 | Cargo Box Power Lift | HPX, XUV 625/825/835/855/865 | \$964.07 | \$886.94 |
| BUC10682 | WARN® ProVantage 2041 (4,500-lb.) Winch | HPX, XUV 625/825/835/855/865 | \$765.06 | \$703.86 |
| BM21392 | Winch Accessories Kit | | \$149.80 | \$137.82 |
| BUC10679 | Brush Guard | XUV 835/865 | \$403.39 | \$371.12 |
| BM22841 | Brush Guard | HPX 615/815, XUV 825/855 | \$289.97 | \$266.77 |
| BM23365 | Brush Guard | XUV 550/560/590 | \$379.86 | \$349.47 |
| BM22767 | Rear Bumper | TE/TH/TX, XUV 620/625/825/835/850/855/865 | \$265.36 | \$244.13 |
| BM23362 | Rear Bumper | XUV 550/560/590, RSX | \$223.63 | \$205.74 |
| BUC10247 | Front Fender Guard | XUV 835/865 | \$242.89 | \$223.46 |
| BM23394 | Front Fender Guard | XUV 550/560/590 | \$210.79 | \$193.93 |
| BUC11320 | Cargo Box Fender Guard | XUV 835/865 | \$194.74 | \$179.16 |
| BM22811 | Cargo Box Fender Guard | TE/TX, XUV 620/625/825/850/855 | \$222.56 | \$204.76 |
| BUC10761 | CV Guards – Front and Rear | XUV 835/865 | \$258.94 | \$238.22 |



Note: Check compatibility based on Serial Number with your local dealer. See us for additional product offerings if your model is not listed.




Cargo Box Bed Extender Kit

The cargo box bed extender conveniently extends the rear of the cargo bed, and also acts as a cargo box divider when it is flipped inside of the cargo box. The cargo box bed extender easily flips in or out with the use of quick-pull pins.

Fits models: 2010 and newer Gator TX, TH, TE, and TX Turf Utility Vehicles, 2011 and newer Gator XUV and M-Gator A2 Utility Vehicles, and 2018 and newer HPX Utility Vehicles.

| NUMBER | DESCRIPTION | LIST | NOW |
|---------|---------------------------|----------|-----------------|
| BM25700 | Cargo Box Length Extender | \$323.14 | \$264.97 |

HOT BUY



Cargo Box Protection

Protects cargo bed from scratches and dents. The mats may also help keep materials from sliding around during transport.

| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|----------|-------------------|-------------------------------------------------------------------------------|----------|-----------------|
| BM22772 | Cargo Box Bed Mat | XUV835, XUV865, XUV825, XUV855, HPX615, HPX815, TX 4x2, TH 6x4/Diesel, TE 4x2 | \$136.96 | \$126.00 |
| VGB10133 | Cargo Box Bed Mat | TS 4x2 | \$136.96 | \$126.00 |
| BM23371 | Cargo Box Mat | XUV560/S4, XUV590/S4, RSX860 | \$136.96 | \$126.00 |
| BM25048 | Poly Bedliner | TS 4x2 | \$375.57 | \$345.52 |

Cargo Box Toolboxes

Provides more integrated sealed storage in the cargo box.



| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|----------|-------------------------------------|-------------------------------------------------|----------|-----------------|
| BM26162 | Top-Opening Toolbox | Heavy-Duty XUVs, TX, TX Turf, TE, and TH Models | \$894.51 | \$822.95 |
| BM26160 | Side-Opening Toolbox | Heavy-Duty XUVs, TX, TX Turf, TE, and TH Models | \$894.51 | \$822.95 |
| BUC10393 | Tailgate with Brake and Tail Lights | Heavy-Duty XUVs, TX, TX Turf, TE, and TH Models | \$393.76 | \$362.26 |
| BM26220 | Label Kit – Green and Yellow | Heavy-Duty XUVs, TX, TX Turf, TE, and TH Models | \$ 25.69 | \$ 23.63 |

Cargo Box Divider

The dividers can be positioned at the front or rear of the cargo box bed. To change positions of the dividers, simply release the speedrail locks by hand and slide into the new position, then close the locks to secure the dividers.



| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|---------|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------|
| BM22769 | Cargo Box Divider | Compatible with models equipped with the deluxe cargo box: Model year 2011 and later XUV625i, 825i, 825i S4, 855D, and 855D S4; Model year 2010 and later TX 4x2, TH 6x4 Gas, TH 6x4 Diesel, TE 4x2, and TX Turf | \$226.84 | \$186.01 |

HOT BUY

Cargo Box Side Extensions Kit

The cargo box side extension kit expands the versatility of Gator™ Utility Vehicles when what you are carrying needs a little extra support above the cargo box sides. The extensions allow operators to haul twice the volume (not to exceed cargo box weight capacity) of light material such as grass clippings and mulch.

Product features include:

- Four-sided structure increasing side height to 21 in. and volume to 26 cu. ft.
- Mounted on the sides and front, while the tailgate can be removed without tools
- Tailgate pivots at the top (like a dump truck) for ease of dumping loose material
- Laser-cut, heavy-gauge, powdered-coated steel provides excellent durability
- Compatible with Gator cabs and bedliners

Fits models: 2010 and newer Gator TX, TH, TE, and TX Turf Utility Vehicles, 2011 and newer Gator XUV and M-Gator A2 Utility Vehicles, and 2018 and newer HPX Utility Vehicles.

NOTE: The cargo box side extensions are not intended to increase the rated cargo box carrying capacity per the vehicle specification.



HOT BUY

| NUMBER | DESCRIPTION | LIST | NOW |
|---------|------------------------------|----------|-----------------|
| BM24901 | Cargo Box Side Extension Kit | \$556.40 | \$456.25 |

Side Tool Rack

| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|---------|----------------|----------------------------------------------------------------------|----------|-----------------|
| BM22775 | Side Tool Rack | XUV835, XUV865, XUV825/S4, XUV855/S4, TX 4x2, TH 6x4/ Diesel, TE 4x2 | \$360.59 | \$331.74 |



Cab Heater

Three-directional louvers provide complete operator comfort and windshield defrosting. Kit includes high-output two-speed heater, mounting hardware, coolant hoses, and electrical harness. Requires VGB10547 heater fitting kit for HPX and XUV625i gas engine models. Requires BM25593 heater fitting kit for XUV825i gas engine models. Requires VGB10548 heater fitting kit for HPX and XUV855D diesel engine models.

| NUMBER | DESCRIPTION | APPLICATION | LIST | NOW |
|---------|-------------|------------------------------------------------------------------------|------------|-------------------|
| BM23608 | Cab Heater | HPX Gas, HPX Diesel, XUV625i, XUV825i, XUV825i S4, XUV855D, XUV855D S4 | \$1,231.57 | \$1,133.04 |



John Deere Tire Sealant

John Deere Tire Sealant is a proven preventative maintenance tool. Protect your tires against air loss and save money from reduced downtime for the life of your tires.

Other benefits include:

- Puncture sealing up to 1/4-inch in diameter
- Rim and bead sealing
- Dry rot and crack prevention

| NUMBER | DESCRIPTION | LIST | NOW |
|---------|-------------------------------------|----------|-----------------|
| TY26370 | Tire Sealant, 16-oz. | \$ 12.60 | \$ 10.61 |
| TY27031 | Tire Sealant, 32-oz. | \$ 23.43 | \$ 19.71 |
| TY16236 | Tire Sealant with Hand Pump, 1-gal. | \$ 52.03 | \$ 43.77 |
| TY15833 | Tire Sealant, 5-gal. | \$151.74 | \$127.65 |





*Heavy-Duty Mini Speakers (shown) sold separately.



Designed to be one of the most rugged stereos in the industry, this heavy-duty radio delivers high-quality audio while withstanding some of the harshest working conditions.

A AM/FM/WB/iPod®/iPhone®/ SiriusXM™ Heavy-Duty Radio

SWJHD1630

\$281.51

Boldly go where no radio has gone before.

The weatherproof Jensen SWJHD906BT radio brings news, weather, and Bluetooth® capabilities to Gators, Skid Steers, and Open-Station Tractors. You get NOAA Weatherband with weather alert, AM/FM radio, Bluetooth playback, controls, and the ability for hands-free calling (external microphone SWJMICHFP sold separately), and an input to play iPod, MP3 player, or portable CD player.

B Mini 906BT Radio

SWJHD906BT

*Heavy-Duty Mini Speakers (SWJXH35) sold separately.

\$369.97

The SWJHD1365BT stereo is built tough for demanding environments while featuring the latest technological advancements. This radio features Bluetooth streaming audio (microphone included) with hands-free calling, giving you a truly hands-free experience. The iPod/iPhone capabilities can be taken advantage of via the USB so you can take your personal music library with you. Plus, the stereo is also SiriusXM-ready, offering you endless entertainment options.

C AM/FM/WB/iPod- & iPhone-ready/SiriusXM/ Bluetooth Stereo

SWJHD1635BT

\$351.87

We made the cab quiet. Now give your ears something to listen to.

If your cab radio is dead, dying, or just plain dysfunctional, consider an audio upgrade. Tune in to local news, weather, and sports, or bring your own audio stimulation via CD or MP3. Satellite news and music are also an option.

Pull in AM/FM and weather-band signals. This new heavy-duty radio has a full 7-channel NOAA Weatherband tuner and tells the time with the new segmented high-visibility display. It also comes with front Aux in capabilities and is equipped with a two-wire hookup that prevents battery drain when the vehicle is off.

D AM/FM/WB Heavy-Duty Radio

SWJHD1130

\$190.75

In today's modern heavy-duty market, having a radio built to survive the tough stuff doesn't mean that it has to sacrifice in-demand entertainment options. The SWJHD36MIC features the ability to receive Bluetooth streaming audio and phone calls from a Bluetooth-enabled mobile phone, giving you a truly hands-free experience. The microphone required for hands-free calling comes standard with the radio. This state-of-the-art heavy-duty stereo also has NOAA 7-channel Weatherband tuner with S.A.M.E technology to focus on a more specific region, giving you more accurate weather updates along with being iPod- and SiriusXM radio-ready.

E AM/FM/WB/CD/USB/Bluetooth®/iPhone/ iPod/SiriusXM Stereo

SWJHD36AMIC

\$374.08

ToughCam Digital Wireless Observation System

It's not X-ray vision—but it's the next best thing.

This one-camera digital observation system far exceeds the performance of any other analog system on the market. It features a WiSight signal so strong that it easily transmits through and around objects up to 60 feet away—with no interference.

Other benefits:

- Delivers a sharp, vivid picture with the 5.6-in. color LCD monitor
- Suction cup mount and 12-volt DC power plug for the monitor make this system easily portable among vehicles
- Wireless for easy and convenient setup

Applications:

- Tractors and round balers
- Sprayers
- Trucks and trailers
- Recreational vehicles
- Industrial
- Marine



| NUMBER | LIST |
|--------------|----------|
| SWWVOS5MDCL1 | \$628.56 |

Ratchet Straps

Just load it up and strap it down with our versatile tie-down straps. From securing ladders to the roof of your SUV to strapping large bales to your trailer, John Deere tie-down straps work for just about anything. Release load tension under control with reversing action design, and larger handles and release bars.

| NUMBER | DESCRIPTION | LIST |
|---------|-----------------------------------------------------------------------------------------------------|---------|
| TY27478 | 1 1/4-in. x 16-ft., Reversible Ratchet and Double J Hooks, 1,000-lb. WLL / 3,000-lb. Break Strength | \$22.20 |
| TY27476 | 1 1/2-in. x 20-ft., Reversible Ratchet and Double J Hooks, 1,665-lb. WLL / 5,000-lb. Break Strength | \$28.51 |
| TY27477 | 2-in. x 27-ft., Reversible Ratchet and Round J Hooks, 3,330-lb. WLL / 10,000-lb. Break Strength | \$43.13 |
| TY27480 | 2-in. x 27-ft., Reversible Ratchet and Flat Hooks, 3,330-lb. WLL / 10,000-lb. Break Strength | \$43.13 |
| TY27479 | 2-in. x 40-ft., Reversible Ratchet and Double J Hooks, 3,330-lb. WLL / 10,000-lb. Break Strength | \$45.89 |



John Deere Fuel-Protect Gasoline Stabilizer

Blended fuel attracts water from the air, which causes corrosion to fuel tanks, fuel lines, carburetors, and injectors. John Deere Fuel-Protect contains double the corrosion preventer to help fight these damaging effects. Pumped gasoline starts to degrade immediately, causing varnish deposits to build in engines. This results in starting problems, poor performance, and reduced engine life. Add John Deere Fuel-Protect to keep fuel fresh for 12 months, more than doubling the storage life of fresh gasoline. John Deere Fuel-Protect also eliminates the need to drain fuel prior to storage.

| NUMBER | DESCRIPTION | LIST |
|---------|-----------------------------------|---------|
| TY27534 | Fuel-Protect for Gasoline, 8-oz. | \$ 5.00 |
| TY27535 | Fuel-Protect for Gasoline, 32-oz. | \$14.51 |



Tech Tip:

Every time you fill your red gas can, add some Fuel Protect gas stabilizer. Then you always have protected fuel and longer storage life.



StrongBox™ Alkaline Batteries

John Deere StrongBox Alkaline batteries deliver long-lasting, dependable, powerful performance for the devices you use everyday—from flashlights to portable radios and many other electronic devices.

| NUMBER | DESCRIPTION | LIST | NOW |
|---------|--------------|---------|---------------|
| TY26865 | AAA – 4-Pack | \$ 5.36 | \$4.82 |
| TY26866 | AAA – 8-Pack | \$ 9.41 | \$8.47 |
| TY26867 | AA – 4-Pack | \$ 5.36 | \$4.82 |
| TY26868 | AA – 8-Pack | \$ 9.41 | \$8.47 |
| TY26869 | C – 4-Pack | \$10.77 | \$9.69 |
| TY26870 | D – 4-Pack | \$10.77 | \$9.69 |
| TY26871 | 9V – 2-Pack | \$ 9.56 | \$8.60 |



PM191-052901

PM191-054448



PM191-050594

PM191-050860



PM191-050563

USB Chargers and Cables

With the ever changing selection of devices available, it is important to choose the right charger to fit the device's need. Charge your mobile devices faster than ever in any John Deere application, personal vehicle, or at home with the variety of PowerUp™ USB chargers and cables made available by your John Deere dealer.

| NUMBER | DESCRIPTION | LIST | NOW |
|--------------|-------------------------------------|---------|----------------|
| PM191-052901 | Dual USB Chargers – 4.8A | \$16.60 | \$14.94 |
| PM191-054448 | 3-in-1 Charger w/ 6-ft. Apple Cable | \$31.59 | \$28.43 |
| PM191-050594 | USB Cable – Apple, 6-ft. | \$22.77 | \$20.49 |
| PM191-050860 | USB Cable – Type C, 6-ft. | \$16.60 | \$14.94 |
| PM191-050563 | USB Cable – Micro USB, 6-ft. | \$11.62 | \$10.46 |

NOCO Lithium Jump Starters



A-GB70



A-GB500

| NUMBER | PEAK AMPS | PRIMARY EQUIPMENT TYPES | ENGINE SIZE CAPABILITIES | LIST |
|------------------------------|-----------|-----------------------------------------------------------------------|---------------------------|------------|
| 12V Jump Starters: | | | | |
| A-GB20 | 500A | Lawn and Garden, Auto | Up to 4L Gas Engine | \$ 83.87 |
| A-GB40 | 1,000A | Lawn and Garden, Small Tractors, Gators, Auto | Up to 6L Gas, 3L Diesel | \$ 103.97 |
| A-GB50 | 1,500A | Lawn and Garden, Small Tractors, Gators, Auto | Up to 7L Gas, 4.5L Diesel | \$ 154.97 |
| A-GB70 | 2,000A | Lawn and Garden, Small and Large Tractors, Gators, Auto | Up to 8L Gas, 6L Diesel | \$ 206.97 |
| A-GB150 | 4,000A | Lawn and Garden, Small and Large Tractors, Gators, Skid Loaders, Auto | Up to 10L Gas, 10L Diesel | \$ 309.72 |
| 12V/24V Jump Starter: | | | | |
| A-GB500 | 20,000A | Large Agriculture, Construction and Forestry | Up to Class 8+ Engines | \$1,847.87 |

Cleaners and Lubricants

John Deere has the product you need, the quality and reliability you demand, and the prices you'll like.

| NUMBER | DESCRIPTION | SIZE | LIST |
|---------|----------------------------------------------|---------------|---------|
| TY26352 | All-Purpose Cleaner | 19 oz (539 g) | \$ 6.40 |
| TY25684 | Classic Glass Cleaner | 19 oz (539 g) | \$ 4.12 |
| TY16403 | Carpet Stain Remover | 18 oz (511 g) | \$ 7.51 |
| TY26357 | Engine Cleaner | 15 oz (425 g) | \$ 4.67 |
| TY26350 | Chain and Cable Lubricant | 15 oz (425 g) | \$ 6.11 |
| TY26353 | Penetrating Oil | 15 oz (425 g) | \$ 5.49 |
| TY25733 | Super Lube® Synthetic Multipurpose Lubricant | 14 oz (397 g) | \$12.52 |



Multi-Purpose Spray Lubricant

Use this superior lubricant in hundreds of applications. It's a water-displacing, friction-reducing, lightweight, penetrating oil. It prevents rust and also works well to free up parts already seized by rust, scale, or corrosion. Will not harm electrical contacts, wood, vinyl, or paint.

| NUMBER | DESCRIPTION | LIST |
|--------|----------------------------------------|--------|
| TY6350 | Multi-Purpose Spray Lubricant, aerosol | \$8.63 |



Hand Cleaners

Sometimes hard work means getting your hands dirty. But when the job's done, it's nice to go home with clean hands. John Deere has a whole line of hardcore hand cleaners that will wash off even the toughest dirt and grime. All of our cleaners have these benefits:

- Non-toxic
- No chemical odor
- Multi-purpose uses (e.g., a stain remover for washable clothing, cleans tools, etc.)
- Contains only cosmetic-grade components and odorless mineral spirits (competitors use lower-grade components in their formulas)
- Milder than competitive products, leaving no skin irritation
- Includes skin emollients, lanolin, and glycerin

| NUMBER | DESCRIPTION | LIST |
|---------|---------------------------------------------------------------------|---------|
| TY26105 | UltraCare Multi-Purpose Hand Cleaner Gel – 14 oz. | \$ 3.53 |
| TY26106 | UltraCare Multi-Purpose Hand Cleaner Gel – 4 1/2 lbs. | \$14.61 |
| TY26108 | Heavy-Duty Hand Cleaner – 16 oz. | \$ 4.76 |
| TY26068 | Premium Hand Cleaner – 16 oz. | \$ 4.13 |
| TY26069 | Premium Hand Cleaner – 1/2 gal. | \$12.41 |
| TY26066 | General Purpose Hand Cleaner with Ultra-Fine Pumice, 16 oz. | \$ 4.33 |
| TY26080 | General Purpose Hand Cleaner lotion formula without pumice – 16 oz. | \$ 4.33 |



TY26106



TY26108



TY26066

Ultra Guard Leather Care



John Deere Ultra Guard Leather Care is our premium leather treatment product specifically developed for your vehicle's leather interior and other fine leather items. It will gently clean, condition and protect leather to maintain that brand-new look and feel you love. It even has a proprietary UV protectant that prevents damage from direct sunlight. Other features include:

- Restores suppleness and luster
- Conditions leather to help reduce age creases
- No oily film – surface stays cleaner
- Safe, non-toxic formula
- Pleasant almond fragrance

| NUMBER | DESCRIPTION | LIST |
|---------|-----------------------------------|--------|
| TY26218 | Ultra Guard Leather Care – 16 oz. | \$9.39 |

Polycarbonate Window Cleaner and Wash



Superior at providing impact resistance, lightweight polycarbonate windows are a great feature on many off-road vehicles. Proper care and cleaning with the right products promotes long life without damage from surface abrasion or chemical incompatibility. John Deere recommends our factory approved solution to maintain a clear view of your work and recreational environment through polycarbonate windows.

Use these products full strength and as directed for effective results removing tough contaminants such as; tar, grease, tree sap, resins, and more from polycarbonate windows. Use on Skid Steers, Compact Track Loaders, Gator™ UTVs, and more. Works on glass windows too.

WARNING – Do not use common windshield wiper fluid or glass cleaner on polycarbonate windows. Use of incompatible cleaning materials on windows made of polycarbonate can cause structural and/or surface damage.

| NUMBER | DESCRIPTION | SIZE | LIST |
|---------|------------------------------------|--------|---------|
| TY27682 | Polycarbonate Window Wash | 32 oz. | \$22.31 |
| TY27683 | Polycarbonate Window Cleaner Spray | 32 oz. | \$13.40 |

Loctite® Adhesives and Sealants

Whether you are trying to lock a threaded fastener or you need a flexible form-in-place gasket, Loctite has the product. Your John Deere dealer is an authorized Loctite distributor and has the professional-grade products you can count on.



| NUMBER | DESCRIPTION | LIST |
|-----------|---------------------------------------------------------|---------|
| PM37482 | Thread Sealant 545, 36 ml bottle | \$32.21 |
| PM1212164 | Insulating & Sealing Wrap, 1" x 10' roll | \$13.25 |
| PM38657 | High-Flex Form-In-Place Gasket, 50 ml tube | \$21.96 |
| PM38655 | Gasket Maker 515, Flange Sealant, 50 ml tube | \$17.96 |
| PM37463 | RTV Clear Silicone, 80 ml tube | \$ 3.41 |
| PM37391 | Quick Gel® Super Glue, 2 gram tube | \$ 2.29 |
| PM1330906 | Thread Locker 243, 36 ml bottle | \$30.63 |
| PM1165866 | Superflex Green RTV Silicone (matches John Deere green) | \$19.05 |

Protect your most valuable assets with John Deere paint.



You already know farm machinery is your largest investment. So get the most out of it today—and for seasons to come—by protecting it with the best paint in the business.

Only genuine John Deere paint gives you the long-lasting, high-gloss finish that better shields your equipment from UV fading, rust, and corrosion. Or whatever else Mother Nature may throw at you.

Pick up a can now at your local John Deere dealer. Better yet... make it two cans.

Only from your John Deere dealer.

SOFT BLACK COATING

Keep your tillage equipment corrosion-free throughout the dormant season with Soft Black protectant from John Deere. Our non-clog formula applies easier and lasts longer—until it's time to get back into the soil.



Oil Less Air Compressors

- High performance induction electric motor
- Quiet Technology – Significantly quieter than John Deere gas powered air compressors
- 1-year limited warranty

| NUMBER | DESCRIPTION | LIST |
|---------|-----------------------------------------------------------------------------------|----------|
| HR1-2Q | 1.0-hp Electric Motor, 120-volt, 2.4 cfm @ 90 psi, 2.5-U.S. gal. hand-carry model | \$295.00 |
| HR1-20Q | 1.5-hp Electric Motor, 120-volt, 4.0 cfm @ 90 psi, 20-U.S. gal. portable model | \$520.00 |



HR1-20Q



HR1-2Q

Free AWJ-9301-AT02
accessory kit with
HR1-2Q or HR1-20Q
purchase.

*See insert coupon for details.

Air Compressor Accessory – Custom Starter Kit

The kit includes:

- (1) 25-foot air hose
- (1) Blow gun with rubber nozzle
- (1) Ball foot air chuck
- (3) 1/4-in. plugs (2 male – 1 female)
- (1) 1/4-in. coupler (female)



| NUMBER | DESCRIPTION | LIST |
|---------------|-----------------------------------------------|---------|
| AWJ-9301-AT02 | Air Compressor Accessory – Custom Starter Kit | \$41.75 |

NEW Air Tools

Short Impact Wrenches allow for easy access in confined spaces.

- **AT-3118-J** – 3/8-inch Short Impact Wrench
- **AT-3119-J** – 1/2-inch Short Heavy-duty Impact Wrench

Angle Impact Wrenches feature a gearless angle head reduces vibration and increases torque output. They also allow easy access in confined spaces, short and stubby design with low reaction force.

- **AT-3120-J** – 3/8-inch Angle Air Impact Wrench
- **AT-3121-J** – 1/2-inch Angle Air Impact Wrench

Heavy Duty Impact Wrench has enough power to bust loose even the toughest of fasteners. It also features excellent power to weight ratio.

- **AT-3122-J** – 3/8-inch Angle Air Impact Wrench

The **AT-3202-J** 3/8-in. Butterfly Impact Wrench features an instant forward/reverse with butterfly throttle and comes in a compact size for access in tight areas.

The **AT-3207-J** 3/8-in. Power Ratchet Wrench features a lever-type throttle for convenient operation and a front exhaust that directs air away from the operator.

The **AT-3206-J** 1/2-in. Power Ratchet Wrench has an extended tool length that provides increased leverage and a steel ratchet housing for long life.



AT-3119-J



AT-3121-J



AT-3122-J



AT-3207-J



AT-3206-J



AT-3113-J

| NUMBER | DESCRIPTION | LIST |
|-----------|----------------------------------------|----------|
| AT-3207-J | 3/8-in. Power Ratchet Wrench | \$203.00 |
| AT-3113-J | 3/8-in. Butterfly Wrench | \$ 81.00 |
| AT-3206-J | 1/2-in. Power Ratchet Wrench | \$203.00 |
| AT-3118-J | 3/8-in. Short Impact Wrench | \$153.00 |
| AT-3119-J | 1/2-in. Short Heavy-Duty Impact Wrench | \$153.00 |
| AT-3120-J | 3/8-in. Angle Air Impact Wrench | \$201.00 |
| AT-3121-J | 1/2-in. Angle Air Impact Wrench | \$201.00 |
| AT-3122-J | 1/2-in. Heavy-duty Air Impact Wrench | \$157.00 |

20-in. Hand-Carry Toolboxes

John Deere hand-carry toolboxes are tough and rugged, built of the highest-quality materials for long wear life and durability. Each offers a 1-year warranty.

| NUMBER | DESCRIPTION | LIST |
|-----------|----------------------------------------------------------|---------|
| HR-20HB-1 | 20-in. Toolbox; powder-coat green finish | \$74.75 |
| HR-20HB-2 | 20-in. Toolbox; powder-coat green finish with yellow lid | \$74.75 |



HR-20HB-1



HR-20HB-2

New LED Flashlights

Heavy-Duty LED Flashlights

- Adjustable beam allows you to go from flood to spot beams by single-hand sliding operation
- Slim and lightweight for work or everyday tasks
- LED bulb never needs to be replaced
- Limited lifetime warranty

Battery Powered

ET-3909-J – 20 Lumens Battery Powered Flashlight,

- 23-hour run time
 - 2 x 1.5V AAA Alkaline batteries included
- 50% discount applies to this flashlight only. Limit 1 per person.
Cannot be combined with any other promotion.

ET-3910-J – 370 Lumens Battery Powered Flashlight

- 2-hour run time
- 2 x 1.5V AA Alkaline batteries included

ET-3911-J – 450 Lumens Battery Powered Flashlight

- 1-hour run time
- 4 x 1.5V AAA Alkaline batteries included



ET-3912-J



ET-3913-J

Rechargeable Battery Powered

ET-3912-J – 110 Lumens Lithium-ion Rechargeable Flashlight

- 2-hour run time
- 1 x 3.7V 320 mAh 10440 Lithium-ion rechargeable battery included

ET-3913-J – 1,000 Lumens Lithium-ion Rechargeable Flashlight

- 4-hour run time
- 1 x 3.7V 2600 mAh 18650 Lithium-ion rechargeable battery included

| NUMBER | DESCRIPTION | LIST |
|-----------|--------------------------------------------------|---------|
| ET-3909-J | 20 Lumens Battery Powered Flashlight | \$19.99 |
| ET-3910-J | 370 Lumens Battery Powered Flashlight | \$27.00 |
| ET-3911-J | 450 Lumens Battery Powered Flashlight | \$34.00 |
| ET-3912-J | 110 Lumens Lithium-ion Rechargeable Flashlight | \$31.99 |
| ET-3913-J | 1,000 Lumens Lithium-ion Rechargeable Flashlight | \$51.99 |

50% off ET-3909-J.
Limit 1 per person.
Cannot be combined with any other promotion.



ET-3909-J



ET-3910-J



ET-3911-J



Bench Vise

\$10 & \$15 rebate on Bench Vises*

Get a grip. Now go to work.

If you can't grip it, it can be mighty hard to work it. That's why a John Deere vise belongs on your work bench.

| NUMBER | DESCRIPTION | LIST |
|--------|-----------------------------------------------|----------|
| BV5-J | 5-in. Heavy-Duty Bench Vise, 10-year warranty | \$138.00 |
| BV8-J | 8-in. Heavy-Duty Bench Vise, 10-year warranty | \$198.99 |

*See insert coupon for details.



Shop Towels and Absorbents

Start out clean. Toss when done.

Maybe you think that old shop rag of yours is doing the trick, but look at it—it's already dirty. Start fresh each time with John Deere hand towels and absorbents.

| NUMBER | DESCRIPTION | LIST |
|------------------|--------------------------------------------------------------------------|---------|
| Towels | | |
| DRC4223 | Shop Towels, 200 count, box | \$13.75 |
| DRC4601 | Shop Towels, 56 count, single roll | \$ 3.50 |
| DRC4221 | Shop Towels, 200 count, bucket | \$23.50 |
| DRC4222 | Shop Towels, 200 count, bucket refill | \$15.50 |
| DRC4602 | Shop Towels, 56 count, three pack | \$ 8.95 |
| Absorbent | | |
| ABS2860 | Absorbent Pads, 100 count, 15-in. x 19-in. | \$44.50 |
| ABS2861 | Absorbent Roll, 28.5-in. x 150-ft., perforated to 15-in. x 19-in. sheets | \$86.50 |



PR Series Vacuums

For hands-on users in rugged applications, John Deere PR Series wet/dry vacuums deliver performance, efficiency, and reliability as standard. These vacuums work as hard as you do.

- Push-to-clean semi-automatic filter cleaning
- Long-lasting washable wet and dry filter cartridge
- Quiet operation
- Accessories available

| NUMBER | DESCRIPTION | LIST |
|--------|----------------------------------------------------------------------------------------------------------------------------------|----------|
| PR-7 | 120-volt and 1.34-hp @ 60 Hz., 127 max CFM air flow, 84-in. max waterlift, 64 dB(A), 7-gal. container capacity, 16.5-lb., ETL-C | \$224.00 |
| PR-12 | 120-volt and 1.34-hp @ 60 Hz., 135 max CFM air flow, 92-in. max waterlift, 59 dB(A), 12-gal. container capacity, 38.5-lb., ETL-C | \$432.00 |



Barbecue Grills

Best-selling Weber® grills from your John Deere dealer.

Hand Carry Q Grill

- 280-sq.-in. total cooking area
- Stainless-steel burner
- Optional stand/cart available

Charcoal Kettle Grill

- 363-sq.-in. total cooking area
- Porcelain-enameled bowl and lid

Smokey Mountain Cooker Smoker

- 481-sq.-in. total cooking area
- (2) 18½-in. plated steel cooking grates
- Porcelain-enameled bowl, lid, and water pan adds steam to the smoking process

Purchase a John Deere
Hand Carry LP Gas
Grill (HR-LPQ2200
and Receive a
\$10 Rebate.

*See insert coupon for details.



HR-LPQ2200



HR-CGS225



HR-SMC185

| NUMBER | DESCRIPTION | LIST |
|------------|------------------------------------------------------------------------|----------|
| HR-LPQ2200 | Hand-Carry Gas Grill, 280-sq.-in. total cooking area, 12,000 BTU | \$287.00 |
| HR-CGS225 | Charcoal One-Touch Silver Kettle Grill, 363-sq.-in. total cooking area | \$129.00 |
| HR-SMC185 | Smoker with 2 cooking grates, 481-sq.-in. total cooking area | \$353.00 |



John Deere—your hardware headquarters.

See your John Deere dealer for two easy, cost-saving ways to stock up on hardware for your farm and shop:

1) Grab what you need and pay by the pound.

- Bolts
- Fender washers
- Wing nuts
- Plow bolts
- Flat washers
- Nylon nuts
- Carriage bolts
- Lag screws
- And more!
- Lock washers
- Hex nuts

2) Customize your own hardware needs.

Make us your one-stop shop. See us today for great savings and added accessibility.



Customize your own Hardware Bins and Hardware

Keep your assortments even more organized with our sturdy storage bins. They're a great addition to any shop!

Preselected Hardware Assortments

| English | Metric |
|-------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| Grade 5 hex, 1/4–1/2-in. dia. Part No. PM15472 Sizes in assortment: 99 Metal bins included: 40- and 72-hole | Grade 8.8 hex, M6–M12 dia. Part No. PM15477 Sizes in assortment: 70 Metal bins included: 72-hole |
| Grade 5 hex, 5/8–3/4-in. dia. Part No. PM15473 Sizes in assortment: 36 Metal bins included: 40-hole | Grade 8.8 hex, M16 dia. Part No. PM15478 Sizes in assortment: 19 Metal bins included: 40-hole |
| Grade 5 carriage, 1/4–1/2-in. dia. Part No. PM15474 Sizes in assortment: 36 Metal bins included: 40-hole | Grade 8.8 carriage, M6–M16 dia. Part No. PM15479 Sizes in assortment: 34 Metal bins included: 40-hole |
| Grade 8 hex, 1/4–1/2-in. dia. Part No. PM15475 Sizes in assortment: 70 Metal bins included: 72-hole | Grade 10.9 fange, M6–M12 dia. Part No. PM15480 Sizes in assortment: 40 Metal bins included: 40-hole |
| Grade 8 hex, 5/8–3/4-in. dia. Part No. PM15476 Sizes in assortment: 25 Metal bins included: 40-hole | Grade 10.9 hex, M6–M12 dia. Part No. PM15481 Sizes in assortment: 58 Metal bins included: 72-hole |
| | Grade 10.9 hex, M16–M20 dia. Part No. PM15482 Sizes in assortment: 32 Metal bins included: 40-hole |

See us for pricing.











72-hole storage bin
Part number: PM15462
36-in. (W) x 12-in. (D) x 42-in. (H)



40-hole storage bin
Part number: PM15463
36-in. (W) x 12-in. (D) x 21 1/2-in. (H)



Base for 40- and 72-hole storage bins
Part number: PM15464
36-in. (W) x 12-in. (D) x 4 1/2-in. (H)

| ENGLISH | METRIC |
|-----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| Grade 5 – Green  | Grade 8.8 Metric – Red  |
| Grade 5 Carriage – Green  | Grade 8.8 Metric Carriage – Red  |
| Grade 8 – Blue  | Grade 10.9 Metric Flange – Black  |
| Stainless Steel Carriage  | Grade 10.9 Metric Hex – Black  |



JOHN DEERE

WATER RESISTANT COWHIDE DRIVER

Water resistant premium grain cowhide drivers are the most popular heavy duty work gloves. 100% grain cowhide protection provides long lasting durability. Water Resistant technology extends the life of the glove. Shirred elastic helps to keep unwanted dirt and debris out of the glove.



JD84013



JD84014

Available at your local dealership!

PEACE OF MIND IT'S NOT JUST FOR NEW EQUIPMENT



INTRODUCING USED POWERGARD¹ EXTENDED WARRANTY PROTECTION

Go from “out of warranty” to “under warranty” with a **Used PowerGard Plan** from John Deere. Designed to preserve the performance and reliability of your aging equipment, Used PowerGard (an Inspect & Protect Program) now offers an option for out-of-warranty, customer-owned machines. Our limited **powertrain-and-engine warranty** can help keep your tractor, combine, sprayer, SPFH, cotton harvester or nutrient applicator running for a lot longer. Plus, you get to choose from a variety of **flexible terms**, in total months and total hours, along with determining the deductible that’s right for you. Get covered today!

Used Power Gard Plans are also available for used machines purchased from a dealer.

Contact us to learn more.

¹ Qualified customer-owned equipment for a Used PowerGard Plan is limited to tractors under 10 years old/under 5,000 hours and to combines, sprayers, self-propelled forage harvesters, cotton harvesters and windrowers under 7 years old/under 2,000 hours. To be eligible for Used PowerGard, your out-of-warranty equipment is subject to certification which includes inspection and fluid sampling. See your participating John Deere Dealer for complete details.



PowerGard™ Protection Plan Residential

Add up to four years of coverage beyond the normal warranty term on all **utility vehicles, riding lawn equipment, zero-turn radius mowers, and compact and utility tractors.**

Offering the same **bumper-to-bumper** coverage as the original factory warranty¹, PowerGard Protection Plan Residential² also includes:

- Flexible term lengths based on estimated ownership years and annual usage hours
- \$0 deductible and no pre-approvals on covered repairs
- Transportation allowance per covered repair visit
- Genuine John Deere parts and expert service technicians
- Transferrable warranty for remaining coverage when selling or trading

Contact us about a custom plan today or visit JohnDeere.com/PowerGard.

¹ Warranty Coverage is based on total months or total hours whichever comes first.

² PowerGard Protection Plan (Residential) is available only to residential equipment users located in the U.S.

OR CURRENT RESIDENT

If your address is incorrect, please correct (show any desired change in name and address, including street, route, box number, zip code).
Clip this page including dealer imprint(s) above and send to: John Deere, P.O. Box 410418, Kansas City, MO 64141-0418



JDParts.JohnDeere.com

GENUINE AND GUARANTEED

Your local John Deere Dealer offers a comprehensive parts inventory, highly trained service technicians, and the expertise to help you get the most out of your equipment investment. And now, John Deere O.E.M. agricultural parts installed by an authorized John Deere Dealer carry a 12-month, unlimited-hour warranty including labor. If you prefer to handle repairs yourself, all Genuine John Deere ag and turf parts sold carry a 6-month warranty.*

*12 month/unlimited hour warranty on new agricultural parts installed by an authorized John Deere Dealer. 6 month/unlimited hour warranty for all new John Deere agricultural and turf equipment parts. See John Deere Service Repair & Parts Warranty for details at JohnDeere.com/PartsWarranty.



JOHN DEERE

JohnDeere.com/PartsWarranty